

Date:

Aug 29, 2019

Applicant: LIFETIME PLASTIC PRODUCT LIMITED

NO.568 SHANBIAN ROAD, DONGFU TOWN, HAICANG

DISTRICT, XIAMEN, FUJIAN 361027

Attn: RECKY MA

Sample Description:

Ten (10) pieces of submitted sample said to be:

Item Name : Basketball, Youth Portable, Telescoping.

Item No. : 90824.

Labelled Age Group : Not Specified. Applicant Specified Age : 6~12 years.

Grading for Testing

Packaging Provided by : No.

Applicant

Manufacturer : Xiamen Ponder Metal Products Co., Ltd.

Country of Origin : China.

Date Sample Received : Aug 08, 2019

Testing Period : Aug 08, 2019~Aug 29, 2019.

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested SamplesStandardResultSubmitted sample(s)EN71-1:2014+A1:2018Pass

for mechanical and physical properties

EN71 Part 2 : 2011+A1:2014 Pass

Flammability test

Tested component(s) of EN71-3:2013+A3:2018 on migration of certain elements Pass

submitted sample(s)

EN71-3:2013+A3:2018 on migration of certain elements & EU Pass

2018/725 amending 2009/48/EC (effective from Nov 18,2019)

for chromium (VI) migration

EN71-3:2019 on migration of certain elements Pass

EU REACH Regulation No 1907/2006 Article 33(1) Obligation See test to provide information of safe use (see REACH requirement in conducted

report for details)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager

Page 1 of 19

Tel:+86755 26020111 Fax:+86755 35377118\9 www.intertek.com.cn www.intertek.com





Tests Conducted

1 Mechanical and Physical Test

As per European Standard on Safety of toys EN71-1:2014+A1:2018.

The submitted samples were undergone the following abuse tests:

Test Clause Parameter

Tip over test 8.6 Three times

| Clause | Testing items | <u>Assessment</u> |
|--------|--|-------------------|
| 4 | General requirements | |
| 4.1 | Material | Р |
| 4.2 | Assembly | Р |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 | Edges | Р |
| 4.8 | Points and metallic wires | Р |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.16 | Heavy immobile toys | Р |
| 4.17 | Projectile toys | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |
| 4.20 | Acoustics | NA |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy disguise costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirements | NA |
| | | |





www.intertek.com.cn

www.intertek.com



Number: SZHH01389992 **Test Report**

Tests Conducted

| Clause | Testing items | Assessment |
|--------|---|------------|
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |
| 5.5 | Liquid filled toys | NA |
| 5.6 | Speed limitation of electrically-driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | NA |
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |
| 7 | Warnings, markings and instructions for use | |
| 7.1 | General | Р |
| 7.2 | Toys not intended for children under 36 months | NA |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectile toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy kites | NA |
| 7.10 | Roller skates, inline skates and skateboards and certain other ride-on toys | NA |
| 7.11 | Toys intended to be strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic/electrical experimental sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |



Tel:+86755 26020111

www.intertek.com





Tests Conducted

| Clause | Testing items | Assessment |
|--------|---|------------|
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA |
| 7.25 | Flying toys | NA |
| 7.26 | Improvised projectiles | NA |

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was on the packaging & toy.
- Manufacturer's address was on the packaging.
- Importer's name was missed.
- Importer's address was missed.
- Product identification code was on the packaging.
- CE-marking was missed.

2 Flammability Test

As per European Standard on Safety of Toys EN71-2:2011+A1:2014

| <u>Clause</u> | Testing items | <u>Assessment</u> |
|---------------|---|-------------------|
| 4.1 | General | Р |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft filled toys | NA |

Remark: P = Pass NA = Not applicable







Tests Conducted

3 19 Toxic Element Migration Test

(A) Test Result


As per EN71-3:2013+A3:2018 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

| | Result (mg/kg) | | | Reporting | Limit | |
|----------------------------|----------------|-------|-------------------------|----------------|------------|--|
| <u>Element</u> | I | Limit | <u>Limit</u> (mg/kg) | | | |
| | (2) (3) (7) | | | <u>(mg/kg)</u> | (IIIg/kg) | |
| Aluminium (Al) | ND | ND | ND | 300 | 70000 | |
| Antimony (Sb) | ND | ND | ND | 10 | 560 | |
| Arsenic (As) | ND | ND | ND | 10 | 47 | |
| Barium (Ba) | 168 | 100 | 41 | 10 | 18750 | |
| Boron (B) | ND | ND | ND | 50 | 15000 | |
| Cadmium (Cd) | ND | ND | ND | 5 | 17 | |
| Chromium (III) (Cr III) ** | ND | ND | ND | 10 | 460 | |
| Chromium (VI) (Cr VI) ** | ND# | ND# | ND# | 0.025 | 0.2/0.053© | |
| Cobalt (Co) | ND | ND | ND | 10 | 130 | |
| Copper (Cu) | ND | ND | ND | 10 | 7700 | |
| Lead (Pb) | ND | ND | ND | 10 | 23 | |
| Manganese (Mn) | ND | ND | ND | 10 | 15000 | |
| Mercury (Hg) | ND | ND | ND | 10 | 94 | |
| Nickel (Ni) | ND | ND | ND | 10 | 930 | |
| Selenium (Se) | ND | ND | ND | 10 | 460 | |
| Strontium (Sr) | ND | ND | ND | 100 | 56000 | |
| Tin (Sn) | 4.9 | ND | ND | 2.5 | 180000 | |
| Organic tin ** | NDΔ | ND | ND | 2.0 | 12 | |
| Zinc (Zn) | ND | ND | 221 | 100 | 46000 | |

| | Result (mg/kg) θ | Reporting | Limeit | |
|----------------------------|------------------------|---------------|-------------------------|--|
| <u>Element</u> | Tested Component | <u> Ĺimit</u> | <u>Limit</u> (mg/kg) | |
| | (1),(4)to(6),(8)to(11) | (mg/kg) | (Hig/kg) | |
| Aluminium (AI) | ND | 300 | 70000 | |
| Antimony (Sb) | ND | 10 | 560 | |
| Arsenic (As) | ND | 10 | 47 | |
| Barium (Ba) | ND | 10 | 18750 | |
| Boron (B) | ND | 50 | 15000 | |
| Cadmium (Cd) | ND | 5 | 17 | |
| Chromium (III) (Cr III) ** | ND | 10 | 460 | |
| Chromium (VI) (Cr VI) ** | ND# | 0.025 | 0.2/0.053© | |
| Cobalt (Co) | ND | 10 | 130 | |
| Copper (Cu) | ND | 10 | 7700 | |
| Lead (Pb) | ND | 10 | 23 | |
| Manganese (Mn) | ND | 10 | 15000 | |
| Mercury (Hg) | ND | 10 | 94 | |
| Nickel (Ni) | ND | 10 | 930 | |
| Selenium (Se) | ND | 10 | 460 | |





1 号楼 $3 \cdot 4 \cdot 5$ 层及 1 楼西侧半层和 3 号楼整栋 1-5 层

Tel:+86755 26020111





Tests Conducted

| Strontium (Sr) | ND | 100 | 56000 |
|----------------|----|-----|--------|
| Tin (Sn) | ND | 2.5 | 180000 |
| Organic tin ** | ND | 2.0 | 12 |
| Zinc (Zn) | ND | 100 | 46000 |

mg/kg = milligram per kilogram Remark:

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit) θ = Single result for each test component/group

⊚ = The new chromium (VI) migration limit [(0.053mg/kg for Category (III)] were quoted from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium migration value of Chromium(VI).

 $\Delta =$ Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in ÉN71-3:2013+A3:2018.

Tested Component(s):

- Coatings (white, blue, light blue) on plastic (pattern of backboard). (1)
- Orange coating on metal (basketry). (2)
- Black coating on metal (tube). (3)
- Black plastic (backboard, base).
 Black plastic (wheels).
 Black plastic (knob of tube). (4)
- (5)
- (6)
- Black plastic (nut of holder of backboard). (7)
- (8) Black plastic (holder of small tube).
- Black plastic (plug of base). (9)
- White plastic label with transparent plastic film and inaccessible coatings (warning label of tube). (10)
- White cord (net). (11)







Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

4 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

| | Result (mg/kg) | | | Reporting | Limit |
|----------------------------|----------------|----------------|---------------|-------------------------|-----------|
| <u>Element</u> | Ţ | ested Componer | <u> Limit</u> | <u>Limit</u> (mg/kg) | |
| | (2) | <u>(3)</u> | <u>(7)</u> | <u>(mg/kg)</u> | (IIIg/kg) |
| Aluminium (Al) | ND | ND | ND | 300 | 70000 |
| Antimony (Sb) | ND | ND | ND | 10 | 560 |
| Arsenic (As) | ND | ND | ND | 10 | 47 |
| Barium (Ba) | 168 | 100 | 41 | 10 | 18750 |
| Boron (B) | ND | ND | ND | 50 | 15000 |
| Cadmium (Cd) | ND | ND | ND | 5 | 17 |
| Chromium (III) (Cr III) ** | ND | ND | ND | 10 | 460 |
| Chromium (VI) (Cr VI) ** | ND# | ND# | ND# | 0.025 | 0.053© |
| Cobalt (Co) | ND | ND | ND | 10 | 130 |
| Copper (Cu) | ND | ND | ND | 10 | 7700 |
| Lead (Pb) | ND | ND | ND | 10 | 23 |
| Manganese (Mn) | ND | ND | ND | 10 | 15000 |
| Mercury (Hg) | ND | ND | ND | 10 | 94 |
| Nickel (Ni) | ND | ND | ND | 10 | 930 |
| Selenium (Se) | ND | ND | ND | 10 | 460 |
| Strontium (Sr) | ND | ND | ND | 100 | 56000 |
| Tin (Sn) | 4.9 | ND | ND | 2.5 | 180000 |
| Organić tin ** | ND∆ | ND | ND | 2.0 | 12 |
| Zinc (Zn) | ND | ND | 221 | 100 | 46000 |







Tests Conducted

| | Result (mg/kg) θ | Reporting | Limit |
|----------------------------|------------------------|-----------|---------|
| Element | Tested Component | Limit | Limit |
| | (1),(4)to(6),(8)to(11) | (mg/kg) | (mg/kg) |
| Aluminium (Al) | ND | 300 | 70000 |
| Antimony (Sb) | ND | 10 | 560 |
| Arsenic (As) | ND | 10 | 47 |
| Barium (Ba) | ND | 10 | 18750 |
| Boron (B) | ND | 50 | 15000 |
| Cadmium (Cd) | ND | 5 | 17 |
| Chromium (III) (Cr III) ** | ND | 10 | 460 |
| Chromium (VI) (Cr VI) ** | ND# | 0.025 | 0.053© |
| Cobalt (Co) | ND | 10 | 130 |
| Copper (Cu) | ND | 10 | 7700 |
| Lead (Pb) | ND | 10 | 23 |
| Manganese (Mn) | ND | 10 | 15000 |
| Mercury (Hg) | ND | 10 | 94 |
| Nickel (Ni) | ND | 10 | 930 |
| Selenium (Se) | ND | 10 | 460 |
| Strontium (Sr) | ND | 100 | 56000 |
| Tin (Sn) | ND | 2.5 | 180000 |
| Organic tin ** | ND | 2.0 | 12 |
| Zinc (Zn) | ND | 100 | 46000 |

mg/kg = milligram per kilogram Remark:

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

 θ = Single result for each test component/group

○ = The new chromium (VI) migration limit [(0.053mg/kg for Category (III)] were quoted from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019. # = Confirmation of Chromium (VI) test was performed on the tested component. And the

reported value of migration of Chromium (III) = migration value of total Chromium -

migration value of Chromium(VI).

 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN71-3:2019







Tests Conducted

Tested Component(s):

- Coatings (white, blue, light blue) on plastic (pattern of backboard). (1)
- (2)Orange coating on metal (basketry).
- Black coating on metal (tube). (3)
- Black plastic (backboard, base). (4)
- (5) Black plastic (wheels).
- Black plastic (knob of tube). (6)
- Black plastic (nut of holder of backboard). (7)
- Black plastic (holder of small tube). Black plastic (plug of base). (8)
- (9)
- White plastic label with transparent plastic film and inaccessible coatings (warning label of tube). (10)
- White cord (net). (11)

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

5 (I) SVHC Testing Results

By Inductively Coupled Plasma Optical Emission Spectrometry, Ion Chromatography, UV-Visible Spectrophotometry, Gas Chromatographic - Mass Spectrometry, Liquid Chromatographic / Tandem Mass Spectrometer and High Performance Liquid Chromatography analysis.

| | Results ^% (w/w) | |
|---|-------------------------------|--|
| Chemical Substance | Tested groups | |
| | <u>(1+2+3+4+5+6+7+8+9+10)</u> | |
| Short Chain Chlorinated Paraffins (C ₁₀₋₁₃) | 0.014#1 | |
| Other tested SVHCs in Chemical list | ND | |









Tests Conducted

| Chemical | Results ^ % (w/w) θ |
|-------------------------------|---------------------|
| Substance | Other Tested groups |
| Tested SVHCs in Chemical list | ND |

SVHC = Substance of very high concern

ND = Not detected (less than reporting limit)

Reporting limit = 0.010%

A = Results were based on composite testing of components

 θ = Single result for each test component/group

Remark #1 : The result of the mixed sample (1+2+3+4+5+6+7+8+9+10) did not exceed the limit, nevertheless it exceeded the limit /n (n is the number of the mixed samples). With consideration to dilution factor in a mixed testing, there may be one or more samples failed to meet the requirement. Additional confirmation test is recommended to identify the SVHC content in individual component of concern.

Test group of Remark #1:

- (1) Brown corrugated board with black coating (cover of tube).
- (2) Brown corrugated board with black coating (lower box).
- (3) Brown corrugated board with coatings (upper box).
- (4) White paper with black coating (color card).
- (5) Grey paper card with coatings (cover of accessories).
- (6) Transparent plastic (cover of accessories).
- (7) White paper with black printing (instruction book).
- (8) Yellow paper with black printing (instruction book).
- (9) Transparent plastic with black coating (poly bag).
- (10) White paper label with coatings / white plastic label with transparent plastic film and inaccessible coatings / transparent plastic label (sticker, cello-tape).

Tested SVHC Chemical list:

| | Chemical Substance | CAS No. | | Chemical Substance | CAS No. |
|----|---|------------|----|--|---|
| 1 | Cobalt Dichloride Δ | 7646-79-9 | 2 | Diarsenic Pentaoxide Δ | 1303-28-2 |
| 3 | Diarsenic Trioxide Δ | 1327-53-3 | 4 | Lead Hydrogen Arsenate ∆ | 7784-40-9 |
| 5 | Triethyl Arsenate Δ | 15606-95-8 | 6 | Sodium Dichromate Δ | 7789-12-0, 10588-01- 9 |
| 7 | Bis (Tributyltin) Oxide (TBTO) ∆ | 56-35-9 | 8 | Anthracene | 120-12-7 |
| 9 | 4,4'- Diaminodiphenylme thane (MDA) | 101-77-9 | 10 | Hexabromocyclododeca ne (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β- HBCDD, γ-HBCDD) | 25637-99-4 and 3194-55-6 (134237- 50-6,134237-51-7, 134237-52-8) |
| 11 | 5-Tert-Butyl-2,4,6- Trinitro-m-Xylene (Musk Xylene) | 81-15-2 | 12 | Bis (2-Ethylhexyl) Phthalate (DEHP) | 117-81-7 |
| 13 | Dibutyl Phthalate | 84-74-2 | 14 | Benzyl Butyl Phthalate | 85-68-7 |
| | | | | | |







| | (DBP) | | | (BBP) | |
|----|--|---------------------------|----|---|--------------------------------------|
| | Short Chain | | | (DDF) | |
| 15 | Chlorinated Paraffins (C ₁₀₋₁₃) | 85535-84-8 | 16 | Lead Chromate Δ | 7758-97-6 |
| 17 | Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) Δ | 12656-85-8 | 18 | Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) ∆ | 1344-37-2 |
| 19 | Tris (2-Chloroethyl) Phosphate | 115-96-8 | 20 | 2,4-Dinitrotoluene | 121-14-2 |
| 21 | Diisobutyl Phthalate (DIBP) | 84-69-5 | 22 | Coal Tar Pitch, High Temperature | 65996-93-2 |
| 23 | Anthracene Oil | 90640-80-5 | 24 | Anthracene Oil, Anthracene Paste, Distn. Lights | 91995-17-4 |
| 25 | Anthracene Oil, Anthracene Paste, Anthracene Fraction | 91995-15-2 | 26 | Anthracene Oil, Anthracene-low | 90640-82-7 |
| 27 | Anthracene Oil, Anthracene Paste | 90640-81-6 | 28 | Acrylamide | 79-06-1 |
| 29 | Boric Acid Δ | 10043-35-3, 11113-50-1 | 30 | Disodium Tetraborate, Anhydrous ∆ | 1330-43-4, 12179- 04-3, 1303-96-4 |
| 31 | Tetraboron Disodium Heptaoxide, Hydrate Δ | 12267-73-1 | 32 | Sodium Chromate Δ | 7775-11-3 |
| 33 | Potassium Chromate Δ | 7789-00-6 | 34 | Ammonium Dichromate Δ | 7789-09-5 |
| 35 | Potassium Dichromate Δ | 7778-50-9 | 36 | Trichloroethylene | 79-01-6 |
| 37 | 2-Methoxyethanol | 109-86-4 | 38 | 2-Ethoxyethanol | 110-80-5 |
| 39 | Cobalt Sulphate A | 10124-43-3 | 40 | Cobalt Dinitrate | 10141-05-6 |
| 41 | Cobalt Carbonate A | 513-79-1 | 42 | Cobalt Diacetate Δ | 71-48-7 |
| 43 | Chromium Trioxide Δ | 1333-82-0 | 44 | Chromic Acid Δ Dichromic Acid Δ Oligomers of Chromic Acid and Dichromic Acid Δ | 7738-94-5 13530-68-2 |
| 45 | Strontium Chromate∆ | 7789-06-2 | 46 | 2-ethoxyethyl acetate (2-EEA) | 111-15-9 |
| 47 | 1,2- Benzenedicarboxyli c acid, di-C ₇₋₁₁ - branched and linear alkyl esters (DHNUP) | 68515-42-4 | 48 | Hydrazine | 7803-57-8 302-01-2 |
| 49 | 1-methyl-2- pyrrolidone | 872-50-4 | 50 | 1,2,3-trichloropropane | 96-18-4 |
| 51 | 1,2- Benzenedicarboxyli c acid, di-C ₆₋₈ - branched alkyl esters, C ₇ -rich | 71888-89-6 | 52 | Lead dipicrate∆ | 6477-64-1 |







Tests Conducted

| | (DIHP) | | | | |
|----|---|------------------------------|----|---|------------------------------|
| 53 | Lead styphnate∆ | 15245-44-0 | 54 | Lead azide; Lead diazide∆ | 13424-46-9 |
| 55 | Phenolphthalein | 77-09-8 | 56 | 2,2'-dichloro-4,4'- methylenedianiline (MOCA) | 101-14-4 |
| 57 | N,N- dimethylacetamide (DMAC) | 127-19-5 | 58 | Trilead diarsenate∆ | 3687-31-8 |
| 59 | Calcium arsenate∆ | 7778-44-1 | 60 | Arsenic acid∆ | 7778-39-4 |
| 61 | Bis(2- methoxyethyl) ether | 111-96-6 | 62 | 1,2-Dichloroethane | 107-06-2 |
| 63 | 4-(1,1,3,3- tetramethylbutyl)ph enol, (4-tert- Octylphenol) | 140-66-9 | 64 | 2-Methoxyaniline; o- Anisidine | 90-04-0 |
| 65 | Bis(2- methoxyethyl) phthalate (DMEP) | 117-82-8 | 66 | Formaldehyde, oligomeric reaction products with aniline (technical MDA) | 25214-70-4 |
| 67 | Pentazinc chromate octahydroxide∆ | 49663-84-5 | 68 | Potassium hydroxyoctaoxodizincat e di-chromate∆ | 11103-86-9 |
| 69 | Dichromium tris(chromate)∆ | 24613-89-6 | 70 | Aluminosilicate Refractory Ceramic Fibres ∆ | (Index No. 650-017- 00-8) |
| 71 | Zirconia Aluminosilicate Refractory Ceramic Fibres Δ | (Index No. 650- 017-00-8) | 72 | 1,2-bis(2- methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 |
| 73 | 1,2- dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 74 | Diboron trioxide∆ | 1303-86-2 |
| 75 | Formamide | 75-12-7 | 76 | Lead(II) bis(methanesulfonate) Δ | 17570-76-2 |
| 77 | TGIC (1,3,5- tris(oxiranylmethyl)- 1,3,5-triazine- 2,4,6(1H,3H,5H)- trione) | 2451-62-9 | 78 | β-TGIC (1,3,5-tris[(2S) and 2R)-2,3- epoxypropyl]-1,3,5- triazine-2,4,6- (1H,3H,5H)-trione) | 59653-74-6 |
| 79 | 4,4'- bis(dimethylamino) benzophenone (Michler's ketone) | 90-94-8 | 80 | N,N,N',N'-tetramethyl- 4,4'-methylenedianiline (Michler's base) | 101-61-1 |
| 81 | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cy clohexa-2,5-dien-1-ylidene]dimethylam monium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. | 548-62-9 | 82 | [4-[[4-anilino-1- naphthyl][4- (dimethylamino)phenyl] methylene]cyclohexa- 2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or | 2580-56-5 |

Page 12 of 19





| | 202-027-5) or Michler's base (EC No. 202-959-2)] | | | Michler's base (EC No. 202-959-2)] | |
|----|--|-------------------------------------|----|--|--|
| 83 | α,α-Bis[4- (dimethylamino)phe nyl]-4 (phenylamino)naph thalene-1- methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959- 2)] | 6786-83-0 | 84 | 4,4'-bis(dimethylamino)- 4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] | 561-41-1 |
| 85 | Bis(pentabromophe nyl) ether (decabromodiphen yl ether; DecaBDE) | 1163-19-5 | 86 | Pentacosafluorotridecan oic acid | 72629-94-8 |
| 87 | Tricosafluorododec anoic acid | 307-55-1 | 88 | Henicosafluoroundecan oic acid | 2058-94-8 |
| 89 | Heptacosafluorotetr adecanoic acid | 376-06-7 | 90 | Diazene-1,2- dicarboxamide (C,C'- azodi(formamide)) | 123-77-3 |
| 91 | Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis-[2] and trans-[3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]. | 85-42-7 13149-00-3 14166-21-3 | 92 | Hexahydromethylphthalicanhydride [1], Hexahydro-4-methylphthalicanhydride [2], Hexahydro-1-methylphthalicanhydride [3], Hexahydro-3-methylphthalicanhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and transstereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry] | 25550-51-0 19438-60-9 48122-14-1 57110-29-9 |
| 93 | 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon | | 94 | 4-(1,1,3,3- tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues] | |









Tests Conducted

| 95 | number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] Methoxyacetic acid Dibutyltin dichloride | 625-45-6 | 96 | N,N-dimethylformamide Lead monoxide (Lead | 68-12-2 |
|-----|---|------------|-----|--|-------------|
| 97 | (DBTC) ∆ | 683-18-1 | 98 | oxide) Δ | 1317-36-8 |
| 99 | Orange lead (Lead tetroxide) Δ | 1314-41-6 | 100 | Lead bis(tetrafluoroborate) Δ | 13814-96-5 |
| 101 | Trilead bis(carbonate)dihyd roxide Δ | 1319-46-6 | 102 | Lead titanium trioxide∆ | 12060-00-3 |
| 103 | Lead titanium zirconium oxide∆ | 12626-81-2 | 104 | Silicic acid, lead salt Δ | 11120-22-2 |
| 105 | Silicic acid (H2Si2O5), barium salt (1:1), leaddoped∆ [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] | 68784-75-8 | 106 | 1-bromopropane (n- propyl bromide) | 106-94-5 |
| 107 | Methyloxirane (Propylene oxide) | 75-56-9 | 108 | 1,2- Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 |
| 109 | Diisopentylphthalat e (DIPP) | 605-50-5 | 110 | N-pentyl- isopentylphthalate | 776297-69-9 |
| 111 | 1,2-diethoxyethane | 629-14-1 | 112 | Acetic acid, lead salt, basic∆ | 51404-69-4 |
| 113 | Lead oxide sulfate∆ | 12036-76-9 | 114 | [Phthalato(2-)]dioxotrilead∆ | 69011-06-9 |
| 115 | Dioxobis(stearato)tr ilead∆ | 12578-12-0 | 116 | Fatty acids, C16-18, lead salts∆ | 91031-62-8 |
| 117 | Lead cynamidate∆ | 20837-86-9 | 118 | Lead dinitrate∆ | 10099-74-8 |
| 119 | Pentalead | 12065-90-6 | 120 | Pyrochlore, antimony | 8012-00-8 |

Page 14 of 19





| | tetraoxide | | | lead yellow∆ | |
|-----|--|------------|-----|---|-------------|
| 121 | sulphate∆ Sulfurous acid, lead salt, dibasic∆ | 62229-08-7 | 122 | Tetraethyllead∆ | 78-00-2 |
| 123 | Tetralead trioxide sulphate∆ | 12202-17-4 | 124 | Trilead dioxide phosphonate∆ | 12141-20-7 |
| 125 | Furan | 110-00-9 | 126 | Diethyl sulphate | 64-67-5 |
| 127 | Dimethyl sulphate | 77-78-1 | 128 | 3-ethyl-2-methyl-2-(3- methylbutyl)-1,3- oxazolidine | 143860-04-2 |
| 129 | Dinoseb (6-sec- butyl-2,4- dinitrophenol) | 88-85-7 | 130 | 4,4'-methylenedi-o- toluidine | 838-88-0 |
| 131 | 4,4'-oxydianiline and its salts | 101-80-4 | 132 | 4-aminoazobenzene | 60-09-3 |
| 133 | 4-methyl-m- phenylenediamine (toluene-2,4- diamine) | 95-80-7 | 134 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 |
| 135 | Biphenyl-4-ylamine | 92-67-1 | 136 | o-aminoazotoluene [(4- o-tolylazo-o-toluidine]) | 97-56-3 |
| 137 | o-toluidine | 95-53-4 | 138 | N-methylacetamide | 79-16-3 |
| 139 | Cadmium∆ | 7440-43-9 | 140 | Cadmium oxide∆ | 1306-19-0 |
| 141 | Dipentyl phthalate (DPP) | 131-18-0 | 142 | 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | |
| 143 | Ammonium pentadecafluorooct anoate (APFO) | 3825-26-1 | 144 | Pentadecafluorooctanoi c acid (PFOA) | 335-67-1 |
| 145 | Cadmium sulphide∆ | 1306-23-6 | 146 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 573-58-0 |
| 147 | Disodium 4-amino- 3-[[4'-[(2,4- diaminophenyl)azo] | 1937-37-7 | 148 | Dihexyl phthalate (DnHP) | 84-75-3 |







Tests Conducted

| | [1,1'-biphenyl]-4- yl]azo] -5-hydroxy- 6- (phenylazo)naphth alene-2,7- disulphonate (C.I. Direct Black 38) | | | | |
|-----|--|---------------------------|-----|---|----------------------------|
| 149 | Imidazolidine-2- thione (2- imidazoline-2-thiol) | 96-45-7 | 150 | Lead di(acetate) Δ | 301-04-2 |
| 151 | Trixylyl phosphate | 25155-23-1 | 152 | 1,2- Benzenedicarboxylic acid, dihexyl ester, branched and linear (Diisohexyl phthalate(DIHP)) | 68515-50-4 |
| 153 | Cadmium chloride∆ | 10108-64-2 | 154 | Sodium perborate; perboric acid, sodium salt∆ | |
| 155 | Sodium peroxometaborate∆ | 7632-04-4 | 156 | 2-(2H-benzotriazol-2-yl)- 4,6-ditertpentylphenol (UV-328) | 25973-55-1 |
| 157 | 2-benzotriazol-2-yl- 4,6-di-tert- butylphenol (UV- 320) | 3846-71-7 | 158 | 2-ethylhexyl 10-ethyl- 4,4-dioctyl-7-oxo-8-oxa- 3,5-dithia-4- stannatetradecanoate (DOTE) | 15571-58-1 |
| 159 | Cadmium fluoride∆ | 7790-79-6 | 160 | Cadmium sulphate∆ | 10124-36-4; 31119- 53-6 |
| 161 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecano ate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecano ate (reaction mass of DOTE and MOTE) | 15571-58-1; 27107-89-7 | 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5 68648-93-1 |
| 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5- | 117933-89-8 | 164 | Nitrobenzene | 98-95-3 |





1号楼3、4、5层及1楼西侧半层和3号楼整栋1-5层



| | sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | | | | |
|-----|---|--|-----|--|-------------------------------------|
| 165 | 2,4-di-tert-butyl-6- (5- chlorobenzotriazol- 2-yl)phenol (UV- 327) | 3864-99-1 | 166 | 2-(2H-benzotriazol-2-yl)- 4-(tert-butyl)-6-(sec- butyl)phenol (UV-350) | 36437-37-3 |
| 167 | 1,3-propanesultone | 1120-71-4 | 168 | Perfluorononan-1-oic- acid and its sodium and ammonium salts | 375-95-1 21049-39-8 4149-60-4 |
| 169 | Benzo[def]chrysen e (Benzo[a]pyrene) | 50-32-8 | 170 | 4,4'- isopropylidenediphenol (bisphenol A; BPA) | 80-05-7 |
| 171 | Nonadecafluorodec anoic acid (PFDA) and its sodium and ammonium salts | 335-76-2 3830-45-3 3108-42-7 | 172 | 4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB-and well-defined substances which include any of the individual isomers or a combination thereof] | |
| 173 | p-(1,1 dimethylpropyl)phe nol | 80-46-6 | 174 | Perfluorohexane-1- sulphonic acid and its salts (PFHxS) | 355-46-4 |
| 175 | 1,6,7,8,9,14,15,16, 17,17,18,18- Dodecachloropenta cyclo[12.2.1.16,9.0 2,13.05,10]octadec a-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn- isomers or any combination | 13560-89-9; 135821-74-8; 135821-03-3 | 176 | Benz[a]anthracene | 56-55-3 |







SZHH01389992 **Test Report** Number:

| | thereof | | | | |
|-----|---|------------|-----|--|------------|
| 177 | Cadmium nitrate∆ | 10325-94-7 | 178 | Cadmium carbonate∆ | 513-78-0 |
| 179 | Cadmium hydroxide∆ | 21041-95-2 | 180 | Chrysene | 218-01-9 |
| 181 | Reaction products of 1,3,4- thiadiazolidine-2,5- dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4- heptylphenol, branched and linear] | | 182 | Benzene-1,2,4- tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA) | 552-30-7 |
| 183 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 184 | Octamethylcyclotetrasilo xane (D4) | 556-67-2 |
| 185 | Decamethylcyclope ntasiloxane (D5) | 541-02-6 | 186 | Dodecamethylcyclohexa siloxane (D6) | 540-97-6 |
| 187 | Lead | 7439-92-1 | 188 | Disodium octaborate∆ | 12008-41-2 |
| 189 | Benzo[ghi]perylene | 191-24-2 | 190 | Terphenyl hydrogenate | 61788-32-7 |
| 191 | Ethylenediamine (EDA) | 107-15-3 | 192 | 1,7,7-trimethyl-3- (phenylmethylene)bicycl o[2.2.1]heptan-2-one | 15087-24-8 |
| 193 | 2,2-bis(4'- hydroxyphenyl)-4- methylpentane | 6807-17-6 | 194 | Benzo[k]fluoranthene | 207-08-9 |
| 195 | Fluoranthene | 206-44-0 | 196 | Phenanthrene | 85-01-8 |
| 197 | Pyrene | 129-00-0 | 198 | 2,3,3,3-tetrafluoro-2- (heptafluoropropoxy)pro pionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) | |
| 199 | 4-tert-butylphenol (PTBP) | 98-54-4 | 200 | 2-methoxyethyl acetate | 110-49-6 |
| 201 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | | | | |

 $[\]Delta$ = Determination was based on elemental analysis. The content was calculated based on assumption of worst-case.







Tests Conducted

Notes:

Substances of very high concern (SVHC) are classified as:

Carcinogenic, mutagenic or toxic to reproduction category 1 (proven on humans) and category 2 (proven on animals)

Persistent, bioaccumulative and toxic chemicals (PBT)

Very persistent and very bioaccumulative chemicals (vPvB)

Other similar substances such as endocrine disrupters

If the imported or manufactured volume of each individual SVHC in article is more than 0.1% (w/w) and if it exceeds 1 tonne per year across all product ranges, then importer or manufacturer require notification to the European Chemical Agency (ECHA). For substances included in the Candidate List on or after 1 December 2010, the notifications have to be submitted no later than 6 months after the inclusion. The following information has to be submitted for notification:

Identification of the registrant and the substance

Classification and labelling of the substance

Description of use of the substance and the article

Registration number, if available

Tonnage range

REACH requirement:

As per article 33(1) of regulation (EC) No. 1907/2006 (REACH), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A product meets the requirement of article 33(1) by default when no SVHC exceeds 0.1% (w/w).

As per Court of the European Union Judgment in Case C-106/14, press release No 100/15 dated 10 September 2015, each of the articles incorporated as a component of a complex product is covered by the relevant duties to notify and provide information when they contain a substance of very high concern in a concentration above 0.1% of their mass.

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Ltd.



