

VS92A/VS94A/VS98A

2/4/8-Port Video Splitter


- The VS92A is a video splitter that not only duplicates the video signal from any VGA, XGA, SVGA, UXGA, or multisync monitor to two outputs, but also boosts the video signal over a distance of up to 30 meters. Cascadable to support up to 8 displays, and offering bandwidth up to 350 MHz, the VS92A is ideal for broadcasting and enhancing video information to the public, monitoring your work environments from safe locations, or offering superior video for company or classroom training.



Features

- One video input to 2 video outputs
- Cascadable to 3 levels - provides up to 8 video signals
- Supports 350 MHz bandwidth
- Long-distance transmission - up to 30 m *
- Superior video quality - 1920 x 1440@60Hz
- DDC, DDC2, DDC2B Compatible (Port 1 only)
- Supports VGA, XGA, SVGA, UXGA, WUXGA and multisync monitors
- All metal casing

* Video content sent over very long distance using a VGA cable might result in slight degradation of the video signal and quality.



Specifications

Function	VS92A	VS94A	VS98A
Video Input			
Interface	1 x HDB-15 Male (Blue)	1 x HDB-15 Male (Blue)	1 x HDB-15 Male (Blue)
Impedance	75 Ω		
Max. Distance	1.8 m		
Video Output			
Interface	2 x HDB-15 Female (Blue)	4 x HDB-15 Female (Blue)	8 x HDB-15 Female (Blue)
Impedance	75 Ω		
Video			
Max. Bandwidth	350 MHz		
Max. Resolution	Up to 1920 x 1440		
Max. Distance	Up to 30 m		
Power			
Connectors	1 x DC Jack		
Consumption	9 VDC, 1.24W	9 VDC, 2.03W	9 VDC, 3.94W
Environmental			
Operating Temperature	0-50°C		
Storage Temperature	-20 - 60°C		
Humidity	0 - 80% RH, Non-Condensing		
Physical Properties			
Housing	Metal		
Weight	0.42 kg	0.61 kg	0.69 kg
Dimensions (L x W x H)	13.00 x 7.51 x 4.40 cm	20.00 x 7.51 x 4.40 cm	20.00 x 7.51 x 4.40 cm

* Display connections in three-level cascade

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
 www.aten.com E-mail: marketing@aten.com

Printed 10/2015 V5.0



© Copyright 2015 ATEN® International Co., Ltd.
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
 All rights reserved. All other trademarks are the property of their respective owners.