



## TECHNISCHE PARAMETER

Artikelbezeichnung	Gaskochfeld						
Model number	10035468, 10035469, 10035470						
Geräteklasse	Klasse 3						
Hersteller	Chal-Tec GmbH Wallstr. 14 10179 Berlin						
Gasart	I3+(28-30/37) <input type="checkbox"/>	I3B/P(30) <input type="checkbox"/>	I3B/P(50) <input checked="" type="checkbox"/>	I2E(20) <input type="checkbox"/>	I2H(20) <input type="checkbox"/>	I2E+ <input type="checkbox"/>	
Gesamtwärmeeintrag	10 kW (727 g/h)			9,7 kW			
Gas und Druck der Gasversorgung	G30: 28-30 mbar G31:37 mbar	G30, G31 or their mixture: 28-30 mbar	G30, G31 or their mixture: 50 mbar	G20:20 mbar	G20:20 mbar	G20:20 mbar G25: 25 mbar	
Ländercode	BE, FR, IT, LU, IE, GB, GR, PT, ES, CY, CZ, LT, SK, CH, SI, LV	LU, NL, DK, FI, SE, CY, CZ, EE, LT, MT, SK, SI, BG, IS, NO, TR, HR, TO, IT, HU, LV	DE, AR, CH, SK, LU	DE, LU	FR, IT, DK, IE, GB, FR, ES, PT, AT, FI, SE, CZ, EE, HU, LV, LT, SK, SI, IS, NO, CH, TR, BG, HR, RO	BE, FR	
Brennertyp	Großer Brenner		Mittlerer Brenner	Hilfsbrenner			
Anzahl der Brenner							
Artikel 10035468	0		1	1			
Artikel 10035469	1		1	2			
Artikel 10035470	1		1	3			
Wärmeeintrag							
I3+(28-30/37) I3B/P(30) I3B/P(50)	3,5 kW (255 g/h)		2,1 kW (152 g/h)	1,15 kW (84 g/h)			
I2E(20) I2H(20) I2E+	3,2 kW		2,1 kW	1,15 kW			
Injektorgroße							
I3+(28-30/37) I3B/P(30)	0,92		0,73	0,55			
I3B/P(50)	0,82		0,65	0,50			
I2E(20) I2H(20) I2E+	1,34		1,09	0,80			

## TECHNICAL PARAMETERS

Product name	Gas Hob						
Model number	10035468, 10035469, 10035470						
Class of appliance	Class 3						
Manufacturer	Chal-Tec GmbH Wallstr. 14 10179 Berlin						
Gas category	I3+(28-30/37) <input type="checkbox"/>	I3B/P(30) <input type="checkbox"/>	I3B/P(50) <input checked="" type="checkbox"/>	I2E(20) <input type="checkbox"/>	I2H(20) <input type="checkbox"/>	I2E+ <input type="checkbox"/>	
Total heat input	10 kW (727 g/h)			9.7 kW			
Gas and supply pressure	G30: 28-30 mbar G31:37 mbar	G30, G31 or their mixture: 28-30 mbar	G30, G31 or their mixture: 50 mbar	G20:20 mbar	G20:20 mbar	G20:20 mbar G25: 25 mbar	
Country code	BE, FR, IT, LU, IE, GB, GR, PT, ES, CY, CZ, LT, SK, CH, SI, LV	LU, NL, DK, FI, SE, CY, CZ, EE, LT, MT, SK, SI, BG, IS, NO, TR, HR, TO, IT, HU, LV	DE, AR, CH, SK, LU	DE, LU	FR, IT, DK, IE, GB, FR, ES, PT, AT, FI, SE, CZ, EE, HU, LV, LT, SK, SI, IS, NO, CH, TR, BG, HR, RO	BE, FR	
Burner type	Rapid burner		Semi-rapid burner	Auxiliary burner			
Number of burners							
Item 10035468	0		1	1			
Item 10035469	1		1	2			
Item 10035470	1		1	3			
Heat input							
I3+(28-30/37) I3B/P(30) I3B/P(50)	3.5 kW (255 g/h)		2.1 kW (152 g/h)	1.15 kW (84 g/h)			
I2E(20) I2H(20) I2E+	3.2 kW		2.1 kW	1.15 kW			
Injector size							
I3+(28-30/37) I3B/P(30)	0.92		0.73	0.55			
I3B/P(50)	0.82		0.65	0.50			
I2E(20) I2H(20) I2E+	1.34		1.09	0.80			