Date: 21.8.2012 **Former date:** 24.5.2012

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name Saunia Sauna scent Honey&Herbs

Company product code - REACH registration number -

1.2 Relevant identified uses of the substance or mixture and adviced against

The uses of the chemical Sauna scent

Classification of economic 20.

activities

20.5 C 3 Manufacture of other chemical products

Use categories (UC62) 36 Fragrances

The chemical can be used by the general public

The chemical is used by the general public only

X

1.3 Details of the supplier of the safety data sheet

Manufacturer, importer, other undertaking

Manufactured for: Nikkarien OY

Street address Sarkatie 2
Post code and post office 01720 Vantaa

Post-office box

Post code and post office

Telephone +358 9 477 0150
e-mail address info@nikkarien.fi
Finnish Business ID (Y-code) Fl05731312

1.4 Emergency telephone number

Poison Information Centre: Haartmaninkatu 4, 00290 Helsinki, 09-4711 or 09-471977

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Flam. liq. 2; H225: Highly flammable liquid and vapour.

Eye Irrit. 2; H319: Causes serious eye irritation.

STOT SE 3; H336: May cause drowsiness or dizziness.

F, Xi N; R11, R36, R67

2.2 Label elements





DANGER

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

Date: 21.8.2012 Former date: Virhe. Viitteen lähdettä ei löytynyt.

P337+P313 If eye irritation persists get medical advice/attention.

P403+P233: Store in a well ventilated place. Keep container tightly closed.

P501: Dispose of contents/container according to local legislation.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

2.3 Other hazards

3.1	Hazardous in	gredients			
0.10.	C number and gistration	Name of the ingredient	Concentration	Classification	
numbe		ingiculciit			1
CAS: 6		Isopropanol	50-65%	F; R11-36-67	1
				Flam. Liq. 2, H225	1
				Eye Irrit. 2, H319	1
				STOT SE 3, H336	
SECTION	ON 4: FIRST AID	MEASURES			
4.1		f first aid measu			
			atient to fresh air.		
		skin with plenty of			
				nd take the patient to the doctor's.	
				T TO GIVE ANYTHING TO DRINK TO) A
				poison information centre.	
4.2	Most importa	nt symptoms an	d effects, both acut	e and delayed	
4.0	-		P 1 44 41		
4.3	Indication of a	any immediate n	nedical attention an	d special treatment needed	
	-				
	ON 5: FIREFIGHT				
5.1	Extinguishing				
		or carbon dioxide		-	
5.2	Special hazar	ds arising from	the substance or m	ixture	
	-	4.1.			
5.3	Advice for fire	etignters			
	-				
SECTION	ON 6: ACCIDENT	AL RELEASE ME	EASURES		

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate protective clothing. Arrange for adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces - No smoking.

6.2 **Environmental precautions**

6.3

Methods and material for containment and cleaning up

Absorb to adequate material (sand etc.) and dispose according to the local legislation.

6.4 Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Use protective clothing, protective gloves and goggles. Arrange adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed in cool, well ventilated room.

7.3 Specific end use(s)

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters 8.1

Date: 21.8.2012 Former date: Virhe. Viitteen lähdettä ei löytynyt.

National occupational exposure limit values

Isopropanol 200 ppm (8h), 250 ppm (15 min)

Other limit values

DNEL

_

PNEC

_

8.2 Exposure controls

Appropriate engineering controls

Arrange adequate ventilation.

Eye / face protection

Wear appropriate protective goggles or mask if risk of splashes exist.

Skin protection

Protective clothing.

Hand protection

Material of protective gloves: PVA, nitrile or viton rubber.

Respiratory protection

-

Thermal hazards

-

Environmental exposure controls

-

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	1 Information on basic physical and chemical properties	
	Appearance	Orange-red liquid
	Odour	Characteristic
	Odour threshold	-
	рН	-
	Melting point / freezing point	-
	Initial boiling point and boiling range	82-83°C (Isopropanol)
	Flash point	13 °C (Isopropanol)
	Evaporation rate	-
	Flammability (solid, gas)	-
	Upper / lower flammability or explosive limits	-
	Vapour pressure	-
	Vapour density	-
	Relative density	-
	Solubility(ies)	Isopropanol-water mixture dissolve perfectly in water, oil separates to surface. Oil and isopropanol dissolve in fat phase perfectly, water separates.
	Partition coefficient: n-octanol/water	-
	Auto-ignition temperature	-
	Decomposition temperature	-
	Viscosity	-

Date: 21.8.2012 Former date: Virhe. Viitteen lähdettä ei löytynyt.

Explosive properties	-
Oxidising properties	-

9.2 Other information

-

SECTION	SECTION 10: STABILITY AND REACTIVITY	
10.1	Reactivity	
	-	
10.2	Chemical stability	
	Stabile under normal handling conditions.	
10.3	Possibility of hazardous reactions	
	-	
10.4	Conditions to avoid	
	-	
10.5	Incompatible materials	
	-	

10.6 Hazardous decomposition products

-

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion / irritation

Serious eye damage / irritation

Irritates eyes seriously.

Respiratory or skin sensitisation

-

Germ cell mutagenicity

No mutagenic effects.

Carcinogenicity

No carsinogenic effects.

Reproductive toxicity

No effects.

STOT-single exposure

May cause dizziness.

STOT-repeated exposure

-

Aspiration hazard

-

Other information

-

SECTION 12: ECOLOGICAL INFORMATION		
12.1	Toxicity	
	-	
12.2	Persistence and degradability	
	-	
12.3	Bioaccumulative potential	

Date: 21.8.2012 Former date: Virhe. Viitteen lähdettä ei löytynyt.

	-
12.4	Mobility in soil
	-
12.5	Results of PBT and vPvB assessment
	-
12.6	Other adverse effects
	-

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose according to local legislation.

SECTIO	ON 14: TRANSPORT INFORMATION	
14.1	UN number	
	1219	
14.2	UN proper shipping name	
	Isopropyl alcohol	
14.3	Transport hazard class(es)	
	33	
14.4	Packing group	
14.5	Environmental hazards	
	-	
14.6	Special precautions for user	
	Product is to be used only diluted to water 1:100. Other use is prohibited.	
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
	-	
SECTIO	ON 15: REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	-	
15.2	Chemical safety assessment	

SECTION 16: OTHER INFORMATION

Changes to previous version

updated previous version dated 24.5.2012

Explanation of abbreviations

-

Sources of information

Material safety data sheets of raw materials, literature sources.

Used method in classification

Corollary rules. Literature.

List of R- and S- phrases or / and hazard and safety phrases

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+P313 If eye irritation persists get medical advice/attention.

P403+P233: Store in a well ventilated place. Keep container tightly closed.

P501: Dispose of contents/container according to local legislation.

Date: 21.8.2012 Former date: Virhe. Viitteen lähdettä ei löytynyt.

R11 Highly flammable.

R36 Irritating to eyes.
R67 Vapours may cause drowsiness and dizziness.

Training of employees.