



Safety Data Sheet dated 10/7/2019, version 1.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: HERA

Trade code: -

- 1.2. Relevant identified uses of the substance or mixture and uses advised against: air freshener. Do not use as a cosmetic product.
- 1.3. Details of the supplier of the safety data sheet

Company:

CULTI MILANO SpA - Via S. Sofia, 27 - 20122 MILANO - Italy

CULTI MILANO SpA - Tel. +39 0362-569496

(From monday to friday: 8.30 AM /12.30 AM - 1:30 PM / 5.30 PM).

Competent person responsible for the safety data sheet:

culti@culti.com

1.4. Emergency telephone number

+44 1235 239 670 Available 24/7 (NCEC)

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- Danger, Flam. Liq. 2, Highly flammable liquid and vapour.
- Warning, Eye irrit. 2, May cause serious eye irritation.
- Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:





Danger

Hazard statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370+P378 In case of fire: Use water to extinguish.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:** 

PACK2 The packing must have tactive indications of danger for blind people.

Contains

Octanal, 2-(phenylmethylene): May produce an allergic reaction.

2,6-Octadien-1-ol, 3,7-dimethyl-(E): May produce an allergic reaction.

6-Octen-1-ol, 3,7-dimethyl: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None.

2.3. Other hazards

vPvB Substances: None - PBT Substances: None.

Other Hazards:

No other hazards.

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	ldent. Number		Classification
>= 80% - < 90%	ethanol; ethyl alcohol	Index number: REACh number: CAS: EC:	603-002-00-5 01-21194576 10-43-xxxx 64-17-5 200-578-6	2.6/2 Flam. Liq. 2 H225 3.3/2 Eye Irrit. 2 H319
>= 1% - < 3%	Benzeneethanol	CAS: EC:	60-12-8 200-456-2	3.1/4/Oral Acute Tox. 4 H302 3.3/2 Eye Irrit. 2 H319
>= 0,5% - < 1%	6-Octen-1-OI, 3,7-Dimethyl-	CAS: EC:	106-22-9 203-375-0	3.2/2 Skin Irrit. 2 H315 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 3.3/2 Eye Irrit. 2 H319
>= 0,5% - < 1%	Bicyclo[3.1.1]Heptane, 6,6-Dimethyl-2-Methyle ne-	CAS: EC:	127-91-3 204-872-5	2.6/3 Flam. Liq. 3 H226 3.10/1 Asp. Tox. 1 H304 3.2/2 Skin Irrit. 2 H315 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410

>= 0.25% - < 0.5%	2,6-Octadien-1-ol, 3,7-dimethyl-(E)	CAS: EC:	106-24-1 203-377-1	3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
>= 0.1% - < 0.3%	Ethanone, 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8- Hexamethyl- 2-Naphthalenyl)-	CAS: EC:	21145-77-7 244-240-6	3.1/4/Oral Acute Tox. 4 H302 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410
>= 0.1% - < 0.3%	2,6-Octadien-1-Ol, 3,7-Dimethyl-, (Z)-	CAS: EC:	106-25-2 203-378-7	3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
>= 0.1% - < 0.3%	Benzenemethanol, .Alpha (Trichloromethyl)-, Acetate	CAS: EC:	90-17-5 201-972-0	3.2/2 Skin Irrit. 2 H315 4.1/C1 Aquatic Chronic 3 H412
>= 0.1% - < 0.3%	Naphtho[2,1-B]Furan, Dodecahydro-3a,6,6,9 a	Numero REACh: CAS:	01-2120094518- 45 3738-00-9	4.1/C2 Aquatic Chronic 2 H411
>= 0.1% - < 0.3%	1,6-Octadien-3-Ol, 3,7-Dimethyl-	CAS: EC:	78-70-6 201-134-4	3.2/2 Skin Irrit. 2 H315 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 3.3/2 Eye Irrit. 2 H319

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

PFP00 - BERRY\_BLUSH (Fir.P60Q250)

Page n. 3 of 13

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire: Use water to extinguish.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular.

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Ethanol; ethyl alcohol - CAS: 64-17-5

ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr

TREMENTHINE AND MONOTHERPEN SELEC. - CAS 127-91-3

Italy OELs Data Italy. Occupational Exposure Limits Occupational Exposure Limit data.

Time Weighted Average (TWA): 20 ppm

TREMENTHINE AND MONOTHERPEN SELEC. - CAS 80-56-8

Italy OELs Data Italy. Occupational Exposure Limits Occupational Exposure Limit data.

Time Weighted Average (TWA): 20 ppm

HYDROXYTOLENE BUTYLATEB (BHT), INHALABLE FRACTION AND VAPORS - CAS

128-37-0

Time

Italy OELs Data Italy. Occupational Exposure Limits Occupational Exposure Limit data.

Time Weighted Average (TWA): 2 mg/m<sup>3</sup>.

CITRAL, INHALABLE FRACTION AND VAPORS - CAS 5392-40-5

Italy OELs Data Italy. Occupational Exposure Limits Occupational Exposure Limit data.

Weighted Average (TWA): 5 ppm.

**DNEL Exposure Limit Values** 

Ethanol; ethyl alcohol - CAS: 64-17-5

Values to workers

INHALATION Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 950 mg/m <sup>3</sup>	carcinogenicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	No hazard identified	
Acute /short term:	(DNEL) 1 900 mg/m <sup>3</sup>	irritation (respiratory tract)
DERMAL Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 343 mg/kg bw/day	repeated dose toxicity

Acute /short term: No hazard identified

**Local Effects** 

Long-term: No hazard identified

Acute /short term: No hazard identified

Values to population

INHALATION Exposure Threshold Most sensitive study

**Systemic Effects** 

Long-term: (DNEL) 114 mg/m³ carcinogenicity

Acute /short term: No hazard identified

**Local Effects** 

Long-term: No hazard identified

Acute /short term: (DNEL) 950 mg/m³ irritation (respiratory tract)

DERMAL Exposure Threshold Most sensitive study

**Systemic Effects** 

Long-term: (DNEL) 206 mg/kg bw/day repeated dose toxicity

Acute /short term: No hazard identified

**Local Effects** 

Long-term: No hazard identified

Acute /short term: No hazard identified

ORAL Exposure Threshold Most sensitive study

**Systemic Effects** 

Long-term: (DNEL) 87 mg/kg bw/day repeated dose toxicity

Acute /short term: No hazard identified

PNEC Exposure Limit Values

Ethanol; ethyl alcohol - CAS: 64-17-5

Hazard for Aquatic Organisms

Freshwater 960 µg/L

Intermittent releases (freshwater) 2.75 mg/L

Marine water  $790 \mu g/L$ 

Intermittent releases (marine water) -

Sewage treatment plant (STP) 580 mg/L

Sediment (freshwater) 3.6 mg/kg sediment dw

Sediment (marine water) 2.9 mg/kg sediment dw

#### 8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None.

Environmental exposure controls:

None

Appropriate engineering controls:

None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	liquid, limpid	internal	
Odour:	characteristic	internal	
Odour threshold:	N.App.		
pH:	7-7.5	internal	
Melting point / freezing point:	<0°C	theoric	
Initial boiling point and boiling range:	79°C	theoric	
Flash point:	23°C	UNI EN ISO 3680-2005	
Evaporation rate:	N.App.		
Solid/gas flammability:	N.App.		
Upper/lower flammability or explosive limits:	N.Available.		
Vapour pressure:	N.Available.		
Vapour density:	N.App.		
Relative density:	0,85 Kg/L	internal	
Solubility in water:	water soluble	theoric	
Solubility in oil:	partial	theoric	

Partition coefficient (n-octanol/water):	N.Available.		
Auto-ignition temperature:	425°C	theoric	
Decomposition temperature:	N.App.		
Viscosity:	N.Available.		
Explosive properties:	N.App.		
Oxidizing properties:	N.App.		

#### 9.2. Other information

No other informations.

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

 Hazardous decomposition products None.

**SECTION 11: Toxicological information** 

11.1. Information on toxicological effects

Toxicological information of the product:

HĔRA

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Ethanol; ethyl alcohol - CAS: 64-17-5

LD<sub>50</sub> (RABBIT) ORAL: 6300 mg/Kg

LD<sub>50</sub> (RAT) ORAL SINGLE DOSE: 7060 mg/Kg

LC<sub>50</sub> (Pimephales promelas) Inhalation: 120 mg/l - 4h

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

HERA

The product is classified: Aquatic Chronic 3 - H412

Ethanol; ethyl alcohol - CAS: 64-17-5

- Short-term toxicity to fish

LC<sub>50</sub> (4 days) 14.2 - 15.4 g/L

LC<sub>0</sub> (4 days) 7.96 g/L

EC<sub>50</sub> (4 days) 12.7 - 12.9 g/L

- Long-term toxicity to fish

NOEC (5 days) 250 - 1 000 mg/L

- Short-term toxicity to aquatic invertebrates

EC<sub>50</sub> (48 h) 10 g/L

EC<sub>50</sub> (24 h) 10 g/L

LC<sub>50</sub> (48 h) 5.012 g/L

EC<sub>0</sub> (48 h) 10 g/L

EC<sub>0</sub> (24 h) 10 g/L

- Long-term toxicity to aquatic invertebrates

NOEC (10 days) 2 - 9.6 mg/L

NOEC (9 days) 9.6 mg/L

LC<sub>50</sub> (10 days) 1.806 g/L

LC<sub>50</sub> (9 days) 454 mg/L

LC<sub>50</sub> (48 h) 9.248 g/L

- Toxicity to aquatic algae and cyanobacteria

EC<sub>50</sub> (4 days) 675 - 22 000 mg/L

EC<sub>50</sub> (72 h) 275 mg/L

EC<sub>10</sub> (4 days) 86 mg/L

EC<sub>10</sub> (72 h) 11.5 mg/L

EC<sub>100</sub> (72 h) 14.2 g/L

- Toxicity to aquatic plants other than algae

EC<sub>50</sub> (7 days) 4.432 - 5.967 g/L

NOEC (7 days) 280 - 1 296 mg/L

- Toxicity to microorganisms

EC<sub>50</sub> (4 h) 5.8 g/L

IC<sub>50</sub> (3 h) 1 g/L

EC<sub>100</sub> (10 min) 39.5 g/L

12.2. Persistence and degradability

Ethanol; ethyl alcohol

Quickly biodegradable.

12.3. Bioaccumulative potential

Ethanol; ethyl alcohol

Partition coefficient: n-octanol / water -0.35.

12.4. Mobility in soil

PFP00 – BERRY\_BLUSH (Fir.P60Q250)

No data available.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None.

12.6. Other adverse effects

None.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**



14.1. UN number

ADR-UN Number: 1993 IATA-UN Number: 1993 IMDG-UN Number: 1993

14.2. UN proper shipping name

ADR-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol,

Pinene, Beta.)

IATA-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol,

Pinene, Beta.)

IMDG-Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethanol; ethyl alcohol,

Pinene, Beta.)

14.3. Transport hazard class(es)

ADR-Class: 3
ADR - Hazard identification number: 33

IATA-Class: 3

IATA-Label: Flamm. Liquid

IMDG-Class: 3

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

ADR-S.P.: 640H

ADR-Transport category (Tunnel restriction code): (D/E)

IATA-Passenger Aircraft: 355
IATA-Cargo Aircraft: 366
IATA-ERG: 3L
IMDG-EmS: F-E , S-E

IMDG-Stowage and handling: A

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

PFP00 - BERRY\_BLUSH (Fir.P60Q250)

No

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation(EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None.

Volatile Organic compounds - VOCs = 80.00 %

Volatile Organic compounds - VOCs = 800.00 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 41.78

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

No ingredient is included in the REACH Candidate List (> 0.1% w/w).

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: P5c

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Liq. 2, H225	On basis of test data
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.

PFP00 - BERRY\_BLUSH (Fir.P60Q250)

INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.

#### Changes from previous version.

Changes were made to the following sections: 9/15.