

**Product fiche concerning the "COMMISSION DELEGATED REGULATION (EU) No 65/2014"**

Trade mark: Bosch
Model identification: PVQ811H26E
Annual Energy Consumption: 61.8 kWh/annum
Energy Efficiency class: B
Fluid Dynamic Efficiency: 28.1
Fluid Dynamic Efficiency class: A
Lighting Efficiency: - lux/Watt
Lighting Efficiency class: -
Grease Filtering Efficiency: 94 %
Grease Filtering Efficiency class: B
Air flow at minimum / maximum speed in normal use: 154.0 m <sup>3</sup> /h / 500 m <sup>3</sup> /h
Air flow at intensive or boost setting: 622 m <sup>3</sup> /h
Airborne acoustical A-weighted sound power emissions at minimum / maximum speed in normal use: 42 dB / 69 dB
Airborne acoustical A-weighted sound power emissions at intensive or boost setting: 74 dB
Power Consumption in off mode: - W
Power Consumption in standby mode: 0.25 W

**Information for domestic range hoods (EU) No. 66/2014**

Model identification: PVQ811H26E
Annual Energy Consumption : 61.8 kWh/annum
Time increase factor : 1
Fluid Dynamic Efficiency : 28.1
Energy Efficiency Index : 57
Measured air flow rate at best efficiency point : 365.8 m <sup>3</sup> /h
Measured air pressure at best efficiency point : 468 Pa
Maximum air flow : 622 m <sup>3</sup> /h
Measured electric power input at best efficiency point : 169.3 W
Nominal power of the lighting system : - W
Average illumination of the lighting system on the cooking surface : - lux
Measured power consumption in standby mode : 0.25 W
Measured power consumption off mode : - W
Sound power level : 69 dB
Short title or reference to the measurement and calculation methods used to establish compliance with the above requirements: EN 61591, EN 60704-2-13, EN 50564

**Product information concerning the "COMMISSION DELEGATED REGULATION (EU) No 66/2014"**

Number of cooking zones and/or areas: 2						
Energy consumption for the hob calculated per kg: 185 Wh/kg Wh/kg						
<b>AIB</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates)	Induction heating	Induction heating				
Dimension: For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm	38,0 X 21,0	38,0 X 21,0				
Energy consumption per cooking zone or area calculated per kg	185.0	185.0				
Information according EN 60350-2						