





Reference no:


Designed by

Leonhard Pfeifer



		A17 Ø60	A1 Ø8x35	A2 Ø7x24	A3 Ø15x11,5	A4 Ø17
QTY	x1	x37	x26	x26	x8+8	
	A5 20mm	A6 4mm	A7 L3	A8 Ø6,3x11,5	A9 Ø5	A10 Ø15/25x25 (Ø3,5x35)
QTY	x5	x1	x2	x8	x4	x4
	A11 Ø5	A12 Ø3,5x16	A13 95x40x1,5	A14 Ø10x20/ M6x30	A15 Ø10x20/ M6x40	A16 (Ø3x20)
QTY	x2	x24	x4	x4	x1	x8

Step 1	A1  Ø8x35 QTY x37	A2  Ø7x24 QTY x26	A8  Ø6,3x11,5 QTY x8	A7  L360 QTY x2	
--------	---	---	--	---	--




ENG - In case of any quality issues, contact your local dealer and always mention item reference No.  
 FR - En cas de problèmes de qualité, contactez votre revendeur local et mentionnez toujours la référence de l'article.

IT - In caso di eventuali problemi di qualità, contattare il rivenditore locale e citare sempre punto di riferimento No.





ES - En caso de problemas de calidad, póngase en contacto con su distribuidor local y mencione siempre la referencia del artículo.


DE - Wenn Sie Qualitätsprobleme haben wenden Sie sich bitte an ihren örtlichen Händler und erwähnen Sie immer die Artikelnummer.

Step 2		A3 Ø15x11,5 QTY x20	A6 4mm x1
--------	--	---------------------------	-----------------






Step 3

	A2	A13	A12	
				
QTY	$\phi 7 \times 24$ $\times 6$	$95 \times 40 \times 1,5$ $\times 4$	$\phi 3,5 \times 16$ $\times 24$	




Step 4


	A3	A6	
			
QTY	x6	x1	



Step 5	A6 4mm	A14 $\varnothing 10 \times 20 / M6 \times 30$	A15 $\varnothing 10 \times 20 / M6 \times 40$	A5 20mm	
QTY	x1	x4	x1	x5	



## Step 6




$\varnothing 15/25 \times 25$   
( $\varnothing 3,5 \times 35$ )

QTY  $\times 4$



$\varnothing 5$

QTY  $\times 2$



$\varnothing 17$

QTY  $\times 16$




$\varnothing 5$

QTY  $\times 4$




$\varnothing 60$

QTY  $\times 1$





### Height adjustment

It's possible to make height adjustments of up to +2.5 mm. This tool-free feature produces uniformed gap alignment.



### Lift-off stop

The lift-off stop prevents drawers and pull-outs from accidentally lifting off the runner. If required, the lift-off stop can be released by pulling a lever.



Step 7

		A16	
	( $\phi 3 \times 20$ )		
QTY	x8		

