

Artikelnummer:
48135

EAN-Nummer:
4000870481356

Name
Sparkling Glamour mobile Tischleuchte Timer Batterie Grau Glas/Metall

Hersteller
Paulmann

Artikelinfo

| | |
|---------------|------------------|
| Interner Code | 481.35 |
| EAN | 4000870481356 |
| Farbe | Braun & Messing |
| Material | Glas & Metall |
| Hersteller | Paulmann |
| Lieferumfang | Montageanleitung |



Abmessungen

| | |
|-----------------------------------|-----------------------|
| Gewicht netto | 719 g |
| Ø | 155 mm |
| Verpackungsmaße BxHxL | 21,2 x 26,4 x 20,9 cm |
| Abmessung (Höhe x Breite x Tiefe) | H: 210 mm |

Technische Daten

| | |
|-------------|--------------------|
| Batterietyp | 2xAAA/1,5V (Micro) |
| Dimmbar | Nein |
| Spannung | DC2x1.5V V |
| IP Schutz | IP20 |



Leuchtmitteldaten


| | |
|------------------------|-------------------|
| Sockel/Fassung | E27 |
| Bestückung | 0,8 W |
| Anzahl Bestückung | 1x |
| Anzahl Brennstellen | 1 |
| Bestückung | incl. 1x0,8 W |
| Nennlichtstrom | 30 lm |
| Farbtemperatur Bereich | 2.700 K |
| Leuchtmittleigenschaft | ohne Leuchtmittel |

BATTERY INSTALLATION

Open battery compartment door on lamp base

Insert "AAA" alkaline batteries (not included).

Ensure correct polarity, replace and close door pushing back into place to lock.




OPERATION

Slide switch to "ON" position to turn the lamp on.

Slide switch to "OFF" position to turn the lamp off.

Slide switch to "TIMER" position to to set the lamp with 6 hours timer function.



The input voltage of the used led bulb is DC3V!
Please don't use the bulb with 230V input voltage!

Artikelnummer:
48135

EAN-Nummer:
4000870481356

Name
Sparkling Glamour mobile Tischleuchte Timer Batterie Grau Glas/Metall

Hersteller
Paulmann

Artikelinfo

| | |
|---------------|------------------|
| Interner Code | 481.35 |
| EAN | 4000870481356 |
| Farbe | Braun & Messing |
| Material | Glas & Metall |
| Hersteller | Paulmann |
| Lieferumfang | Montageanleitung |



Abmessungen

| | |
|-----------------------------------|-----------------------|
| Gewicht netto | 719 g |
| Ø | 155 mm |
| Verpackungsmaße BxHxL | 21,2 x 26,4 x 20,9 cm |
| Abmessung (Höhe x Breite x Tiefe) | H: 210 mm |

Technische Daten

| | |
|-------------|--------------------|
| Batterietyp | 2xAAA/1,5V (Micro) |
| Dimmbar | Nein |
| Spannung | DC2x1.5V V |
| IP Schutz | IP20 |



Leuchtmitteldaten


| | |
|------------------------|-------------------|
| Sockel/Fassung | E27 |
| Bestückung | 0,8 W |
| Anzahl Bestückung | 1x |
| Anzahl Brennstellen | 1 |
| Bestückung | incl. 1x0,8 W |
| Nennlichtstrom | 30 lm |
| Farbtemperatur Bereich | 2.700 K |
| Leuchtmittleigenschaft | ohne Leuchtmittel |

BATTERY INSTALLATION

Open battery compartment door on lamp base

Insert "AAA" alkaline batteries (not included).

Ensure correct polarity, replace and close door pushing back into place to lock.




OPERATION

Slide switch to "ON" position to turn the lamp on.

Slide switch to "OFF" position to turn the lamp off.

Slide switch to "TIMER" position to to set the lamp with 6 hours timer function.



The input voltage of the used led bulb is DC3V!
Please don't use the bulb with 230V input voltage!