SAFETY DATA SHEET

St Tropez Luxe creme mousse (Aerosol)

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name St Tropez Luxe creme mousse (Aerosol)

Internal identification DN210084E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier REABROOK PRIVATE LABEL

RAWDON ROAD,

MOIRA,

SWADLINCOTE, DERBYSHIRE, DE12 6DA.

+44 (0) 1283 222266 +44 (0) 1283 550963 enquiries@reabrook.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

St Tropez Luxe creme mousse (Aerosol)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Petroleum gases, liquefied 5-10%

Classification

Flam. Gas 1A - H220 Press. Gas (Liq.) - H280

Glycerol 1-5%

CAS number: 56-81-5 EC number: 200-289-5 REACH registration number: 01-

2119471987-18-XXXX

Classification
Not Classified

POLYOXYETHYLENE (21) STEARYLY ALCOHOL

1-5%

CAS number: 9005-00-9

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. If medical advice is needed, have product container or label at hand. Show this

Safety Data Sheet to the medical personnel.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.

Skin contact Rinse with water.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get

medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Vapours may cause headache, fatigue, dizziness and nausea.

 Ingestion
 Gastrointestinal symptoms, including upset stomach.

 Skin contact
 Prolonged contact may cause dryness of the skin.

Eye contact May cause discomfort.

$\underline{\textbf{4.3.}} \ \textbf{Indication of any immediate medical attention and special treatment needed}$

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

St Tropez Luxe creme mousse (Aerosol)

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Extremely flammable aerosol. Pressurised container: may burst if heated

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure procedures and training for emergency decontamination and disposal are in place. No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Provide adequate ventilation. Take precautionary measures against static discharges. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Provide adequate ventilation. Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material. No smoking, sparks, flames or other sources of ignition near spillage. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with eyes. Eliminate all sources of ignition. Use only outdoors or in a well-ventilated area. Provide adequate ventilation. Avoid breathing vapour/spray. Keep out of the reach of children. Do not expose to temperatures exceeding 50°C/122°F. Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

St Tropez Luxe creme mousse (Aerosol)

Storage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Store at temperatures between 4°C and 40°C. Do not expose to temperatures

exceeding 50°C/122°F. Store in a well-ventilated place.

Storage class Flammable compressed gas storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³ Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit.

Dihydroxyacetone (CAS: 96-26-4)

DNEL Workers - Dermal; Long term systemic effects: 75 mg/kg

> Workers - Oral; Long term systemic effects: 25 mg/kg Workers - Inhalation; Long term systemic effects: 17 mg/kg

PNEC - Fresh water; 10 mg/l

- marine water; 1 mg/l

- Intermittent release; 100 mg/l

- Sediment; 2.7 mg/kg - Soil; 0.5 mg/kg - STP; 100 mg/l

Benzoic acid, C12-15-alkyl esters (CAS: 68411-27-8)

DNEL Industry - Dermal; Long term systemic effects: 1296 mg/kg/day

Industry - Inhalation; Long term systemic effects: 22.86

Glycerol (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³

> General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg/day

PNEC - Fresh water; 0.885 mg/l

> - marine water; 0.0885 mg/l - Intermittent release; 8.85 mg/l

- STP; 1000 mg/l

- Sediment (Freshwater); 3.3 mg/kg - Sediment (Marinewater); 0.33 mg/kg

- Soil; 0.141 mg/kg

CETYL STEARYL ALCOHOL (CAS: 67762-27-0)

St Tropez Luxe creme mousse (Aerosol)

DNEL Industry - Dermal; Short term systemic effects: 125 mg/kg/day

Industry - Inhalation; Short term systemic effects: 220 mg/m³ Industry - Dermal; Long term systemic effects: 125 mg/m³ Industry - Inhalation; Long term systemic effects: 220 mg/m³ Consumer - Dermal; Short term systemic effects: 75 mg/kg/day

Consumer - Inhalation; Short term systemic effects: 65 mg/m³ Consumer - Oral; Short term systemic effects: 75 mg/kg/day Consumer - Dermal; Long term systemic effects: 75 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 65 mg/m³

PNEC - Fresh water; 0.00156 mg/l

- marine water; 0.000156 mg/l

- STP; 0.000011 mg/l

Sediment (Freshwater); 16 mg/kgSediment (Marinewater); 1.6 mg/kg

- Soil; 13 mg/kg

2-PHENOXYETHANOL (CAS: 122-99-6)

DNEL Workers - Inhalation; Long term systemic effects: 8.07 mg/m³

Workers - Inhalation; Long term local effects: 8.07 mg/m³ Workers - Dermal; Long term systemic effects: 34.72 mg/kg/day Consumer - Inhalation; Long term systemic effects: 2.5 mg/m³ Consumer - Inhalation; Long term local effects: 2.5 mg/m³ Consumer - Dermal; Long term systemic effects: 20.83 mg/m³ Consumer - Oral; Long term systemic effects: 17.43 mg/kg/day Consumer - Oral; Short term systemic effects: 17.43 mg/kg/day

PNEC - Fresh water; 0.943 mg/l

- marine water; 0.094 mg/l - Intermittent release; 3.44 mg/l

- STP; 24.8 mg/l

- Sediment (Freshwater); 7.2366 mg/kg

- marine water; 0.7237 mg/kg

- Soil; 1.26 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

St Tropez Luxe creme mousse (Aerosol)

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P2. Organic vapour + dust and mist filter. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. Gas and combination filter cartridges should comply with European Standard EN14387. Particulate filters should comply with European Standard EN143. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Check that the respirator fits tightly and the filter is changed regularly.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour Brown.

Odour Perfume.

pH (concentrated solution): 3.5-4.5

Flash point Not applicable.

Relative density Not applicable.

Solubility(ies) Soluble in water.

9.2. Other information

Other information Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not determined.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following substances:

products Carbon dioxide (CO2). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

St Tropez Luxe creme mousse (Aerosol)

Skin corrosion/irritation

Skin corrosion/irritation Scientifically unjustified.

Serious eye damage/irritation

Serious eye damage/irritation Scientifically unjustified.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Does not contain any substances known to be mutagenic.

Genotoxicity - in vivo

Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Reproductive toxicity -

development

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant.

Inhalation Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact May cause discomfort.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water. The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

St Tropez Luxe creme mousse (Aerosol)

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDisposal of this product, process solutions, residues and by-products should at all times

comply with the requirements of environmental protection and waste disposal legislation and

any local authority requirements.

SECTION 14: Transport information

General For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

Special Provisions note

14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

14.2. UN proper shipping name

Proper shipping name

AEROSOLS

(ADR/RID)

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

Transport labels



14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

St Tropez Luxe creme mousse (Aerosol)

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Council Directive of 20 May 1975 on the approximation of the laws of the Member States

relating to aerosol dispensers (75/324/EEC) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms ATE: Acute Toxicity Estimate.

used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

EC₅: 50% of maximal Effective Concentration.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

NOAEL: No Observed Adverse Effect Level.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006. UN: United Nations.

Aerosol = Aerosol

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations

and acronyms Eye Irrit.

Eye Irrit. = Eye irritation

Flam. Gas = Flammable gas Flam. Liq. = Flammable liquid

Press. Gas (Liq.) = Gas under pressure: Liquefied gas

Revision comments This is the first issue.

Revision date 19/04/2021

Revision 1.0

SDS number 30909

St Tropez Luxe creme mousse (Aerosol)

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.