Safety Data Sheet for not dangerous mixtures according to 878/2020 EU Regulation

Date of Compilation/Revision: 25.06.2022.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Chalkboard Paint

Type of substance: CLP Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Water-based acrylic paint.

1.3. Details of the supplier of the safety data sheet

Pentacolor Kft.

1103 Budapest, Gyömrői út 86.

tel.: +36-1-260-7477 fax: +36-1-262-1345 e-mail: info@pentacolor.hu

For product safety information please contact: info@pentacolor.hu

1.4. Emergency telephone number

https://echa.europa.eu/documents/10162/23019181/emergency_phone_numbers_en.pdf/d911af43 -4bcf-9371-a59d-a20736d91e7d

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

This product is not classified according to (EC) Regulation No 1272/2008.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Chalkboard Paint

This product is not classified according to (EC) Regulation No 1272/2008.

Additional labelling:

EUH208 Contains BIT, C(M)IT-MIT. May cause an allergic reaction

2.3. Other hazards

It does not contain PBT/vPvB materials,

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The details below includes all impurities and by-products that contribute to the product classification or that have an occupational exposure limits.

Hazardous Substance(s): polyaryl ethoxylate

concentration: < 4% EC-No.:-- (polymer) CAS-No.: 99734-09-5

Classification according to Regulation (EC) No 1272/2008: Aquatic Chronic 3 H412

Hazardous Substance(s): 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether, DEGBE

(Substance with Community workplace exposure limit)

concentration: < 3% EC-No.: 203-961-6 CAS-No.: 112-34-5 Index-No.: 603-096-00-8

Classification according to Regulation (EC) No 1272/2008: Eye Irrit. 2 H319

Registration number: 01-2119475104-44-xxxx

Version number: 1

Hazardous Substance(s): 1,2-benzisothiazol-3(2H)-one (BIT) (Substance with trigger limit)

concentration: < 0,03% EC-No.: 220-120-9 CAS-No.: 2634-33-5 Index-No.: 613-088-00-6

Classification according to Regulation (EC) No 1272/2008: Acute Tox. oral 4* H302, Acute Tox. inhal. 2 H330, Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam, 1 H318, Aquatic Acute 1 H400

(M=1), Aquatic Chronic 2 H411 (SCL: Skin Sens. 1 H317: c >= 0.05)

Hazardous Substance(s): Zinc pyrithione

concentration: < 0,02% EC-No.: 236-671-3 CAS-No.: 13463-41-7

Classification according to Regulation (EC) No 1272/2008: Repr. 1B 360D, Acute Tox. inhal 2 H330, Acute Tox. oral 3 H301, STOT RE 1 H372, Eye Dam. 1 H318, Aquatic Acute 1 H400 (M=1000), Aquatic Chronic 1 H410 (M=10) (SCL: inhalation: ATE = 0.14 mg/L (powder or mist)

oral: ATE = 221 mg/kg

Registration number 01-2119511196-46-xxxx (as biocid is free)

Hazardous Substance(s): Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) C(M)IT-MIT (Substance with a trigger limit) (C(M)IT-MIT)

concentration: < 0,0004%

EC-No.: - (mixture) CAS-No.: 55965-84-9 ECHA-No.: 611-341-5 Index-No. 613-167-00-5

Classification according to Regulation (EC) No 1272/2008 : Acute Tox. oral 3 H301, Acute Tox. dermal 2 H310, Acute Tox. inhal. 2 H330, Skin Corr. 1C H314, Skin Sens. 1A H317, Eye Dam. 1 H318, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, EUH071 (SCL: Skin Corr. 1C H314: $c \ge 0.6$ %, Skin Irrit. 2 H315: 0.06 % $\le c < 0.6$ %, Eye Irrit. 2 H319: 0.06 % $\le c < 0.6$ %, Skin Sens. 1 H317: 0.06 % Acute = 100, M Chronic = 100), Note B +

Note B: Certain substances (acids, alkalis, etc.) are in the form of aqueous solutions of different concentrations and should therefore be labeled differently as the degree of danger varies depending on the concentration. The items supplemented with Note B has a general description: ... % nitric acid. In this case, the supplier of the substance must indicate the concentration of the solution on the label. Unless otherwise stated, it is to be assumed that the percentage concentration is expressed as a percentage by weight.

- * minimum classification for a category
- + Harmonized classification supplementing with manufacturer's classification

Refer to Section 16 for full details of hazard statements and Notas.

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

General:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation:

Keep patient calm, remove to fresh air, if necessary, seek medical attention.

Eye contact:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Consult a doctor in case of persistent symptoms or complaints.

Skin contact:

Wash thoroughly with soap and water.

Ingestion:

Rinse mouth. When symptoms persist, seek medical attention.

Chalkboard Paint Version number: 1

4.2. Most important symptoms and effects, both acute and delayed

From symptoms and effects we do not have any information.

4.3. Indication of immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing media that is suitable for the extinguishing of burning agents in the environment. Not to be used: Not known.

5.2. Special hazards arising from the substance or mixture

The product is not flammable. In case of fire hazardous vapors, gases may be formed.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

Use fine water spray to cool endangered containers. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove the unauthorized persons. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter drains or watercourses.

6.3. Methods and materials for containment and cleaning up

If a small amount leaks, soak up with a cloth and dispose of the cloth safely. Stop the spillage if safe to do. Eliminate sources of ignition. Spilled material is contained and recovered if possible. Absorb residue with dry sand, earth or similar inert absorbent material and collect in barrels for later disposal. Wash the contaminated area with plenty of water.

6.4. Reference to other sections

Use personal protective equipment recommended in section 8.

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special measures are required.

Avoid contact with skin and eyes. Do not breathe vapours. Provide adequate ventilation. Do not use the product near sources of ignition.

Do not eat, drink or smoke while working. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition and from incompatible materials.

7.3. Specific end uses

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Substance with a Community workplace exposure limit:

CAS 112-34-5 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether:

Directive 2006/15/EC

8 hours limit value: 67,5 mg/m³ (10 ppm) Short term limit value: 101,2 mg/m³ (15 ppm)

112-34-5: 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether

DNEL

worker: Long-term exposure - systemic and local effects, Inhalation: 67.5 mg/m3, 10 ppm

worker: Long-term exposure- systemic effects, dermal: 20 mg/kg

consumer: Short-term exposure - local effects, Inhalation: 50.6 mg/m3, 7.5 ppm

consumer: Long-term exposure - systemic and local effects, Inhalation: 34 mg/m3, 5 ppm

consumer: Long-term exposure- systemic effects, dermal: 10 mg/kg consumer: Long-term exposure- systemic effects, oral: 1.25 mg/kg

PNEC

freshwater: 1 mg/l marine water: 0.1 mg/l intermittent release: 3.9 mg/l sediment (freshwater): 4 mg/kg sediment (marine water): 0.4 mg/kg

STP: 200 mg/l

oral (secondary poisoning): 56 mg/kg

soil: 0.4 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Local or general extraction system is recommended in order to keep the exposure as low as possible. Safety shower, eyewash is recommended.

If local risk assessment requires, weigh the concentration of the components in the air.

Personal protective equipment

Eye/face protection

Use safety goggles against possible splashes or accidental contact.

Skin protection

Not required for normal handling and use. If required by the local risk assessment, use protective equipment during manufacture (eg chemical resistant gloves according to EN 374)

Body Protection

Not required for normal handling and use. If required by the local risk assessment, use protective equipment during manufacture (eg overalls or light work clothing.)

Respiratory protection

Not required for normal use. Where intense dust, vapor or aerosol is used during use dust mask and combined respirator for organic materials should be worn.

Environmental exposure controls

Check emissions of the local exhaust system during the production in order to comply with environmental protection requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- (a) Physical state viscous liquid
- (b) Colour product-specific
- (c) Odour characteristic
- (d) Melting point/freezing point not determined (< 0 C)
- (e) Boiling point or initial boiling point and boiling range not determined (> 100 C)
- (f) Flammability non-flammable liquid
- (g) Lower and upper explosion limit Not applicable (non-flammable / non-explosive liquid).
- (h) Flash point not determined
- (i) Auto-ignition temperature not determined
- (i) Decomposition temperature not determined
- (k) pH 7-8,5
- (I) Kinematic viscosity not determined
- (m) Solubility miscible with water
- (n) Partition coefficient n-octanol/water (log value) not applicable
- (o) Vapour pressure not determined
- (p) Density and/or relative density 2,2-2,4 g/cm³
- (q) Relative vapour density not determined

(r) Particle characteristics Not applicable for fluid. It does not contain nanoparticles.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Under normal conditions is stable.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction in normal use.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous vapors, gases

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the preparation itself.

- (a) acute toxicity: Based on available data, the classification criteria are not met The product does not contain components of acute toxicity-classified at or above the general classification limits.
- (b) skin corrosion/irritation: Based on available data, the classification criteria are not met The product does not contain components of skin corrosion or skin irritation at or above the general classification limits.
- (c) serious eye damage/irritation: Based on available data, the classification criteria are not met The product does not contain components which damage or irritating to eyes at or above the general classification limits.
- (d) respiratory or skin sensitisation: Based on available data, the classification criteria are not met The product contains components classified as skin sensitization at concentrations above the triggering limit as indicated by the EUH208 phrases on the label.
- (e) germ cell mutagenicity: Based on available data, the classification criteria are not met
- (f) carcinogenicity: Based on available data, the classification criteria are not met
- (g) reproductive toxicity: Based on available data, the classification criteria are not met The product contains component of reproductive toxicity.
- (h) STOT-single exposure: Based on available data, the classification criteria are not met The product does not contain a single exposure specific target organ toxicity-classified components in the general classification limit values or concentration above.
- (i) STOT-repeated exposure: Based on available data, the classification criteria are not met The product contains component classified as repeated-exposure target organ toxicity.
- (j) aspiration hazard: Based on available data, the classification criteria are not met

The product does not contain any components classified as aspiration toxicity.

11.2. Information on other hazards

No toxicological studies have been performed on the product.

No information is available on endocrine disruptors.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation itself.

Based on available data, the classification criteria are not met

12.2. Persistence and degradability

Biodegradability

No relevant information available.

12.3. Bioaccumulative potential

No relevant information available.

12.4. Mobility in soil

The product is water-soluble. No further relevant information available.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT(Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

Not known. The product has not been tested for ecotoxicity.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not dispose of together with household waste. In accordance with local and national regulations.

Non-hazardous waste, but the generation of waste should be avoided or minimized wherever possible. Do not allow into drains or water courses. The waste packaging can be recycled.

SECTION 14: Transport information

Transportation for non-hazardous goods.

- 14.1. UN number or ID number Not applicable.
- 14.2. UN proper shipping name Not applicable.
- 14.3. Transport hazard class(es) Not applicable.
- 14.4. Packing group Not applicable.
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Observe the applicable safety data sheet.
- 14.7. Maritime transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to the local regulation. For product there are no special requirements.

REACH restriction in Annex XVII According to the attacment:

2- (2-butoxyethoxy) ethanol (DEGBE) CAS number: 112-34-5, EU number: 203-961-6 <3% is not subject to restrictions and labeling obligations.

The components of this product are included in the following notification lists; are exempted, or otherwise meet requirements: EINECS/ELINCS/NLP (EU), DSL/NDSL (Kanada), KECI (Dél-Korea), TSCA (USA).

The ingredients of this product are not included on California's 65 list

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out./ not required.

SECTION 16: Other information

LIST OF RELEVANT H-PHRASES IN SECTION 3 **H-Phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H330 Fatal if inhaled.
- H360D May damage fertility or the unborn child

Chalkboard Paint Version number: 1

H372 Causes damage to organs *<or* state all organs affected, if known> through prolonged or repeated exposure *<state* route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effectsH411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

The classification was prepared according to the 1272/2008/EK Regulation: based on calculation method

Data Sources:

The previously-classified hazardous materials list Internet database of chemical substances Safety data sheets of components

Abbreviations:

Acute Tox. oral Acute Toxicity oral
Acute Tox. dermal Acute Toxicity dermal
Acute Tox. inhal Acute Toxicity inhalation

Skin Corr.

Skin Irrit.

Skin Irritation

Skin Sens.

Skin sensitization

Eye Damage

Eye Irrit.

Eye Irritation

Repr. Reproductive toxicity

STOT RE Specific Target Organ Toxicity -repeated exposure

Aquatic Acute Aquatic Chronic

SCL: Specific Concentration limit

EK / EU European community/European union

EGK European Economic Community

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures /

CAS Chemical Abstracts Service

UN / ENSZ United Nations

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route RID Réglement international concernant le transport des marchandises dangereuses par chemin de fer

IMDG International Maritime Code for Gangerous Goods

IMO International Maritime Organization

IBC Intermediate Bulk Container

IATA International Air Transport Association

ICAO International Civil Aviation Organization

PBT Persistent, Bioaccumulative, Toxic

vPvB very Persistent, very Bioaccumulative

ATE Acute Toxicity Estimate / body weight in kilograms

EC₅₀ Effective concentration 50 % LC₅₀ Lethal Concentration 50 %

NOEC No Observed-effect concentration

LLNA Local Lymph Node Assay

BCF / BKF Bioconcentration factor

DOC Dissolved Organic Carbon

This product Safety Data Sheet provides health, safety, and regulatory information. The information contained in this Safety Data Sheet is based on data available to us at the date of issue, and is provided in good faith, and believed to be accurate and reliable at the date of issue, however, no warranty, express or implied is provided. The product is to be used in applications consistent. For any other uses, exposures should be evaluated so that the appropriate handling practices and training programs can be established to ensure safe working conditions and operations. It is the buyer's/user's responsibility to satisfy itself that the product is suitable for the intended use, and to ensure that its activities comply with all federal, state, provincial, or local laws and regulations. Regulatory requirements are subject to change and may differ between European Member States and Nations.Individuals handling this product should be informed of the recommended safety precautions and should have access to this information.