Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: MEYCO Goldspray 150ml

Article number: 65771

UFI: WQ00-709M-V00Y-4XF7

1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU21 Consumer uses: Private households / general public / consumers

Application of the substance / the mixture Lackspray

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Mevercordt GmbH

Meyercorat GmbF. Im Wellenbügel 1

D-32108 BAD SALZUFLEN E-Mail: info@meyco.eu

Further information obtainable from:

Abteilung Produktsicherheit E-Mail: info@meyco.eu

1.4 Emergency telephone number: ++49(0)5222 / 80712-0 (Mo. bis Fr.: 8:00 bis 17:00 Uhr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411

Toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

GHS label elements

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02

GHS07

GHS09

Signal word Danger

Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated light

(Contd. on page 2)

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 1)

propan-2-ol

Isobutanol

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

Results of PBT and vPvB assessment Not applicable.

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description:

Mixture of substances listed below with nonhazardous additions.

Active substance with propellant

Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9	propane 🏠 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-75%
CAS: 75-28-5 EINECS: 200-857-2	isobutane Plan. Gas 1A, H220; Press. Gas (Comp.), H280	<25%
CAS: 64742-49-0 EINECS: 265-151-9 Reg.nr.: 01-2119473851-33	Naphtha (petroleum), hydrotreated light \$\int_{\infty} Flam. Liq. 2, H225; \$\int_{\infty} Asp. Tox. 1, H304; \$\int_{\infty} Aquatic Chronic 2, H411; \$\int_{\infty} STOT SE 3, H336	≥2.5-<20%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol 🏠 Flam. Liq. 2, H225; 🗘 Eye Irrit. 2, H319; STOT SE 3, H336	≥10-<20%
CAS: 7440-50-8 EINECS: 231-159-6	copper 🌺 Flam. Sol. 1, H228; 🍄 Aquatic Chronic 1, H410	≥2.5-<5%
CAS: 78-83-1 EINECS: 201-148-0	Isobutanol ♠ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H331; ♠ Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315; STOT SE 3, H335-H336	≥1-<3%
CAS: 7440-66-6 EINECS: 231-175-3	zinc powder -zinc dust (stabilized) 🏠 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

- GE

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

No special measures required.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

Storage class: 2 B

7.3 Specific end use(s) No further relevant information available.

GB

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

7440-50-8 copper

WEL Short-term value: 2** mg/m³

Long-term value: 0.2* 1** mg/m³ *fume **dusts and mists (as Cu)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Respiratory protection: Not required.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Butyl rubber, BR Nitrile rubber, NBR

For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR Chloroprene rubber, CR

Eve protection:

Safety glasses

Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Aerosol
Colour: Gold coloured

Odour: Mild

(Contd. on page 5)

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

	(Contd. of page
Change in condition	
Initial boiling point and boiling range:	<0 °C
	Not applicable, as aerosol.
Flash point:	-97 °C
Ignition temperature:	425 °C
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.7 Vol %
Upper:	12 Vol %
Vapour pressure at 20 °C:	8,300 hPa
Density at 20 °C:	0.65 g/cm³ (Wirkstoff)
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Solvent separation test:	
Organic solvents:	66.9 %
VOC (EC)	592.6-<592.8 g/l
Verordnung über die Lenkungsabgabe auf	
flüchtigen organischen Verbindungen (Stand	l am
1. Januar 2009)	
VOCV (CH)	81.6 %
	88.41-<88.44 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values	relevant	for o	classi	fication:

64742-49-0 Naphtha (petroleum), hydrotreated light

Oral	LD50	>5,000 mg/kg (rat)
	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 5)

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

12.5 Results of PBT and vPvB assessment Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Smaller quantities can be disposed of with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European	waste catalogue
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
15 01 10*	packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inform	mation
14.1 UN-Number ADR, IMDG, IATA	UN1950
<u> </u>	0111930
14.2 UN proper shipping name	
ADR	UN1950 AEROSOLS, ENVIRONMENTALL
	HAZARDOUS
<i>IMDG</i>	AEROSOLS, MARINE POLLUTANT
IATA	AEROSOLS, flammable

(Contd. on page 7)

 Printing date 04.02.2021
 Version number 2.9
 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
**	
Class	2 5F Gases.
Label	2.1 Guses.
IMDG	
32	
, ''\'_	
Class	2.1
Label	2.1
IATA	

Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substance
Marina nallutant	Naphtha (petroleum), hydrotreated light No
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
	,
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	- F-D,S-U
EMS Number:	SWI Protected from sources of heat.
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litr
Segregation Conc	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Transport in bulk according to Annex II o	f
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	17
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0
T	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 7)

IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H228 Flammable solid.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS: Abteilung Produktsicherheit

Contact: O. Henning

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

Printing date 04.02.2021 Version number 2.9 Revision: 04.02.2021

Trade name: MEYCO Goldspray 150ml

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Sol. 1: Flammable solids – Category 1

Acute Tox. 3: Acute toxicity - inhalation - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GB