


# Multifunktionaler Baby-Laufstall

## Benutzerhandbuch

2916123AAW(PP291612AAW+PP291613AAW)

*Herzlichen Glückwunsch zur Auswahl dieses Produkts.*

*Bevor Sie dieses Produkt zum ersten Mal verwenden, lesen Sie bitte das Handbuch sorgfältig durch und verwenden Sie nur wie im Handbuch beschrieben, um Gefahren und Verletzungen zu vermeiden. Bitte bewahren Sie dieses Handbuch zum späteren Nachschlagen auf.*



ANWENDBARES MODELL NR.: L-QQ18, FQ-H021



**VORSICHT**

**Lesen Sie alle Vorsichtsmaßnahmen und Anweisungen in diesem Handbuch, bevor Sie dieses Produkt verwenden.**

**Bei Fragen zu diesem Produkt wenden Sie sich bitte rechtzeitig an Ihren Lieferanten.**

**Bitte lesen Sie diesen Text sorgfältig durch:** Ihr Produkt wird Ihnen in 2 Paketen zugestellt.

**Paketen 1**(PP291612AAW):

1. Kinder Laufstall.
2. Basketballplatte, die in Kombination mit Laufstall verwendet werden kann.

**Package 2**(PP291613AAW): Kinderschaukel, die in Kombination mit einem Laufstall verwendet werden kann.

Aufgrund unterschiedlicher Logistikunternehmen werden sich auch die Lieferzeiten der 2 Pakete unterscheiden.

Bitte haben Sie Geduld und danken Ihnen für Ihr Verständnis und Ihre Vergebung.



Decobus Handel GmbH  
Ritscherstraße 11,21244 Buchholz  
i.d.N.,Deutschland



ORIGINAL

**Test Report No** 70.452.19.11277.01  
**Dated** 2019-08-26


Applicant: YONGJIA FEIQI TOY CO.,LTD  
 Address: BALI INDUSTRIAL ZONE,QIAOXIA TOWN,YONGJIA COUNTY,WENZHOU,ZHEJIANG PROVINCE,CHINA

Product Name: Swing  
 Item No.: L-QQ18  
 Order No.: FQ-N05  
 Style No.: 34534818  
 Labelled Age Range: 1-4 years  
 Requested Age Range: 1-4 years  
 Age Range for Testing: From 1 to 4 years  
 Receipt Date of Sample: 2019-06-14, 2019-07-30, 2019-08-06  
 Date of Testing: 2019-06-14 to 2019-08-26  
 Sample Submitted: The sample(s) was (were) submitted by applicant and identified.  
 Test Result: Refer to the data listed in following pages


Test Item	Conclusion
1. EN 71-1:2014+A1:2018 Mechanical and Physical Properties	<u>Pass</u>
2. EN 71-2:2011+A1:2014 Flammability	<u>Pass</u>
3. EN 71-3:2019 Migration of certain elements	<u>Pass</u> <sup>#</sup>
4. EN 71-8:2018 Safety of toys — Part 8: Activity Toys for Domestic Use Except Clause 4.6.4 & Clause 4.6.5	<u>Pass</u>

Remark: #=Only specified components were tested according to client's requirement.

TÜV SÜD Certification and Testing (China) Co.,Ltd.  
 Shanghai Branch

Prepared by:   
 Wu Jingqing  
 Technical Engineer



Checked by:   
 Sawyer Tang  
 Technical Manager

**Disclaimer Measurement Uncertainty:**

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirement. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as FAIL.

Note: (1) General Terms & Conditions as mentioned overleaf, (2) The results relate only to the items tested, (3) The test report shall not be reproduced except in full without the written approval of the laboratory.

Laboratory:  
 TÜV SÜD Certification and Testing  
 (China) Co.,Ltd.  
 Shanghai Branch Testing Center  
 Hardgoods Laboratory

Phone : +86 21 60376300  
 Fax : +86 21 60376350  
 www.tuv-sud.cn

Regd. Office:  
 TÜV SÜD Certification and Testing (China) Co., Ltd.  
 Shanghai Branch Testing Center  
 No. 1999 Du Hui Road, Minhang District, Shanghai  
 201108 P.R. China

Page 1 of 5

**Test Report**

No.: SHHL1801005161TY-01

Date: APR 26, 2018

Page 3 of 6

Results:
**EN 71-1:2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

AS SPECIFIED IN EN 71-1: 2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	Description	Result
4	General requirements	
4.1	Material cleanliness	Pass
4.2	Assembly (Remark: According to this toy standard, detail assembly instruction shall be Provided. The instruction shall indicate that the product is intended to be assembled by an adult.)	See Remark
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.10	Parts moving against each other:	
	4.10.3 Hinges	Pass
5	Toys intended for children under 36 months	
5.1	General requirements:	
	5.1a Small part requirement on toys & removable Components (Test method 8.2)	Pass
	5.1b Torque test (Test method 8.3)	Pass
	Tension test (Test method 8.4)	Pass
	Tip over test (Test method 8.6)	Pass
	Impact test (Test method 8.7)	Pass
	Sharp edge (Test method 8.11)	Pass
	Sharp point (Test method 8.12)	Pass
	5.1d Large and bulky toys	Pass

**AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY**

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.sgsx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.sgsx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com) or <tel:+86-196-63371443>.

SGS-CS Inspection & Testing Services  
Testing Center

4<sup>th</sup> Building, No.888, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路888号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## 1. Vorsicht

- Es wird empfohlen, das Spielzeug auf einer ebenen Fläche mindestens 1,8 m von Zäunen, Mülleimern, Häusern, überhängenden Ästen, Waschküchenrohren oder anderen Hindernissen wie elektrischen Leitungen entfernt zu installieren.
- Informationen zur Installation und Befestigung finden Sie in den detaillierten Schrittanforderungen im Handbuch.
- Bitte überprüfen Sie vor der Verwendung, ob alle Teile sicher installiert sind.
- Kann nicht verkehrt herum verwendet werden.
- Bitte überprüfen Sie vor der Verwendung sorgfältig, ob es andere unsichere Faktoren in der Nähe des Produkts gibt.
- Die Montage- und Installationsanleitung sollte zum späteren Nachschlagen aufbewahrt werden.
- Geeignet für Kinder im Alter von 1 bis 8 Jahren. Die maximale Tragfähigkeit dieses Produkts beträgt 45 kg.

## 2. Warnung

- Enthält Kleinteile, das Spielzeug muss von einem Erwachsenen zusammengebaut und dann von Kindern verwendet werden.
  - Spielzeug muss unter direkter Aufsicht eines Erwachsenen verwendet werden.
  - Spielzeug ist nur für den Hausgebrauch bestimmt.
  - Klettern Sie nicht auf das Spielzeug.
  - Nicht mehr als 2 Kinder können das Gerät gleichzeitig spielen.
  - Das Verpackungsteil ist kein Spielzeug, bitte nehmen Sie es nicht zum Spielen heraus, um Gefahren zu vermeiden.
  - Bitte bewahren Sie es zum späteren Nachschlagen auf. Achten Sie auf die regelmäßige Inspektion und Wartung der Hauptkomponenten. Wenn die Inspektion nicht durchgeführt wird, kann das Spielzeug während des Gebrauchs gefährlich sein.
  - Es ist sehr wichtig, während des Gebrauchs regelmäßig oder zu Beginn jeder Saison gemäß den folgenden Anforderungen zu arbeiten.
  - Überprüfen Sie alle Schrauben und Muttern auf scharfe Kanten und ersetzen Sie sie gegebenenfalls.
  - Überprüfen Sie, ob alle Schrauben festgezogen sind, und ziehen Sie sie gegebenenfalls nach.
- Bitte wischen Sie regelmäßig mit einem trockenen Tuch nach.

### 3. Installation des Laufstalls

Wenn Sie diesen Laufstall erhalten, ist jedes Teil gefaltet und fast vormontiert. Sie müssen nur die gewünschte Form anpassen.

Die folgenden Teile sind alle am Produkt vormontiert.



TÜR



SPIEL PENEL




KLEINE PLATTE



TEILEGRUPPEN

**So erweitern Sie den Laufstall:**



Öffnen Sie den zusammengeklappten Laufstall, drehen Sie den Saugfuß, um ihn waagrecht zu stellen. Drehen Sie dann die oberen Verriegelungen fest in die gleiche horizontale Position wie die Saugbasis. Mit einem „Klick“ werden die beiden Laufställe vollständig aufgeklappt, und wiederholen Sie diesen Schritt, bis alle Flügel des Laufgitters vollständig ausgefahren sind.

## 4. Installation der Basketballtafel

Installieren Sie das Netz in der Basketballfelge und verbinden Sie es dann mit der Basketballplatte und der Hubstange durch die Sechskantmutter.

Stecken Sie die Hülse in das Spielfeld und ziehen Sie sie mit der Sechskantmutter fest.



Hebestange



Rand



Netz



Zwinge




Sechskantmutter



Spielkreis



Basketball




Installieren Sie das Netz in der Basketballfelge und verbinden Sie es dann mit der Basketballplatte und der Hubstange durch die Sechskantmutter.

Stecken Sie die Hülse in das Spielfeld und ziehen Sie sie mit der Sechskantmutter fest.



## 5.Swing-Installation:



Seitenwand\*2



Schaukelbasis\*2



Schwenkseite\*2



Schaukelsitz



Eisenstangen



Fußstütze



Schwingarmlehne



Saugfuß



Entenzungennuss



A-Mutter



B-Mutter



C-Mutter




Schritt 1: Montieren Sie den Saugnapf an der Basis.




Saugfuß






B-Mutter


Schritt 2: Verbinden Sie die Schaukelbasis mit einer B -Mutter mit der Seitenplatte.



Schritt 3: Befestigen Sie die Schwingarmlehne mit einer C -Mutter am Sitz. Montieren Sie die Seitenverkleidung der Schaukel mit einer A-Mutter am Sitz. und setzen Sie die Fußstütze aus Eisenstangen mit einer Mutter vom Typ A in die Seitenwand der Schwinge ein.



Schritt 4: Installieren Sie die Entenzungenmutter an beiden Seiten der Eisenstange, befestigen Sie sie mit Eisenbalkenschrauben und installieren Sie sie mit einer Mutter vom Typ B an der äußeren Seitenplatte.



Schritt 5: Nachdem Sie die Schaukel installiert haben, können Sie sie auf diese Weise über eine Kleinteilegruppe in den Laufstall einbauen.

# Multifunctional baby-playpen


## User's Manual

2916123AAW(PP291612AAW+PP291613AAW)

*Congratulations for choosing this product.*

*Before using this product for the first time, please read the manual carefully and use the equipment only as described in the manual to avoid hazards and personal injury.*

*Please retain this manual for future reference.*



APPLICABLE MODEL NO.: L-QQ18, FQ-H021



**CAUTION**

**Read all precautions and instructions in this manual before using this equipment.**

**If you have any questions about this product, please consult your supplier in time**

**Please read this text carefully:** Your product will be delivered to you in **2 packages**.

**Package 1**(PP291612AAW):

1. Children Playpen.
2. Basketball panel that can be used in combination with playpen.

**Package 2**(PP291613AAW): Children swing that can be used in combination with playpen.

Due to the possibility of different logistics companies delivering, the delivery times of these 2 packages may also differ.

Please be patient and thank you for your understanding and forgiveness.



Decobus Handel GmbH  
Ritscherstraße 11, 21244 Buchholz  
i.d.N., Deutschland

**Test Report No** 70.452.19.11277.01  
**Dated** 2019-08-26



**ORIGINAL**


Applicant: YONGJIA FEIQI TOY CO.,LTD  
 Address: BALI INDUSTRIAL ZONE,QIAOXIA TOWN,YONGJIA COUNTY,WENZHOU,ZHEJIANG PROVINCE,CHINA

Product Name: Swing  
 Item No.: L-QQ18  
 Order No.: FQ-N05  
 Style No.: 34534818  
 Labelled Age Range: 1-4 years  
 Requested Age Range: 1-4 years  
 Age Range for Testing: From 1 to 4 years  
 Receipt Date of Sample: 2019-06-14, 2019-07-30, 2019-08-06  
 Date of Testing: 2019-06-14 to 2019-08-26  
 Sample Submitted: The sample(s) was (were) submitted by applicant and identified.  
 Test Result: Refer to the data listed in following pages


Test Item	Conclusion
1. EN 71-1:2014+A1:2018 Mechanical and Physical Properties	<u>Pass</u>
2. EN 71-2:2011+A1:2014 Flammability	<u>Pass</u>
3. EN 71-3:2019 Migration of certain elements	<u>Pass<sup>#</sup></u>
4. EN 71-8:2018 Safety of toys — Part 8: Activity Toys for Domestic Use Except Clause 4.6.4 & Clause 4.6.5	<u>Pass</u>

Remark: <sup>#</sup>=Only specified components were tested according to client's requirement.

TÜV SÜD Certification and Testing (China) Co.,Ltd.  
 Shanghai Branch

Prepared by:   
 Wu Jingqing  
 Technical Engineer



Checked by:   
 Sawyer Tang  
 Technical Manager

**Disclaimer Measurement Uncertainty:**

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirement. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as FAIL.

Note: (1) General Terms & Conditions as mentioned overleaf, (2) The results relate only to the items tested, (3) The test report shall not be reproduced except in full without the written approval of the laboratory.

Laboratory:  
 TÜV SÜD Certification and Testing  
 (China) Co.,Ltd.  
 Shanghai Branch Testing Center  
 Hardgoods Laboratory

Phone : +86 21 60376300  
 Fax : +86 21 60376350  
 www.tuv-sud.cn

Regd. Office:  
 TÜV SÜD Certification and Testing (China) Co., Ltd.  
 Shanghai Branch Testing Center  
 No. 1999 Du Hui Road, Minhang District, Shanghai  
 201108 P.R. China

Page 1 of 5



**Test Report** No.: SHHL1801005161TY-01 Date: APR 26, 2018 Page 3 of 6

Results:

**EN 71-1:2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES**

AS SPECIFIED IN EN 71-1: 2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.2	Assembly (Remark: According to this toy standard, detail assembly instruction shall be Provided. The instruction shall indicate that the product is intended to be assembled by an adult.)	<u>See Remark</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
4.10	Parts moving against each other:	
	4.10.3 Hinges	<u>Pass</u>
5	Toys intended for children under 36 months	
5.1	General requirements:	
	5.1a Small part requirement on toys & removable Components (Test method 8.2)	<u>Pass</u>
	5.1b Torque test (Test method 8.3)	<u>Pass</u>
	Tension test (Test method 8.4)	<u>Pass</u>
	Tip over test (Test method 8.6)	<u>Pass</u>
	Impact test (Test method 8.7)	<u>Pass</u>
	Sharp edge (Test method 8.11)	<u>Pass</u>
	Sharp point (Test method 8.12)	<u>Pass</u>
	5.1d Large and bulky toys	<u>Pass</u>

**EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY**

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.sgs> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.sgs/Terms-and-Conditions.sgs>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)60371443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 4<sup>th</sup> Building, No.898, Yehuan Road, Xuhui District Shanghai, China 200233 T (86) 400 960 9661 F (86-21) 6115 6899 www.sgs.com.cn  
 中国 - 上海 - 徐汇区宜山路898号4号楼 邮编: 200233 T (86) 400 960 9661 F (86-21) 6115 6899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## 1. Precaution

- It is recommended to install the toy on a level surface at least 1.8m away from fences, trash cans, houses, overhanging branches, laundry room pipes or other obstacles such as electrical wiring.
- For installation and fixation, please refer to the detailed step requirements in the manual.
- Please check whether all parts are installed securely before use. Can not be used upside down.
- Please check carefully whether there are other unsafe factors around the product before use.
- The assembly and installation instructions should be kept for future reference.
- Suitable for 1~8 year old children. The max loading capacity of this product is 45kg.

## 2. Warning

- Contains small parts, the toy must be assembled by an adult, then use by children.
- Toys must be used under the direct supervision of an adult.
- Toys are for household use only.
- Do not climb on the toy.
- No more than 2 children can play the device at the same time.
- The packaging part is not a toy, please do not take it out to play to avoid danger.
- Please save it for future reference. Pay attention to the regular inspection and maintenance of the main components. If the inspection is not carried out, the toy may be dangerous during use.
- It is very important to operate according to the following requirements periodically or at the beginning of each season during use.
  - Check all bolts and nuts for sharp edges and replace them if necessary.
  - Check that all screws are tightened, and if necessary, tighten them.
  - Please wipe with a dry cloth regularly.



### 3. Playpen installation

When you receive this playpen, each piece of it is folded and almost pre-assembled. You just have to adjust the shape you want.

The following parts are all pre-assembled on the product.



DOOR



GAME PANEL




SMALL PANEL



PARTS GROUPS

#### How to expand the playpen:



Open the folded playpen, rotate the suction base to make it level. Then firmly turn the top locks to the same horizontal position as the suction base. With a “click”, the two playpen are fully unfolded, and repeat this step, until all the the panels of the playpen is fully extended.

## 4. Basketball panel installation

Install the net into basketball rim, and then connect with basketball panel and lifting rod through Hexagon nut.

Insert the ferrule into Game panel, and use Hexagon nut to tighten.



Lifting rod



Rim



Net



Ferrule




Hexagon nut



Game circle




Basketball



Install the net into basketball rim, and then connect with basketball panel and lifting rod through Hexagon nut.

Insert the ferrule into Game panel, and use Hexagon nut to tighten.

**5. Swing installation:**




C type nut




Suction cup

Step 1: Assemble the suction cup on the base.




B type nut



Step 2: Connect the swing base to the side plate with a B type nut.



Step 3: Attach the swing armrest to the seat with C type nut. install the swing side panel to the seat with A type nut. and insert iron rods foot rest into swing side panel with A type nut.



Step4: Install the duck tongue nut to the both sides of the iron rod, fix it with iron beam screws, and install to the outer side plate with B type nut.



Step 5: After installed the swing, you can install it into playpen like this way through small parts group.

# Parc bébé multifonctionnel


## Manuel d'utilisation

2916123AAW(PP291612AAW+PP291613AAW)

*Merci pour avoir choisi ce produit.*

*Avant d'utiliser ce produit pour la première fois, veuillez lire attentivement le manuel et utiliser ce produit uniquement comme décrit dans le manuel pour éviter les dangers et les blessures.*

*Veuillez conserver ce manuel pour référence ultérieure.*



**Modèle applicable NON.: L-QQ18, FQ-H021**



**AVERTIR**

**Lisez toutes les précautions et les instructions de ce manuel avant d'utiliser cet appareil.**

**Si vous avez des questions sur ce produit, veuillez consulter votre fournisseur à temps.**

**Merci de lire attentivement ce texte :** Notre produit vous sera livré en 2 colis.

**Forfait 1**(PP291612AAW):

1. Parc pour enfants.
2. Panneau de basket-ball pouvant être utilisé en combinaison avec un parc.

**Forfait 2**(PP291613AAW): Balançoire pour enfants pouvant être utilisée en combinaison avec un parc.

En raison de la possibilité de livraison de différentes sociétés de logistique, les délais de livraison de ces 2 colis peuvent également différer.

S'il vous plaît soyez patient et merci pour votre compréhension et votre pardon.



Decobus Handel GmbH  
Ritscherstraße 11, 21244 Buchholz  
i.d.N., Deutschland



**Test Report No** 70.452.19.11277.01  
**Dated** 2019-08-26



**ORIGINAL**

Applicant: YONGJIA FEIQI TOY CO.,LTD  
 Address: BALI INDUSTRIAL ZONE,QIAOXIA TOWN,YONGJIA COUNTY,WENZHOU,ZHEJIANG PROVINCE,CHINA  
 Product Name: Swing  
 Item No.: L-QQ18  
 Order No.: FQ-N05  
 Style No.: 34534818  
 Labelled Age Range: 1-4 years  
 Requested Age Range: 1-4 years  
 Age Range for Testing: From 1 to 4 years  
 Receipt Date of Sample: 2019-06-14, 2019-07-30, 2019-08-06  
 Date of Testing: 2019-06-14 to 2019-08-26  
 Sample Submitted: The sample(s) was (were) submitted by applicant and identified.  
 Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. EN 71-1:2014+A1:2018 Mechanical and Physical Properties	<u>Pass</u>
2. EN 71-2:2011+A1:2014 Flammability	<u>Pass</u>
3. EN 71-3:2019 Migration of certain elements	<u>Pass<sup>#</sup></u>
4. EN 71-8:2018 Safety of toys — Part 8: Activity Toys for Domestic Use Except Clause 4.6.4 & Clause 4.6.5	<u>Pass</u>

Remark: **#=Only specified components were tested according to client's requirement.**

TÜV SÜD Certification and Testing (China) Co.,Ltd.  
 Shanghai Branch

Prepared by:

  
**Wu Jingqing**  
 Technical Engineer



Checked by:

  
**Sawyer Tang**  
 Technical Manager

**Disclaimer Measurement Uncertainty:**

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirement. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as FAIL.

Note: (1) General Terms & Conditions as mentioned overleaf, (2) The results relate only to the items tested, (3) The test report shall not be reproduced except in full without the written approval of the laboratory.

Laboratory:  
 TÜV SÜD Certification and Testing  
 (China) Co.,Ltd.  
 Shanghai Branch Testing Center  
 Hardgoods Laboratory

Phone : +86 21 60376300  
 Fax : +86 21 60376350  
 www.tuv-sud.cn

Regd. Office:  
 TÜV SÜD Certification and Testing (China) Co., Ltd.  
 Shanghai Branch Testing Center  
 No. 1999 Du Hui Road, Minhang District, Shanghai  
 201108 P.R. China

Page 1 of 5



## Test Report

No.: SHHL1801005161TY-01

Date: APR 26, 2018

Page 3 of 6

### Results:

#### EN 71-1:2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1: 2014 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	Description	Result
4	General requirements	
4.1	Material cleanliness	Pass
4.2	Assembly (Remark: According to this toy standard, detail assembly instruction shall be Provided. The instruction shall indicate that the product is intended to be assembled by an adult.)	See Remark
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.10	Parts moving against each other:	
	4.10.3 Hinges	Pass
5	Toys intended for children under 36 months	
5.1	General requirements:	
	5.1a Small part requirement on toys & removable Components (Test method 8.2)	Pass
	5.1b Torque test (Test method 8.3)	Pass
	Tension test (Test method 8.4)	Pass
	Tip over test (Test method 8.6)	Pass
	Impact test (Test method 8.7)	Pass
	Sharp edge (Test method 8.11)	Pass
	Sharp point (Test method 8.12)	Pass
	5.1d Large and bulky toys	Pass

#### EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8327 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 | (86) 400 960 9661 | (86-21) 6115 6899 | [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 | (86) 400 960 9661 | (86-21) 6115 6899 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

## 1. Précaution

- Il est recommandé d'installer le jouet sur une surface plane à au moins 1,8 m des clôtures, poubelles, maisons, branches en surplomb, tuyaux de buanderie ou autres obstacles tels que le câblage électrique.
- Pour l'installation et la fixation, veuillez vous reporter aux étapes détaillées requises dans le manuel.
- Veuillez vérifier si toutes les pièces sont correctement installées avant utilisation. Ne peut pas être utilisé à l'envers.
- Veuillez vérifier attentivement s'il existe d'autres facteurs dangereux autour du produit avant utilisation.
- Les instructions de montage et d'installation doivent être conservées pour référence future.

## 2. Avertissement

- Convient aux enfants de 1 à 8 ans. La capacité de charge maximale de ce produit est de 45 kg.
- Contient de petites pièces, le jouet doit être assemblé par un adulte, puis utilisé par des enfants.
- Les jouets doivent être utilisés sous la surveillance directe d'un adulte.
- Les jouets sont destinés à un usage domestique uniquement.
- Ne montez pas sur le jouet.
- Pas plus de 2 enfants peuvent jouer à l'appareil en même temps.
- La pièce d'emballage n'est pas un jouet, veuillez ne pas la sortir pour jouer afin d'éviter tout danger.
- Veuillez l'enregistrer pour référence future. Faites attention à l'inspection et à l'entretien réguliers des principaux composants. Si l'inspection n'est pas effectuée, le jouet peut être dangereux pendant son utilisation.
- Il est très important de respecter les exigences suivantes périodiquement ou au début de chaque saison pendant l'utilisation.
- Vérifiez que tous les boulons et écrous ne sont pas tranchants et remplacez-les si nécessaire.
- Vérifiez que toutes les vis sont serrées et, si nécessaire, serrez-les.
- Veuillez essuyer régulièrement avec un chiffon sec.

### 3. Installation du parc

Lorsque vous recevez ce parc, chaque pièce est pliée et presque pré-assemblée. Vous n'avez plus qu'à ajuster la forme que vous souhaitez.

Les pièces suivantes sont toutes pré-assemblées sur le produit.



PORTE




PENEL DE JEU



PETIT PANNEAU

GROUPES DE PIÈCES

**Comment agrandir le parc:**



Ouvrez le parc plié, faites pivoter la base à ventouse pour la mettre à niveau. Ensuite, tournez fermement les verrous supérieurs dans la même position horizontale que la base d'aspiration. Avec un "clic", les deux parcs sont complètement dépliés, et répétez cette étape, jusqu'à ce que tous les panneaux du parc soient complètement étendus.

## 4. Installation de panneau de basket

Installez le filet dans le rebord du basket-ball, puis connectez-le au panneau de basket-ball et à la tige de levage à travers l'écrou hexagonal.

Insérez la virole dans le panneau de jeu et utilisez l'écrou hexagonal pour serrer.



Tige de levage



Jante



Rapporter



Virole




Écrou hexagonal



Cercle de jeu




Basket-ball



Installez le filet dans le rebord du basket-ball, puis connectez-le au panneau de basket-ball et à la tige de levage à travers l'écrou hexagonal.

Insérez la virole dans le panneau de jeu et utilisez l'écrou hexagonal pour serrer.

## 5. Pose de balançoire:



Panneau latéral \* 2



Base pivotante \* 2



Côté oscillant



Siège



Barres de fer



Repose pieds



Accoudoir pivotant



Ventouse



Écrou de langue de canard



Écrou de type A



Écrou de type B




Écrou de type C




Ventouse

Étape 1 : Assemblez la ventouse sur la base.




Écrou de type B

Étape 2 : Connectez la base pivotante à la plaque latérale avec un écrou de type B.




Étape 3 : Fixez l'accoudoir pivotant au siège avec un écrou de type C. installez le panneau latéral pivotant sur le siège avec un écrou de type A. et insérez le repose-pieds des tiges de fer dans le panneau latéral pivotant avec un écrou de type A.





Étape 4 : Installez l'écrou à languette de canard sur les deux côtés de la tige de fer, fixez-le avec des vis à poutre en fer et installez-le sur la plaque latérale extérieure avec un écrou de type B.



Étape 5 : Après avoir installé la balançoire, vous pouvez l'installer dans le parc comme ceci via un groupe de petites pièces.