Safety Data Sheet in Accordance with regulation 453/2010

Page 1 of 8

Date of issue: 01.02.2019, Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Hairdreams Stop & Grow for Men Intensive Spray

Article No.: n.av.
Preparation No.: n.av.
Registration No.: n.ap.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use: cosmetics

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Telefax: +43/316/6057541, E-Mail: n.av.

1.3.2 Responsible for the data sheet:

Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz, E-Mail: n.av.

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of

Poisoning

Telephone: +43/664/3758044 (8:30 – 16:30)

Telephone: +44 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification and labelling according to Directive 1272/2008/EC:

Flam. Liq. 2, H225, H319 – Eye Dam. 1, H318 – Aquatic Chronic 4, H413

Classification and labelling according to Directive 1999/45/EC:

None.

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No.

Signal word(s): n.ap. Hazard pictogram(s):

Component(s):

H - Phrases:

P - Phrases:

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Dangerous Ingredients:

3.2 Mixtures

Chemical Characterisation:

Mixture aqueous solution

Dangerous Ingredients:

Dangerous ingreations.							
CAS - No.	Index - No.	EC - No.	Material	m% - range	Symbol	R/H-phrases	
64-17-5	603-002-00-5	200-578-6	Ethanol	10 - 21%	Flam. Liq. 2 Eye Irrit. 2	H225, H319	
1490-04-6	n.av.	216-074-4	Menthol	0,1 – 0,5%	Skin Irrit. 2 Eye Dam. 1	H315, H319	
2216-51-5	n.av.	218-690-9			•		
89-78-1	n.av.	201-939-0					
15356-70-4	n.av	239-388-3					
63148-62-9	n.av.	n.av.	Dimenthicone	0,1-0,5%	Aquatic Chro	nic 4 H413	
9006-65-9	n.av.	n.av.					
9016-00-6	n.av.	n.av.					

Text of R-/H- phrases: see section 16

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: ---

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance.

4.1.1 Inhalation:

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If not breathing, give artificial respiration. If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash with soap and water.

In the case of skin irritation or allergic reactions see a physician.

4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

4.1.4 Ingestion:

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting.

Never give anything by mouth to an unconscious person. Consult a physician for severe cases.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable Extinguishing Media:

Use dry chemical, CO₂, water spray or "alcohol" foam.

Not suitable Extinguishing Media:

Sand, fire powder

5.1.2 Extinguishing Media to Avoid:

None.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon oxides

5.3 Advice for firefighters

5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. Contaminated surfaces can be slippery.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

If larger amounts are released into sewage system / environment, the competent local authority must be informed.

6.3 Methods and material for containment and cleaning up

For larger quantities: Pump off product.

For residues: Narrow spillage with neutralizing and non-combustible absorbent and collect for disposal according to local regulations in appropriate containers.

Small amounts (about 0,5 l) take up with plenty of water, discard water into drains.

6.4 Reference to other sections

None.

Safety Data Sheet in Accordance with regulation 453/2010

Page 3 of 8

Trade Name: Hairdreams Stop & Grow for Men Intensive Spray

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Precautions for Safe Handling:

Do not leave container open.

Standard hygiene practices:

- In areas where people work, do not eat, drink or smoke
- Wash hands after use
- Remove contaminated clothing and protective equipment before entering areas with food.

7.1.2 Precautions in Case of Fire and Explosion:

Normal measures for preventive fire protection.

Measures to prevent dusts and aerosols.

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Store in a cool place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Containers which are open must be carefully resealed and kept upright to prevent leakage.

7.2.2 Store away from:

Do not store together with strong oxidizing agents.

7.2.3 Further Information on Storage Conditions:

None.

7.3 Specific end use(s)

n av

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

MaterialLimit ValueEthanol500 ppm | 960 mg/m³

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2 Individual protection measures

8.2.2a **Eye/face Protection:** Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166 (EU).

8.2.2b **Skin Protection:** Handle with gloves. Gloves must be inspected prior use. Use proper glove removal

Technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the

standard EN 374 derived from it.

8.2.2c **Body Protection:** Impervious clothing. The type of protective equipment must be selected

according to the concentration and amount of the dangerous substance at the

specific workplace.

8.2.2d Respiratory Protection: Respiratory protection not required. For nuisance exposures use type OV/AG (US)

or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN (EU).

8.2.3 Environmental exposure controls:

Prevent further Leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Safety Data Sheet in Accordance with regulation 453/2010

Page 4 of 8

Trade Name: Hairdreams Stop & Grow for Men Intensive Spray

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: ---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance / form:

Colour:

Liquid

Sensory

Light blue

Sensory

Odour:

Characteristic

Sensory

Odour threshold: n.d. pH: n.d. Melting point / freezing point: n.d. Initial boiling point and boiling range: n.d. Flash point: 39°C Evaporation rate: n.d. Flammability (solid, gas): n.d.

Upper / lower flammability or

explosive limits:

Vapour pressure:

Napour density:

Relative density:

Solubility:

Partition coefficient:

n.d.

n.d.

n.d.

n.d.

n.d.

(n-octanol / water)

Auto-ignition temperature: n.d.
Decomposition temperature: n.d.
Viscosity: n.d.
Explosive properties: n.d.
Oxidizing properties: n.d.

9.2 Other safety information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts with acids with vigorous heat generation. Reacts with vigorous heat generation, for example, with acid Anhydrides, alkali metals. In uncontrolled reaction it may explode.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No data available. When used according to specifications Dangerous reactions are not expected.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Alkali metals

10.6 Hazardous decomposition products

Other decomposition products. No data available.

In the event of fire: see section 5

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: ---

SECTION 11: Toxicological information

There are no toxicological studies on the mixture.

Acute toxicity

Ethanol, CAS-No.: 64-17-5 LD50 Oral - Rat - 10.470 mg/kg

LC50 Inhalation - Rat - 4 h - 30.000 mg/l LD50 Dermal - Rabbit - 15.800 mg/kg

Menthol, CAS-No.: 89-78-1 LD50 Oral - Cat - 800 mg/kg LD50 Oral - Cat - 3.400 mg/kg Inhalation: No data available.

LD50 Dermal - Rabbit - > 5.000 mg/kg LD50 Intraperitoneal - Rat - 700 mg/kg

Remarks: Behaviour: narcotic, behaviour: Altered sleep time (including change in righting reflex). Respiratory

disorder. LD50 Intraperitoneal - Mouse - 6.600 mg/kg

LD50 Intraperitoneal - Cat - 800 mg/kg LD50 Subcutaneously - Rat - 1.000 mg/kg LD50 Subcutaneously - Mouse - 5.000 mg/kg

Skin corrosion/irritation Ethanol, CAS-No.: 64-17-5

Dermal - Rabbit

Result: No skin irritation - 24 h (OECD test guideline 404)

Serious eye damage/eye irritation

Ethanol, CAS-No.: 64-17-5

Eyes - Rabbit

Result: Moderate eye irritation (OECD test guideline 405)

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

Ethanol, CAS-No.: 64-17-5 Carcinogenicity - Mouse - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including

Hodgkin's disease.

Dimethicone, CAS-No.: 9016-00-6 Carcinogenicity - Rat - Implant

Tumorigenic: Neoplastic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. Endocrine: Tumors.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Ethanol, CAS-No.: 64-17-5

Reproductive toxicity - Human - female - Oral

Effects on New-born: Apgar score (human only). Effects on New-born: Other neonatal measures or effects.

Effects on New-born: Drug dependence. **Dimethicone**, CAS-No.: 9016-00-6

Reproductive toxicity - rat - Subcutaneous. Effects on Fertility: Post-implantation mortality (e.g., dead and/or

resorbed implants per total number of implants).

Specific target organ toxicity - repeated exposure

No data available.

Specific target organ toxicity - single exposure

Menthol, CAS-No.: 89-78-1

Inhalation - May cause respiratory irritation.

Aspiration hazard

Not classified. The mixture does not contain hydrocarbons in concentrations ³ 1%.

Ethanol, CAS-No.: 64-17-5 RTECS: KQ6300000

Dimethicone, CAS-No.: 9016-00-6

RTECS: TQ2690000 **Menthol**, CAS-No.: 89-78-1 RTECS: OT0700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: ---

Section 12: Ecological information

12.1 Toxicity

Ethanol, CAS-No.: 64-17-5

Toxicity to fish: LC50 = 14.200 mg/l, 96h Toxicity to daphnia: LC50 = 5.012 mg/l, 48h

Toxicity to algae: EC50 = 275 mg/l, 75h (OECD 201)

Menthol, CAS-No.: 89-78-1

Toxicity to fish: LC50 = 18,9 mg/l, 96h Toxicity to daphnia: No data available. Toxicity to algae: No data available.

12.2 Persistence and degradability

Ethanol, CAS-No.: 64-17-5

Biodegradability: 95%, readily biodegradable.

12.3 Bioaccumulative potential

Ethanol. CAS-No.: 64-17-5

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected

Dimethicone, CAS-No.: 9016-00-6 Bioaccumulation fish: 60 μg/l, 72h Bioconcentration factor (BCF) = 1250

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Surplus and non-recyclable solutions have to be given to a licensed disposal company. This material may only be eliminated by a licensed waste disposal company. The product has to be dissolved in a combustible solvent or mixed with and has to be burned (with an afterburner and scrubber) in a chemical incinerator.

13.2 Contaminated Packaging

Dispose of as unused product.

Waste code according to "Abfallverzeichnis – Verordnung" (AVV)

The sic digits waste code according to AVV is industry, process, origin or specific waste type assigned optionally, it has to be coordinated with the local authority (e.g. city council or district office) or the disposer.

13.3 Special precautions

No data available.

13.4 Relevant EU or other regulations

No data available.

Safe	ty Data Sheet in Accordance w	Page 7 of 8					
Trade Name: Hairdreams Stop & Grow for Men Intensive Spray Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of:							
SECTION 14: Transport Information							
	ADR Not a dangerous substance as defined in the above regulations.(S144).	IMDG Not a dangerous substance as defined in the above regulations. (S 144).	Not a dangerous substance as defined in the above regulations (A 58).				
14.1	UN number						
14.2	UN proper shipping name						
14.3	Transport hazard class(es)						
14.4	Packing group						
14.5	Environmental hazards						
14.6	Special precautions for user						
	Transport category: Classification Code: Hazard - No.: LQ:		Packing Instructions (Passenger) Packing Instructions (Cargo)				
14.7	Transport in bulk according to Annex II of	MARPOL 73/78 and the IBC -Code					
SECTION 15: Regulatory information							
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture						
	This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010						
15.2	Chemical safety assessment :						
	A chemical safety assessment has not been carried out.						

Company / Supplier: Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz Telephone: +43/316/605740, Date of issue: 01.02.2019, Replaces Data Sheet of: --

SECTION 16: Other information

Changes compared to the last version

See sections / subsections - no changes

Full text of H-Statements referred to under sections 2 and 3.

According to Regulation (EG) No. 1272/2008:

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

Methods in accordance with Article 9 of Regulation (EC) No. 1272/2008 that were used to evaluate the information for the purpose of classification.

Physical hazards: Flash point determination

Health and environmental hazards: Calculation method

Abbreviations

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

BImSchV Verordnung zur Durchfuhrung des Bundes-Immissionsschutzgesetzes

CAS Chemical Abstracts Service

DIN Norm of the Deutschen Instituts fur Normung

EC Effective concentration

EG European Community

EN European Norm

IATA-DGR International Air Transport Association-Dangerous Goods Regulations

IBC-Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI International Civil Aviation Organization-Technical Instructions

IMDG-Code International Maritime Code for Dangerous Goods

ISO Norm of the International Standards Organization

IUCLID International Uniform Chemical Information Database

LC Lethal concentration

LD Lethal dose

log Kow Partition coefficient between octanol and water

MARPOL Maritime Pollution Convention

OECD Organisation for Economic Co-operation and Development

PBT Persistent, bio accumulative, toxic

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

TRGS Technische Regeln fur Gefahrstoffe (Technical Rules for Hazardous Substances)

UN United Nations

VOC Volatile Organic Compounds

vPvB very persistent and very bio accumulative

VwVwS Verwaltungsvorschrift wassergefahrdender Stoffe

WGK Wassergefahrdungsklasse (water hazard class)

This datasheet has been compiled in accordance with EU regulation 453/2010.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by:

Hairdreams Haarhandels GmbH, Floraquellweg 9, A-8051 Graz, Tel.: +43/316/605740

Receipt of Data: 01.02.2019