

TP-LINK Archer T2U Nano WLAN 633 Mbit/s

Marke : TP-LINK

Artikel-Code: ARCHER T2U NANO V1

Produktname : Archer T2U Nano

TP-LINK Archer T2U Nano. Übertragungstechnik: Verkabelt, Hostschnittstelle: USB, Schnittstelle: WLAN. Maximale Datenübertragungsrate: 633 Mbit/s, Top WLAN-Standard: Wi-Fi 5 (802.11ac), WLAN-Band: Dual-Band (2,4 GHz/5 GHz). USB. Produktfarbe: Schwarz



Anschlüsse und Schnittstellen		Leistung	
Übertragungstechnik *	Verkabelt	USB	✓
Hostschnittstelle *	USB	Systemanforderung	
Schnittstelle *	WLAN	Unterstützt Windows-Betriebssysteme	Windows 10,Windows 7,Windows 8,Windows 8.1,Windows XP
USB-Version	2.0	Unterstützt Mac-Betriebssysteme	macOS
Netzwerk		Unterstützte Linux-Betriebssysteme	✓
Maximale Datenübertragungsrate *	633 Mbit/s	Betriebsbedingungen	
Netzstandard *	IEEE 802.11a,IEEE 802.11ac,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n,IEEE 802.1x	Temperaturbereich in Betrieb	0 - 40 °C
WLAN	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
WLAN-Band	Dual-Band (2,4 GHz/5 GHz)	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Frequenzbereich	2,4 - 5 GHz	Luftfeuchtigkeit bei Lagerung	5 - 90%
Top WLAN-Standard	Wi-Fi 5 (802.11ac)	Nachhaltigkeit	
WLAN-Standards	802.11a,Wi-Fi 5 (802.11ac),802.11b,802.11g,Wi-Fi 4 (802.11n)	Nachhaltigkeitszertifikate	RoHS
Datenübertragungsgeschwindigkeit WLAN	11,54,150,200,433 Mbit/s	Gewicht und Abmessungen	
Modulation	16-QAM,64-QAM,256-QAM,CCK,COFDM,DBPSK,DQPSK,OFDM	Breite	15 mm
Unterstützte Sicherheitsalgorithmen	64-bit WEP,128-bit WEP,WPA-PSK,WPA2-PSK	Tiefe	7,1 mm
Bandbreite (erste)	2,4 GHz	Höhe	18,6 mm
Bandbreite (zweite)	5 GHz	Verpackungsdaten	
Design		Anzahl	1
Produktfarbe	Schwarz	Verpackungsbreite	138 mm
Eingebaut *	✗	Verpackungstiefe	128 mm
Antenne	✓	Verpackungshöhe	30 mm
Antennen-Design	Intern	Paketgewicht	90 g
		Lieferumfang	
		Schnellinstallationsanleitung	✓

Design	Sonstige Funktionen	
Empfängersensitivität	5GHz □ 11a 6Mbps: -90dBm 11a 54Mbps: -73dBm 11n HT20 MCS0: -89dBm 11n HT20 MCS7: -70dBm 11n HT40 MCS0: -86dBm 11n HT40 MCS7: -67dBm 11ac VHT80 MCS0: -82dBm 11ac VHT80 MCS9: -56dBm 2.4GHz: 11b 1Mbps: -96dBm 11b 11Mbps: -88dBm 11g 6Mbps: -89dBm 11g 54Mbps: -74dBm 11n HT20 MCS0: -89dBm 11n HT20 MCS7: -72dBm 11n HT40 MCS0: -86dBm 11n HT40 MCS7: -66dBm	Sendeleistungsbereich 20 - 20 dBmW
Zertifizierung	CE, FCC	



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.