



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4919/161/03/24/0404

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SIILI COMPANY S.R.L
VIA SANT'ELIA 8 - 73042 CASARANO (LE)
ITALY

Description

PPE Type : *a safety footwear*
Product reference : S2101 SB A E FO SR WHITE ODINO, S2102 SB A E FO SR BLACK THOR
Article code : /
Construction and material of outsole : Injected ,Single density PU sole

Pictures :



S2101 SB A E FO SR WHITE ODINO



S2102 SB A E FO SR BLACK THOR



S2101 SB A E FO SR WHITE ODINO



S2102 SB A E FO SR BLACK THOR



Reference standard : EN ISO 20345:2022

Classification : I

Category : SB A E FO SR

Size range : 35-47

Toecap nature : Metallic

Insert nature : N/A

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MARCH 2024 and the user instructions index 2023-10-23.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Date of first issue: 07 March 2024

William GELAS

Date of end of validity: 24 May 2028

Certification manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

SIILI COMPANY S.R.L

MANUFACTURER'S TECHNICAL FILE

Reference of the product: S2101 SB A E FO SR WHITE ODINO, S2102 SB A E FO SR BLACK THOR

Article code: /

Technical file index: 01

Last update: MARCH 2024

IDENTIFICATION

Reference of the product: S2101 SB A E FO SR WHITE ODINO, S2102 SB A E FO SR BLACK THOR
Article Code: /
Technical file index : 01
Last update : MARCH 2024

Manufacturer

SIILI COMPANY S.R.L
VIA SANT'ELIA 8 - 73042 CASARANO (LE)
ITALY
Tel : 393355226974
Tel : /

Factory

AN HUI CHUANG YE PROTECTIVE PRODUCTS CO.,LTD
NO.140 SPORTS ROAD,MINGGUANG INDUSTRIAL PARK,CHUZHOU,ANHUI PROVINCE
CHINA
Tel : 86(0)18755073939
Fax : /

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A : low shoe.

Visual description

General view :



S2101 SB A E FO SR WHITE ODINO



S2102 SB A E FO SR BLACK THOR

Outsole view :



S2101 SB A E FO SR WHITE ODINO



S2102 SB A E FO SR BLACK THOR

Reference of the mould : SILLI

Range of sizes

35-47

Construction and material of outsole

Injected ,Single density PU sole

Field of use

Factory, garden & workshop for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
				Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
				Instruction for use
				Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	WY-U01	MICRO-FIBER	WHITE,BLACK
	WY-U02	ELASTIC TAPE	WHITE,BLACK
	WY-BT	PLASTIC BUTTON+NICKEL BOTTOM BUCKLE	WHITE/NICKEL, BLACK/NICKEL
VAMP LINING	WY-L02	NON-WOVEN	OFF-WHITE
QUARTER LINING	WY-L01	MESH	WHITE,BLACK
INSOLE	WY-ISL01	ANTISTATIC NON-WOVEN FABRIC INSOLE	WHITE,DK.GREY
INSOCK	WY-ISK02	MESH & PERFORATED EVA, REMOVABLE	LIGHT GREY/WHITE, BLACK
OUTSOLE	SIILI	SINGLE DENSITY PU SOLE	WHITE,BLACK
TOE CAP	604	METAL TOECAP	SILVERY

PROTECTION SCOPE

Basic requirements

This product has been designed to be a safety footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20345:2022 Safety footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :

- Cleated outsole
- Antistatic footwear
- Energy absorption of seat region
- Slip resistance (ceramic tile with glycerine)
- Outsole : Fuel oil resistance

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : the lining of instep

Method of marking on the footwear: stitching on the lining of instep

Packaging

one pair of shoes packed with inner box, boxes in carton.

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References
CTC	D200813485_1
CTC	D200915177_1
CTC	D220713909_2
CTC	D220815773_1
CTC	D220816022_1
CTC	D230201850_1
CTC	D230201851_1
CTC	D230303613_1

MEANS OF CONTROL

In order to control quality of our safety shoes products, we always implement the followings:

1. In development step: we will make sure critical properties such as slip resistance and impact resistance conform to standard EN ISO 20345:2022. For other properties, safety/solidity/comfort, we always keep careful study then modify until they can meet the requirement of EU norms;
 2. Material purchase: we will control the quality of components from the beginning. For example, the supplier of toecap should provide us valid and good reports to EN22568 standard; all materials will be strictly inspected and recorded before entering the warehouse after purchasing;
 3. Production process: In factory, each stage of shoe production, such as cutting/stitching/lasting and injection/cleaning/package, we have QC dedicated to check the quality. Problems must be solved at once.
 4. Final inspection: Before shipment, the factory's QC will randomly sample and inspect to client's requirements. Goods cannot be shipped if any problems.
- By the way, QC will pick up some pairs of shoes from each batch and send them to third-party laboratories for testing slip resistance, impact resistance, sole abrasion and bonding strength of upper/sole.

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 2 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The UE declaration of conformity is available with each product.