

# Produktdatenblatt gemäß Verordnung EU 2015/1187

- |  |   |
|--|---|
| 1. Name des Herstellers  | <b>Victoria-05 Ltd.</b><br>1B Ivan Momchilov Str.<br>5100 Gorna Oryahovitsa<br>Republic of Bulgaria<br>Phone: +359 618 60200<br>E-Mail: <a href="mailto:info@v05.bg">info@v05.bg</a><br><a href="http://www.v05.bg">http://www.v05.bg</a>   |
| 2. Modellkennung   | <b>Regina</b>   |
| 3. Energieeffizienzklasse des Modells  | <b>A+</b>   |
| 4. Raumwärmeleistung   | <b>8,1 kW</b>   |
| 5. Indirekte Wärmeleistung   | -   |
| 6. Energieeffizienzindex EEI   | <b>110</b>  |
| 7. Wirkungsgrad (%)  | <b>83</b>   |
| 8. Besondere Vorkehrungen (bei Installation oder Wartung)<br>-> siehe auch Bedienungsanleitung |   |
|  | <ul style="list-style-type: none"><li>- Vor Inbetriebnahme lesen und beachten Sie bitte ausführlich die Bedienungsanleitung</li><li>- Dieses Gerät ist nur für die Wohnraumheizung zugelassen</li><li>- Nur zulässige Brennstoffe verwenden</li><li>- Der Brandschutz muss eingehalten werden</li><li>- Das Produkt darf nicht verändert werden</li><li>- Dem Produkt muss immer ausreichend Verbrennungsluft zuströmen können</li><li>- Luftabsaugende Anlagen können die Verbrennungsluftversorgung stören</li><li>- Das Gerät muss regelmäßig gereinigt werden</li></ul> |

**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-15-CPR-2020**

- |  |  |
|--|--|
| 1.Unique identification code of the product-type:  | Area code 27 –roomheaters fired by solid fuel<br>(EN 13240:2001/A2:2004/AC:2007)<br><b>Regina</b>  |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4):                  | Serial № (see rating label on the product).  |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating              |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5):                        | <b>Victoria-05 Ltd.</b><br>1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa<br>Republic of Bulgaria, E-mail: info@v05.bg                    |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):                  | -  |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:                          | System 3   |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard:  | <b>Kontrol 94 Ltd.</b><br>2 Mladost Str., 5100 Gorna Oryahovitsa<br>Republic of Bulgaria, Body: NB1879<br>Test report: NB 1879-K-06-2019 |

8.Declared performance:

| Harmonized technical specification                     | EN 13240:2001/A2:2004/AC:2007                                   |
|--|---|
| Essential characteristics                              | Performance   |
| <b>Fire safety</b>                                     |   |
| Reaction to fire                                       | A1  |
| Distance to combustible materials                      | Minimum distances, in mm<br>sides=650<br>rear=650<br>front=1100 |
| Risk of burning fuel falling out                       | Pass  |
| <b>Emission of combustion products</b>                 | CO [0,0773 %] –wood;  |
| <b>Surface temperature</b>                             | Pass (operating tool)   |
| <b>Electrical safety</b>                               | NPD   |
| <b>Cleanability</b>                                    | Pass  |
| <b>Maximum water operating pressure</b>                | - bar   |
| <b>Flue gas temperature at nominal heat output</b>     | T [223 C] –wood;  |
| <b>Mechanical resistance (to carry a chimney/flue)</b> | NPD   |
| <b>Thermal output</b>                                  |   |
| Nominal heat output                                    | 9.0 kW–wood;  |
| Room heating output                                    | 9.0 kW–wood;  |
| Water heating output                                   | - kW  |
| <b>Energy efficiency</b>                               | η [83,08%]–wood;  |
| <b>Emission of combustion products</b>                 |   |
|  | dust [25,8 mg/m <sup>3</sup> ] –wood;                           |
|  | NOx [84,87 mg/m <sup>3</sup> ] –wood;                           |
|  | CxHy [52,54 mg/m <sup>3</sup> ]– wood;                          |

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020  
Gorna Oryahovitsa

Manager: .....  
(Dimitar Nenov)





## Wood Burning Stove Regina (#)

Covered standards: BlmSchV-2 (Germany), §15A (Austria)

|  |           |             |
|--|-----------|-------------|
| Energy efficiency class                  |           | A+          |
| Energy efficiency index                  |           | 110         |
| Seasonal space heating energy efficiency | %         | 73          |
| Nominal heat output                      |           |             |
| space heating output                     | kW        | 8,1         |
| water heating output                     | kW        |             |
| Maximum operating pressure               | bar       |             |
| Testing pressure                         | bar       |             |
| Water content                            | l         |             |
| Thermal discharger                       |           |             |
| Efficiency                               | %         | 83.08       |
| CO at 13% O2                             | %         | 0.0773      |
| CO at 13% O2                             | mg/Nm3    | 966         |
| PM emissions at 13% O2                   | mg/Nm3    | 26          |
| NOx at 13% O2                            | mg/Nm3    | 85          |
| OGC at 13% O2                            | mg/Nm3    | 53          |
| Triple value                             | g/s-°C-Pa | 5.16-223-12 |
| Fuel mass                                | kg/h      | 2.76        |
| Dimensions                               |           |             |
| width                                    | mm        | 454         |
| depth                                    | mm        | 400         |
| height                                   | mm        | 850         |
| Oven                                     |           |             |
| width                                    | mm        |             |
| depth                                    | mm        |             |
| height                                   | mm        |             |
| Combustion chamber                       |           |             |
| width                                    | mm        | 372         |
| depth                                    | mm        | 270         |
| height                                   | mm        | 400         |
| Flue diameter (outside)                  | mm        | 150         |
| Flue diameter (inside)                   | mm        |             |
| Color                                    |           | black       |
| Lining                                   |           |             |
| Net weight                               | kg        | 58          |
| Gross weight                             | kg        | 62          |
| Packaging dimensions                     |           |             |
| width                                    | mm        | 495         |
| depth                                    | mm        | 395         |
| height                                   | mm        | 970         |