HALO PASTE Version number: 1

Safety Data Sheet for not dangerous mixtures according to 878/2020 EU Regulation

Date of Compilation/Revision: 23.07.2023.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier HALO PASTE

Type of substance: CLP Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hobby paint

1.3. Details of the supplier of the safety data sheet

Stamperia International Kft 1071 Budapest, Hungary Városligeti fasor 47-49. tel.: +36-1-260-7477

e-mail: purchase@stamperiakft.com

For product safety information please contact: purchase@stamperiakft.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

This product is not classified according to (EC) Regulation No 1272/2008.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Halo paste

Not required to sign up.

This product is not classified according to (EC) Regulation No 1272/2008.

Additional labelling:

EUH208 Contains BIT. May cause an allergic reaction.

2.3. Other hazards

It does not contain PBT/vPvB materials,

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The details below includes all impurities and by-products that contribute to the product classification or that have an occupational exposure limits.

Substance with Community workplace exposure limit: Tin dioxide (C.I. 77861)

concentration: <= 1 % EC-No.: 242-159-0 CAS-No.: 18282-10-5

Classification according to Regulation (EC) No 1272/2008: --

Hazardous Substance(s): ammonia...% (Substance with Community workplace exposure limit)

concentration: < 0.2 % EC-No.: 215-647-6 CAS-No.: 1336-21-6 Index-No.: 007-001-01-2

Classification according to Regulation (EC) No 1272/2008 : Skin Corr. 1B H314, STOT SE 3 H335, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 2 H411 (SCL: STOT SE 3 H335: $c \ge 5$ %,

Note B)

Hazardous Substance(s): 1,2-benzisothiazol-3(2H)-one (BIT) (Substance with triggering limit)

concentration: < 0,02%

EC-No.: 220-120-9 CAS-No.: 2634-33-5 Index-No.: 613-088-00-6

Classification according to Regulation (EC) No 1272/2008: Classification according to Regulation (EC) No 1272/2008: Acute Tox. oral 4* H302, Acute Tox. inhal. 2 H330, Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam. 1 H318, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 2 H411 (SCL: Skin

Sens 1 H317: c ≥ 0,05 %)

(LD50 oral: 490-670 mg/kg, LD50 skin: 2000 mg/kg, LC50 inhalation: 0,11 mg/l)

Hazardous Substance(s): Zinc pyrithione

concentration: < 0,02% EC-No.: 236-671-3 CAS-No.: 13463-41-7

Classification according to Regulation (EC) No 1272/2008 : Acute Tox. oral 3 H301, Acute Tox. inhal. 2 H330, Eye Dam. 1 H318, STOT RE 1 H372, Repr. 1B H360D, Aquatic Acute 1 H400 (M = 1000), Aquatic Chronic 1 H410 (M = 10) (SCL: ATE inhalation (dusts/mists) = 0.14 mg/l, ATE oral =

221 mg/kg)

Registration number 01-2119511196-46-xxxx (as biocid is free)

Hazardous Substance(s): Octamethylcyclotetrasiloxane, D4 (SVHCs)

concentration: < 0,0025% EC-No.: 209-136-7 CAS-No.: 556-67-2 Index-No.: 014-018-00-1

Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226, Repr. 2 H361f ***, Aquatic Chronic 1 (M=10) H410 (LD50 (oral): > 5000 mg/kg, LD50 (skin): > 5000 mg/kg, LC50

(inhalation): 36 mg/l)

Registration number: 01-2119529238-36-xxxx

Substance(s): Decamethylcyclopentasiloxane, D5 (SVHCs)

concentration: < 0,0004% EC-No.: 208-764-9 CAS-No.: 541-02-6 Index-No.: 014-018-00-1

Classification according to Regulation (EC) No 1272/2008 -

 $(LD_{50} \text{ (oral):} > 5000 \text{ mg/kg}, LD_{50} \text{ (skin):} > 2000 \text{ mg/kg}, LC_{50} \text{ (inhalation): } 8,67 \text{ mg/l})$

Registration number: 01-2119511367-43-xxxx

Note B: Certain substances (acids, alkalis, etc.) are in the form of aqueous solutions of different concentrations and should therefore be labeled differently as the degree of danger varies depending on the concentration. The items supplemented with Note B has a general description: ... % nitric acid. In this case, the supplier of the substance must indicate the concentration of the solution on the label. Unless otherwise stated, it is to be assumed that the percentage concentration is expressed as a percentage by weight.

*** Hazard statements H360 and H361 indicate a general concern for effects on fertility and/or development: 'May damage/Suspected of damaging fertility or the unborn child'. According to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with Section 1.1.2.1.2. When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation.

In order not to lose information from the harmonised classifications for fertility and developmental effects under Directive 67/548/EEC, the classifications have been translated only for those effects classified under that Directive.

These hazard statements are indicated by the reference *** in Table 3.

Refer to Section 16 for full details of hazard statements and Notas.

^{*} minimum classification for a category

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

General:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation:

Keep patient calm, remove to fresh air, if necessary, seek medical attention.

Eye contact:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Skin contact:

Wash thoroughly with soap and water.

Ingestion:

Rinse mouth. When symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

From symptoms and effects we do not have any information.

4.3. Indication of immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing media that is suitable for the extinguishing of burning agents in the environment. Not to be used: Not known.

5.2. Special hazards arising from the substance or mixture

The product is not flammable. In case of fire hazardous vapors, gases may be formed.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

Use fine water spray to cool endangered containers. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove the unauthorized persons. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter drains or watercourses.

6.3. Methods and materials for containment and cleaning up

Small spills: Soak up with cloth. For residues: Pick up with suitable absorbent material (e.g. sand, earth, or similar inert absorbent material). Dispose of absorbed material in accordance with regulations. Wash the contaminated area with plenty of water.

6.4. Reference to other sections

Use personal protective equipment recommended in section 8.

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special measures are required.

Avoid contact with skin and eyes. Do not breathe vapours.. Provide adequate ventilation.

Do not eat, drink or smoke while working. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition and from incompatible materials.

7.3. Specific end use(s)

See section 1.2

HALO PASTE Version number: 1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

CAS 7664-41-7 ammonia:

Directive 2000/39/EC

8 hours limit value: 14 mg/m³ (20 ppm) Short term limit value: 36 mg/m³

CAS 18282-10-5 Tin(IV)-compounds, inorganic:

Directive EU91

8 mg/m3 with reference to the inhalable fraction (EU, AGS).

2 mg/m3 with reference to the inhalable fraction (EU).

The occupational exposure limit value refers to the element content of the corresponding Metal.

CAS 14808-60-7 Quartz, Siliciumdioxid, Silicon oxyde

Directive 2019/130/EU 8 hours limit value: 0,1 mg/m³

Scope: Silica, crystalline, (respirable fraction)

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Local or general extraction system is recommended in order to keep the exposure as low as possible. Safety shower, eyewash is recommended.

Monitoring

If local risk assessment requires, weigh the concentration of the components in the air. CSN EN 14042 Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents

Personal protective equipment

Eye/face protection

Use safety goggles against possible splashes or accidental contact.

Skin protection

Not required for normal handling and use. If required by the local risk assessment, use protective equipment during manufacture (eg chemical resistant gloves according to EN 374)

Body Protection

Not required for normal handling and use. If required by the local risk assessment, use protective equipment during manufacture (eg overalls or light work clothing.)

Respiratory protection

Not required for normal use. Where intense dust, vapor or aerosol is used during use dust mask and combined respirator for organic materials should be worn.

Environmental exposure controls

Check emissions of the local exhaust system during the production in order to comply with environmental protection requirements

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- (a) Physical state viscous liquid
- (b) Colour colorless
- (c) Odour characteristic
- (d) Melting point/freezing point not determined
- (e) Boiling point or initial boiling point and boiling range not determined
- (f) Flammability non-flammable liquid
- (g) Lower and upper explosion limit Not applicable (non-flammable / non-explosive liquid).
- (h) Flash point not determined
- (i) Auto-ignition temperature not determined
- (j) Decomposition temperature not determined
- (k) pH not determined
- (I) Kinematic viscosity not determined
- (m) Solubility miscible with water

- (n) Partition coefficient n-octanol/water (log value) Not applicable (mixture)
- (o) Vapour pressure not determined
- (p) Density and/or relative density 1,0-1,1 g/cm3
- (q) Relative vapour density not determined
- (r) Particle characteristics Not applicable for fluid. It does not contain nanoparticles.

9.2. Other information

Non-explosive, non-oxidizing.

SECTION 10: Stability and reactivity

10.1. Reactivity

Under normal conditions is stable.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction in normal use.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous vapors, gases

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the preparation itself.

- (a) acute toxicity: Based on available data, the classification criteria are not met
- (b) skin corrosion/irritation: Based on available data, the classification criteria are not met The product does not contain components of skin corrosion or skin irritation at or above the general classification limits.
- (c) serious eye damage/irritation: Based on available data, the classification criteria are not met The product does not contain components which damage or irritating to eyes at or above the general classification limits
- (d) respiratory or skin sensitisation: Based on available data, the classification criteria are not met The product contains components classified as skin sensitization at concentrations above the triggering limit as indicated by the EUH208 phrases on the label.

Components: 1.2-Benzisothiasol-3(2H)-on:

(Guinea pig) sensitising - S 2220 OECD 406 (MKA)

(Mouse) sensitising - S 523 (b) OECD 429 (LLNA)

- (e) germ cell mutagenicity: Based on available data, the classification criteria are not met The product does not contain mutagenic components
- (f) carcinogenicity: Based on available data, the classification criteria are not met The product does not contain carcinogenic components.
- (g) reproductive toxicity: Based on available data, the classification criteria are not met The product does not contain components of reproductive toxicity at or above the general classification limits
- (h) STOT-single exposure: Based on available data, the classification criteria are not met.

The product does not contain a single exposure specific target organ toxicity-classified components in the general classification limit values or concentration above.

- (i) STOT-repeated exposure: Based on available data, the classification criteria are not met.
- The product does not contain components classified as repeated-exposure target organ toxicity at or above the general classification limits.
- (j) aspiration hazard: Based on available data, the classification criteria are not met

The product does not contain components classified with aspiration toxicity.

11.2. Information on other hazards

No information is available on endocrine disruptors.

SECTION 12: Ecological information

HALO PASTE Version number: 1

12.1. Toxicity

There are no data available on the preparation itself.

Based on available data, the classification criteria are not met

Components:

Zinc pyrithione

LC₅₀ (Brachydanio rerio, 96 h): 0,0104 mg/l (OECD 203)

EC₅₀ (Daphnia magna, 48 h): 0,051 mg/l (OECD 202)

EC₅₀ (Pseudokirchneriella subcapitata, 72 h): 0,051 mg/l (OECD 201) EC₅₀ (Skeletonema costatum): 0,0013 mg/l (ISO 10253, literature data

EC₅₀ (activated sludge 3 h): 2,8 mg/l (OECD 209) EC₂₀ (activated sludge, 3 h): 1,34 mg/l (OECD 209)

NOEC (Brachydanio rerio, 28 nap): 0,00125 mg/l (OECD 215)

NOEC (Daphnia magna, 21 nap): 0,0022 mg/l (OECD 211)

NOEC (Pseudokirchneriella subcapitata, 72 h): 0,0149 mg/l (OECD 201)

NOEC (Skeletonema costatum, 96 h): 0,00046 mg/l (OECD 201, literature data

12.2. Persistence and degradability

Biodegradability

No relevant information available.

Components:

Zinc pyrithione

Readily biodegradable

0.5 days (aquatic sediment system simulation biodegradation).

12.3. Bioaccumulative potential

Components:

Zinc pyrithione in living body is not enriched up

log Ko / v: 1.21 (shaking funnel method)

12.4. Mobility in soil

The product is water-soluble. No additional information available.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT(Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not dispose of together with household waste. In accordance with local and national regulations.

Non-hazardous waste, but the generation of waste should be avoided or minimized wherever possible. Do not allow into drains or water courses. The waste packaging can be recycled.

SECTION 14: Transport information

Transportation for non-hazardous goods.

- 14.1. UN number or ID number Not applicable.
- 14.2. UN proper shipping name Not applicable.
- 14.3. Transport hazard class(es) Not applicable.
- 14.4. Packing group Not applicable.
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Observe the applicable safety data sheet.
- 14.7. Maritime transport in bulk according to IMO instruments Not applicable.

*SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

HALO PASTE Version number: 1

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to the local regulation. For product there are no special requirements.

The product contains candidate list materials. D4/D5 meets the screening criteria for PBT and vPvB substances. However, D4/D5 do not behave like known PBT/vPvB substances. The field studies allow us to draw the scientific conclusion that D4/D5 is not concentrated in the aquatic or terrestrial food web.

The components of this product are included in the following notification lists; are exempted, or otherwise meet requirements: EINECS/ELINCS/NLP (EU), DSL/NDSL (Kanada), KECI (Dél-Korea), TSCA (USA). Except on TSCA list: polyaryl ethoxylate

The ingredients of this product are not included on California's 65 list

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out./ not required.

SECTION 16: Other information

LIST OF RELEVANT H-PHRASES IN SECTION 3

H-Phrases

H226 Flammable liquid and vapour.

Toxic if swallowed H301

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reH318 Causes serious eye damage May cause an allergic skin reaction.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H360D May damage the unborn child.

H361f Suspected of damaging fertility.

H372 Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects H410

Toxic to aquatic life with long lasting effects.

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

This product is not classified according to (EC) Regulation No 1272/2008.- based on calculation method

Data Sources:

The previously-classified hazardous materials list Internet database of chemical substances Safety data sheets of components

Abbreviations:

Flam. Liq. Flammable Liquid Acute Tox. oral Acute Toxicity oral Acute Tox. Inhal Acute Toxicity Inhalation

Skin Irrit. Skin Irritation Skin Corr. Skin Corrosion Skin Sens. Skin sensitization Eye Damage Eye Dam.

Repr. Reproductive toxicity

STOT SE Specific Target Organ Toxicity - single exposure STOT RE Specific Target Organ Toxicity - Repeated Exposure

Aquatic Acute Aquatic Chronic SVHCs Substances of Very High Concern

SCL: Specific Concentration limit

EK / EU European community/European union

EGK European Economic Community

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures /

CAS Chemical Abstracts Service

UN / ENSZ United Nations

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route RID Réglement international concernant le transport des marchandises dangereuses par chemin de fer

IMDG International Maritime Code for Gangerous Goods

IMO International Maritime Organization

MARPOL International Convention for the Prevention of Pollution From Ships

IBC Intermediate Bulk Container

IATA International Air Transport Association

ICAO International Civil Aviation Organization

PBT Persistent, Bioaccumulative, Toxic

vPvB very Persistent, very Bioaccumulative

ATE Acute Toxicity Estimate / body weight in kilograms

EC₅₀ Effective concentration 50 %

LC₅₀ Lethal Concentration 50 %

NOEC No Observed-effect concentration

LLNA Local Lymph Node Assay

BCF / BKF Bioconcentration factor

DOC Dissolved Organic Carbon

This product Safety Data Sheet provides health, safety, and regulatory information. The information contained in this Safety Data Sheet is based on data available to us at the date of issue, and is provided in good faith, and believed to be accurate and reliable at the date of issue, however, no warranty, express or implied is provided. The product is to be used in applications consistent. For any other uses, exposures should be evaluated so that the appropriate handling practices and training programs can be established to ensure safe working conditions and operations. It is the buyer's/user's responsibility to satisfy itself that the product is suitable for the intended use, and to ensure that its activities comply with all federal, state, provincial, or local laws and regulations. Regulatory requirements are subject to change and may differ between European Member States and Nations.Individuals handling this product should be informed of the recommended safety precautions and should have access to this information.