


Montageanleitung | Instructions de montage
Assembly Instructions| Instrucciones de montaje
SKU NUMBER:N616P269805 N616P269806



- GB** This set comes in 2 boxes. If you do not receive a full set of 2 boxes, please contact our customer service.
- DE** Dieses Set wird in 2 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 2 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.
- FR** Ce set est livré en 2 boîtes. Si vous ne recevez pas un jeu complet de 2 boîtes, veuillez contacter notre service clientèle.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen


Français


IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit


- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.







R




12V2A
S












T




















5V2A
M3




N616P269805

		
A*1PC	B*1PC	C*1PC
		
E1*1PC	E2*1PC	G*1PC
		
H*1PC	L*12PCS	V1*16PCS
		
V2*8PCS		V3*4PCS


N616P269806

			
D1*1PC	D2*1PC	D3*2PCS	F1*1PC
			
F2*1PC	J*4PCS	K*2PCS	M*2PCS
			
N*1PC	P*2PCS	Q*24PCS	R*1PC
			
12V2A S*1PC	T*8PCS	U*4PCS	W*1PC
			
5V2A M3*1PC			


N616P269806




M8*65MM
X1*4PCS




M8*50MM
X2*5PCS




M8*45MM
X3*4PCS




M8*40MM
X4*9PCS




M8*30MM
X5*6PCS




M8*25MM
X6*4PCS




M8*16MM
X7*6PCS




M8*12MM
X8*4PCS




M6*14MM
X9*20PCS



φ22*φ8.5
Y*12PCS





M5
Z1*1PC



M4
Z2*1PC




1

X4*4  M8*40MM	Y*4  Ø22*Ø8.5
---	--





2



X3*4  M8*45MM	X7*4  M8*16MM	Y*4  Ø22*Ø8.5
--	--	--




X1*4  M8*65MM	X4*1  M8*40MM
--	--



X2*4
M8*50mm




5



6

X5*4
M8*30mm





7

X6*4



M8*25mm



Tighten all the screws

8

X2*1





M8*50MM

X4*2




M8*40MM





9

X4*1



M8*40mm





10

X4*1



M8*40mm



11

X5*2




M8*30mm

X7*2





M8*16MM




12

T*8







13




14




15



16




17




18

X8*4  M8*12MM	X9*20  M6*14MM	Y*4  Ø22*Ø8.5
--	---	--




19



Lightly Lift Panel, Hang on X8 To Match "O" Hole

20



- GB** – NOTE: The battery in the remote control requires you to purchase and install it yourself.
Model: CR2025 3.V
- DE** – HINWEIS: Die Batterie in der Fernbedienung müssen Sie selbst kaufen und installieren
Modell: CR2025 3.V
- FR** – REMARQUE : la pile de la télécommande doit être achetée et installée par vos soins.
Modèle : CR2025 3.V
- IT** – NOTA: la batteria del telecomando deve essere acquistata e installata autonomamente.
Modello: CR2025 3.V
- ES** – NOTA: La pila del mando a distancia debe comprarla e instalarla usted mismo
Modelo CR2025 3.V

①



②



③



④



⑤



⑥



⑦



⑧



Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-2403202772C

Certificate's Holder : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Trade Mark : N/A

Product : 5050 RGB LED Strip Lights with Bluetooth App Controller
and 2.4G Remote

Model(s) : 5050 RGB LED Strip Lights

Test Standard : Art.3.1(a) Safety EN IEC 62368-1:2020+A11:2020
Art.3.1(a) Health EN IEC 62311:2020
EN 50665:2017
Art.3.1(b) EMC ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)
Art.3.2 Radio ETSI EN 300 328 V2.2.2 (2019-07)

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

+86-400 000 9970 +86-755-22336688 zkt@zkt-lab.com www.zkt-lab.com



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No...... : 23EP12248E01
Report No...... : EP2312248E01
Date Issue...... : 2024-05-08
Applicant's name..... : Guangdong Sangu Technology Co., Ltd
Address..... : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name..... : Same as applicant
Address..... : Same as applicant
Product Description..... : POWER ADAPTER
Model(s)/Type References : SG-XXXXXXXX24Z, GAT-XXXXXXXX24Z, SG-XXXXXXXX24LZ, GAT-XXXXXXXX24LZ, SG-XXXXXXXX24BZ, GAT-XXXXXXXX24BZ, SG-XXXXXXXX24AZ, GAT-XXXXXXXX24AZ (for definition of variables XXX, YYYY, Z see table A for details)
Parameters..... : Input: 100-240V~ or 180-240V~, 50/60Hz, 0.6A MAX
Output: See table B for details
Standard(s)..... : EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By


Eric Liu
Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 23EP12248E01

Table A: Definition of variables

Variable	Range of variable	Content
XXX	050-480	3 digit numbers which represents output voltage in V after diving by 10. For example, 050=5.0Vdc, 480=48.0Vdc. The rated output voltage is rising in steps of 0.1V
YYYY	0100-3000	4 digit numbers which represents output current in A after diving by 100. For example, 0100=0.1A, 3000=3.0A. The rated output current is rising in steps of 0.01A
Z	E, B	One capital letter representing the plug type for different countries: 'E' denotes European plug; 'B' denotes Britain plug.

Table B: Model list and output rating

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-XXXXYYY24Z	5.0	0.1-3.0	15.0	EE17
GAT-XXXXYYY24Z	5.1-5.5	0.1-3.0	16.5	
SG-XXXXYYY24LZ	5.6-6.0	0.1-2.9	16.5	
GAT-XXXXYYY24LZ	6.1-7.4	0.1-2.5	18.5	
SG-XXXXYYY24BZ	7.5-9.0	0.1-2.2	19.8	
GAT-XXXXYYY24BZ	9.1-12.0	0.1-2.0	24.0	
SG-XXXXYYY24AZ	12.1-24.0	0.1-1.98	24.0	EE17-1
GAT-XXXXYYY24AZ	24.1-48.0	0.1-1.0	24.0	EE17-2

Remark:

- 1) The rated output voltage is rising from 5.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.1A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.

Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com





CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No. : 23SP12248L01
Report No. : SP2312248L01
Date Issue. : 2024-04-29
Applicant's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description : POWER ADAPTER
Model(s)/Type References : SG-XXXXXXXX24Z, GAT-XXXXXXXX24Z, SG-XXXXXXXX24LZ, GAT-XXXXXXXX24LZ, SG-XXXXXXXX24BZ, GAT-XXXXXXXX24BZ, SG-XXXXXXXX24AZ, GAT-XXXXXXXX24AZ (for definition of variables XXX, YYYY, Z see table A for details)
Parameters : Input: 100-240V~ or 180-240V~, 50/60Hz, 0.6A MAX
Output: See table B for details
Standard(s) : EN IEC 62368-1:2020/A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd
No. 3, 1/F., Building A, No 30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 23SP12248L01

Model Description:

Table A: Definition of variables

Variable	Range of variable	Content
XXX	050-480	3 digit numbers which represents output voltage in V after diving by 10. For example, 050=5.0Vdc, 480=48.0Vdc. The rated output voltage is rising in steps of 0.1V
YYYY	0100-3000	4 digit numbers which represents output current in A after diving by 100. For example, 0100=0.1A, 3000=3.0A. The rated output current is rising in steps of 0.01A
Z	E, B	One capital letter representing the plug type for different countries: "E" denotes European plug; "B" denotes Britain plug.

Table B: Model list and output rating

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-XXXXYYY24Z	5.0	0.1-3.0	15.0	EE17
GAT-XXXXYYY24Z	5.1-5.5	0.1-3.0	16.5	
SG-XXXXYYY24LZ	5.6-6.0	0.1-2.9	16.5	
GAT-XXXXYYY24LZ	6.1-7.4	0.1-2.5	18.5	
SG-XXXXYYY24BZ	7.5-9.0	0.1-2.2	19.8	
GAT-XXXXYYY24BZ	9.1-12.0	0.1-2.0	24.0	
SG-XXXXYYY24AZ	12.1-24.0	0.1-1.98	24.0	
GAT-XXXXYYY24AZ	24.1-48.0	0.1-1.0	24.0	



Dongguan Pubiao Testing Technology Co., Ltd
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shjie, Dongguan, Guangdong, China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



KeySense Testing & Certification International Co., Ltd.
1-3F, Lab Building, No.29 District, Zhongkai Hi-Tech
Industrial Development Park, Huizhou, Guangdong,
China

Tel: 0752-3219929
Fax: 0752-3219929
<http://www.kst-cert.com>

Technical Compliance Statement

Certificate No.: KST240304L008Q01

Report No.: KST240304L008Q01

The following product has been tested by us with the listed standards and found in Compliance with the council LVD directive 2014/35/EU. It is demonstrative for the Compliance with this LVD Directive.

Holder: DONGGUAN BAIYOU ELECTRONIC CO LTD
Address: 2F A Building, Wufeng Industrial, Jintan Road, Danwu
Shijie Town, Dongguan, Guangdong
Product: USB CHARGER
Model Name: BY213-TD04-C
Trade Name: N/A

Test Standard	
EN 62368-1:2014+A11:2017	Audio/video, information and communication technology equipment Part 1: safety requirements



Signature: 

Name:

Tony Xu

Position:

General Manager

Date:

Apr. 26, 2024



The statement is based on single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.



Product Service

CERTIFICATE

No. Z1A 103501 0120 Rev. 00

Holder of Certificate: **Shenzhen Jiuzhou Power Technology Co., Ltd.**
4/F First Block, Jinmeiwei First Industrial Park
West of Xingye Road, Heyi
Shajing Town, Baoan District
518104 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:

Product: **Adaptors
(AC/DC ADAPTER)**

Tested according to: EN 62368-1:2014/A11:2017
EN IEC 61558-1:2019
EN 61558-2-16:2009/A1:2013
EK1 557-13
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 652102123901

Valid until: 2027-06-20

Date, 2022-06-21

(Ricky Wang)

CERTIFICATE

No. Z1A 103501 0120 Rev. 00

Model(s):

J121-xxxxxyyywX, J061-xxxxxyyywX,
J121-050yyyywU, J061-050yyyywU,
J121L-xxxxxyyyIX, J061L-xxxxxyyyIX,
J121L-050yyyyIU, J061L-050yyyyIU,
J121L-xxxxxyyyEX, J061L-xxxxxyyyEX,
J121L-050yyyyEU, J061L-050yyyyEU
(xxx=045-300, stand for rated output voltage from
4.5VDC to 30.0VDC; yyyy=0001-2100, stand for
rated output current from 0.001A to 2.1A; w=E or B,
represent for different mains plug, E means
European plug; B means British plug).
J150-xxxxxyyyEX, J150-050yyyyEU,
J012-xxxxxyyyEX, J012-050yyyyEU,
J180-xxxxxyyywX, J151-xxxxxyyywX,
J180-050yyyywU, J151-050yyyywU,
J180-xxxxxyyyIX, J151-xxxxxyyyIX,
J180-050yyyyIU, J151-050yyyyIU,
J180A-xxxxxyyywX, J151A-xxxxxyyywX,
J180A-050yyyywU, J151A-050yyyywU,
J180A-xxxxxyyyIX, J151A-xxxxxyyyIX,
J180A-050yyyyIU, J151A-050yyyyIU,
J180C-xxxxxyyywX
(xxx=045-300, stand for rated output voltage from
4.5VDC to 30.0VDC; yyyy=0010-3000, stand for
rated output current from 0.01A to 3.0A; w=E or B,
represent for different mains plug, E means
European plug; B means British plug).

Brand Name:

rniao



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.6A
Rated Output: See below table for details
Protection Class: II
Degree of Protection: IP20



Product Service

CERTIFICATE

No. Z1A 103501 0120 Rev. 00

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J121-xxxxxyyX, J061-xxxxxyyX, J121L-xxxxyyIX, J061L-xxxxyyIX, J121L-xxxxyyEX, J061L-xxxxyyEX	4.5-8.9	0.001-2.1	10.5
	9.0-16.0	0.001-1.33	12.0
	16.1-30.0	0.001-0.745	12.0
J121-050yyyyU, J061-050yyyyU, J121L-050yyylU, J061L-050yyylU, J121L-050yyyyEU, J061L-050yyyyEU	5.0	0.001-2.1	10.5

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J150-xxxxyyEX, J012-xxxxyyEX, J180-xxxxyyX, J151-xxxxyyX, J180-xxxxyyIX, J151-xxxxyyIX, J180A-xxxxyyX, J151A-xxxxyyX, J180A-xxxxyyIX, J151A-xxxxyyIX, J180C-xxxxyyX	4.5-8.9	0.01-3.0	15.0
	9.0-16.0	0.01-2.0	18.0
	16.1-30.0	0.01-1.12	18.0
J150-050yyyyEU, J012-050yyyyEU, J180-050yyyyU, J151-050yyyyU, J180-050yyylU, J151-050yyylU, J180A-050yyyyU, J151A-050yyyyU, J180A-050yyylU, J151A-050yyylU	5.0	0.01-3.0	15.0