


N653P202021

N653P202022

MONTAGEANLEITUNG



Freundliche Erinnerung:

1. Dieses Produkt ist in 2 Kartons verpackt. Bitte bauen Sie nach Erhalt aller Kartons zusammen.
2. Da alle Kissen vakuumkomprimiert sind, können einige Falten entstehen. Bitte warten Sie 72 Stunden, bis Ihr Kissen wieder seine ursprüngliche Größe erreicht hat und die Falten fast verschwunden sein sollten.
3. Öffnen Sie die komprimierte Verpackung erst, wenn das Sofagestell vollständig montiert ist.



[DE]

Achtung: Lesen Sie die Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben.

Achtung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden.

Achtung: Stellen Sie Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Achtung: Erlauben Sie Kindern nicht, auf die Möbel zu klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

[EN]

Warning: Please read instructions fully before starting assembly. Check you have all the components and tools listed on pages.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury. Assemble the furniture away from the reach of children.

[FR]

Avertissement: Veuillez lire entièrement les instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages.

Avertissement: Vérifiez régulièrement tous les accessoires et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents

Avertissement: Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement: Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

[IT]

Attenzione: leggere attentamente le istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli utensili elencati nelle pagine.

Attenzione: controllare regolarmente tutti i raccordi e gli elementi di fissaggio per assicurarsi che siano sicuri e prevenire incidenti

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

[ES]

Advertencia: Lea las instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas.

Advertencia: Compruebe periódicamente todos los accesorios y sujeciones para asegurarse de que estén seguros y evitar accidentes.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos a alta temperatura para evitar el riesgo de incendio.

Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.



[DE]

Warnung: Die maximale Belastbarkeit dieses Möbels beträgt: 150 kg, bitte nicht überlasten!

[EN]

Warning: The maximum load-bearing capacity of this furniture is: 150 kg, please do not overload!

[FR]

Avertissement: La capacité de charge maximale de ce meuble est de : 150kg, merci de ne pas surcharger !

[IT]

Attenzione: La capacità di carico massima di questo mobile è: 150kg, non sovraccaricare!

[ES]

Advertencia: La capacidad máxima de carga de este mueble es: 150kg, ¡no lo sobrecargue!


Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Taizhou Emmawealthy Commercial Co., Ltd
Adresse	#218 Chuangxin Park, Xianju County, Taizhou City, Zhejiang China
Email/URL	sales@e-wealthy.com
Partienummer	N653P202021/N653P202022
Hersteller in	Hergestellt In China
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de CE

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Partienummer	N653P202021/N653P202022
Modell Nr.	J121-0502000EX
Standard	EN IEC 55014-1:2021
Nennspannung	Input:100-240Vdc,Output:5V
Hersteller	Shenzhen Jiuzhou Power Technology Co., Ltd.
Adresse	4/F First Block, Jinmeiwei First Industrial Park West of Xingye Road, Heyi Shajing Town, Baoan District 518104 Shenzhen, Guangdong China
Email/URL	sales@e-wealthy.com
Produktionsdatum	10/2024
Hersteller in	Hergestellt In China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de  
	WARNUNG Bitte lesen Sie die Bedienungsanleitung sorgfältig durch, bevor Sie die Maschine benutzen


N653P202021

PARTS


A x 1




B x 1



C x 1




D x 1




N653P202022

E x 1



F x 1



G x 1




H x 1



I x 2



J x 4






K x 4




L x 1



① x 2 	② x 6 	③ x24  M5X20mm
④ x 4 	⑤ x 4 	⑥ x20  M6X15mm
⑦ x 4  M6X25mm	⑧ x 1 	

Alle Teile und Hardware




① x 2

④ x 4

⑥ x 12

J x 4


K x 4



DE Dieses Zubehörteil und die Schrauben befinden sich alle am Produkt. Bitte lösen Sie die Schrauben zunächst zu 50 %, befestigen Sie sie dann mit dem Aufhänger und ziehen Sie sie schließlich zu 100 % fest.

EN This accessory and screws are both on the product. Please unscrew the screws 50% first, then snap them on with the hanging piece, and finally tighten them 100%.


FR Cet accessoire et les vis sont tous sur le produit. Veuillez d'abord dévisser les vis à 50 %, puis utiliser le support pour les mettre en place et enfin les serrer à 100 %.




5 x 4



6 x 8

04



05






2 x 6


3 x 24


7 x 4

08




09





or





Product Service

Attestation of Conformity

No. N8A 103501 0119 Rev. 00

Holder of Certificate: **Shenzhen Jiuzhou Power Technology Co., Ltd.**
4/F First Block, Jinmeiwei First Industrial Park
West of Xingye Road, Heyi
Shajing Town, Baoan District
518104 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Adaptors**
(AC/DC ADAPTER)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 652102123901

Date, 2022-06-21

(Ricky Wang)



Product Service

Attestation of Conformity

No. N8A 103501 0119 Rev. 00

Model(s):

J121-xxxxxyyywX, J061-xxxxxyyywX,
 J121-050yyyywU, J061-050yyyywU,
 J121L-xxxxyyylX, J061L-xxxxyyylX,
 J121L-050yyyyIU, J061L-050yyyyIU,
 J121L-xxxxyyyEX, J061L-xxxxyyyEX,
 J121L-050yyyyEU, J061L-050yyyyEU
 (xxx=045-300, stand for rated output voltage from
 4.5VDC to 30.0VDC; yyyy=0001-2100, stand for
 rated output current from 0.001A to 2.1A; w=E or B,
 represent for different mains plug, E means
 European plug; B means British plug).
 J150-xxxxyyyEX, J150-050yyyyEU,
 J012-xxxxyyyEX, J012-050yyyyEU,
 J180-xxxxxyyywX, J151-xxxxxyyywX,
 J180-050yyyywU, J151-050yyyywU,
 J180-xxxxyyylX, J151-xxxxyyylX,
 J180-050yyyyIU, J151-050yyyyIU,
 J180A-xxxxxyyywX, J151A-xxxxxyyywX,
 J180A-050yyyywU, J151A-050yyyywU,
 J180A-xxxxyyylX, J151A-xxxxyyylX,
 J180A-050yyyyIU, J151A-050yyyyIU,
 J180C-xxxxxyyywX
 (xxx=045-300, stand for rated output voltage from
 4.5VDC to 30.0VDC; yyyy=0010-3000, stand for
 rated output current from 0.01A to 3.0A; w=E or B,
 represent for different mains plug, E means
 European plug; B means British plug).

Brand:

rniao



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.6A
 Rated Output: See below table for details
 Protection Class: II
 Degree of Protection: IP20

Page 2 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 103501 0119 Rev. 00

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J121-xxxxxxxwX, J061-xxxxxxxwX, J121L-xxxxxxxIX, J061L-xxxxxxxIX, J121L-xxxxxxxEX, J061L-xxxxxxxEX	4.5-8.9	0.001-2.1	10.5
	9.0-16.0	0.001-1.33	12.0
	16.1-30.0	0.001-0.745	12.0
J121-050yyyywU, J061-050yyyywU, J121L-050yyyyIU, J061L-050yyyyIU, J121L-050yyyyEU, J061L-050yyyyEU	5.0	0.001-2.1	10.5

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J150-xxxxxxxEX, J012-xxxxxxxEX, J180-xxxxxxxwX, J151-xxxxxxxwX, J180-xxxxxxxIX, J151-xxxxxxxIX, J180A-xxxxxxxwX, J151A-xxxxxxxwX, J180A-xxxxxxxIX, J151A-xxxxxxxIX, J180C-xxxxxxxwX	4.5-8.9	0.01-3.0	15.0
	9.0-16.0	0.01-2.0	18.0
	16.1-30.0	0.01-1.12	18.0
J150-050yyyyEU, J012-050yyyyEU, J180-050yyyywU, J151-050yyyywU, J180-050yyyyIU, J151-050yyyyIU, J180A-050yyyywU, J151A-050yyyywU, J180A-050yyyyIU, J151A-050yyyyIU	5.0	0.01-3.0	15.0

**Tested
according to:**

EN 62368-1:2014/A11:2017
EN IEC 61558-1:2019
EN 61558-2-16:2009/A1:2013



Product Service

Attestation of Conformity

No. E8A 103501 0143 Rev. 00

Holder of Certificate: **Shenzhen Jiuzhou Power Technology Co., Ltd.**
4/F First Block, Jinmeiwei First Industrial Park
West of Xingye Road, Heyi
Shajing Town, Baoan District
518104 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Adaptors
(AC/DC ADAPTER)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 657602117701

Date, 2022-06-28

(Laurent Yuan)

Page 1 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 103501 0143 Rev. 00

Model(s):

J121-xxxxxyyywX, J061-xxxxxyyywX,
 J121-050yyyywU, J061-050yyyywU,
 J121L-xxxxxyyyIX, J061L-xxxxxyyyIX,
 J121L-050yyyyIU, J061L-050yyyyIU,
 J121L-xxxxxyyyEX, J061L-xxxxxyyyEX,
 J121L-050yyyyEU, J061L-050yyyyEU
 (xxx=045-300, stand for rated output voltage from
 4.5VDC to 30.0VDC; yyyy=0001-2100, stand for
 rated output current from 0.001A to 2.1A; w=E, B or
 S, represent for different mains plug, E means
 European plug; B means British plug, S means
 Australia plug.)
 J150-xxxxxyyyEX, J150-050yyyyEU,
 J012-xxxxxyyyEX, J012-050yyyyEU,
 J180-xxxxxyyywX, J151-xxxxxyyywX,
 J180-050yyyywU, J151-050yyyywU,
 J180-xxxxxyyyIX, J151-xxxxxyyyIX,
 J180-050yyyyIU, J151-050yyyyIU,
 J180A-xxxxxyyywX, J151A-xxxxxyyywX,
 J180A-050yyyywU, J151A-050yyyywU,
 J180A-xxxxxyyyIX, J151A-xxxxxyyyIX,
 J180A-050yyyyIU, J151A-050yyyyIU,
 J180C-xxxxxyyywX
 (xxx=045-300, stand for rated output voltage from
 4.5VDC to 30.0VDC; yyyy=0010-3000, stand for
 rated output current from 0.01A to 3.0A; w=E, B or
 S, represent for different mains plug, E means
 European plug; B means British plug, S means
 Australia plug.)

Description of Object:

Rated Input: 100-240VAC, 50/60Hz, 0.6A
 Rated Output: See below table for details
 Protection Class: II

Page 2 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 103501 0143 Rev. 00

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J121-xxxxxxxwX, J061-xxxxxxxwX, J121L-xxxxxxxwX, J061L-xxxxxxxwX, J121L-xxxxxxxIX, J061L-xxxxxxxIX	4.5-8.9	0.001-2.1	10.5
	9.0-16.0	0.001-1.33	12.0
	16.1-30.0	0.001-0.745	12.0
J121-050yyyywU, J061-050yyyywU, J121L-050yyyywU, J061L-050yyyywU, J121L-050yyyyIU, J061L-050yyyyIU	5.0	0.001-2.1	10.5

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
J150-xxxxxxxwX, J012-xxxxxxxwX, J180-xxxxxxxwX, J151-xxxxxxxwX, J180-xxxxxxxIX, J151-xxxxxxxIX, J180A-xxxxxxxwX, J151A-xxxxxxxwX, J180A-xxxxxxxIX, J151A-xxxxxxxIX, J180C-xxxxxxxwX	4.5-8.9	0.01-3.0	15.0
	9.0-16.0	0.01-2.0	18.0
	16.1-30.0	0.01-1.12	18.0
J150-050yyyywU, J012-050yyyywU, J180-050yyyywU, J151-050yyyywU, J180-050yyyyIU, J151-050yyyyIU, J180A-050yyyywU, J151A-050yyyywU, J180A-050yyyyIU, J151A-050yyyyIU	5.0	0.01-3.0	15.0

Page 3 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 103501 0143 Rev. 00

**Tested
according to:**

EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN 55032:2015/A11:2020
EN 55035:2017/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021

Page 4 of 4

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.