

Ref: HDR366729

13/05/2019

U.K. Tel: +44 (0) 1803 520048

Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE MIXTURE AND COMPANY

- **1.1** PZB Fudge Professional Membrane Gas
- 1.1.1 Product Reference

HDR366729

- 1.2 The mixture is used as a Personal Care Product.
- 1.3 Manufacturer/Distributor:

Swallowfield plc Station Road

Wellington

Somerset

TA21 8NL

UK

1.4 Emergency Telephone:

+44 (0) 1823 652 333 (24 hours)

email:

sales@swallowfield.com

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the mixture

Classification (Regulation (EC) No 1272/2008)

Flammable Aerosol Category 1

2.2 Label elements

Labelling (Regulation (EC) No 1272/2008)

Pictogram



Signal Word

Danger

Hazard statement

H222 Extremely flammable aerosol

H229 Pressurised container: May burst if heated



Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

Precautionary Statements

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.

P211 Do not spray on open flame or other ignition source

P251 Do not pierce or burn, even after use.

P410 + 412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

2.3 Supplemental Hazard Statements

None.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Ingredient Name	CAS	% (w/w)	Classification to 1272/2008 & Hazard	
	Number		phrases	
Alcohol Denat.	64-17-5	> 50.0% - ≤ 75.0%	Flammable liquid Category 2, H225	
Dimethyl Ether	115-10-6	> 25.0% - \le 50.0%	Flammable Gases Category 1, H220	
Aminomethyl	124-68-5	>1.0% - \le 5.0%	Skin irritation Category 2, H315	
Propanol			Eye irritation Category 2, H319	
			Aquatic Chronic Category 3, H412	
Parfum (Fragrance)	-	>0.1%-≤1.0%	Skin Sensitiser Category 1, H317	
			Eye irritation Category 2, H319	
			Aquatic Chronic Category 3, H412	

For the full text of the H- & P-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 First Aid Instructions

General: If symptoms persist, call a Doctor.

Eyes: If this product comes in contact with eyes: Wash out immediately with water. If irritation continues seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Ingestion: Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Inhalation: If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

Reason: New

Ref: HDR366729

13/05/2019



Ref: HDR366729

13/05/2019

Tel: +44 (0) 1803 520048

Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

4.2 Symptoms and effects, both acute and delayed

Inhaled: The material may produce adverse health effects or irritation of the respiratory tract Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion: Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

Skin Contact: The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

Eye: Although the product is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

Chronic: Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives); nevertheless, exposure by all routes should be minimised as a matter of course.

SECTION 5: FIRE FIGHTING MEASURES

5.1 **Extinguishing Media**

Water spray jet, powder, foam, carbon dioxide. **Suitable:**

Unsuitable: No full water jet.

5.2 **Special Hazards**

Vapours/aerosols can form an explosive mixture with air. Heat causes increase in pressure and risk of bursting

If heated to decomposition may release COx and complex hydrocarbons.

Be aware of possible violent rupture of containers involved in fire.

5.3 Advice to firefighters

Cool endangered containers or product with water spray jet.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 **Personal Precautions:**

Wear appropriate protective clothing.

Wear respiratory protection.

Eliminate all sources of ignition.

6.2 **Environmental Precautions**

Spill into Atmosphere: Knock down product vapours and mists with water spray jet.



U.K.

Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

Environmental Precautions: Prevent the material from entering drains or water courses. Advise authorities if spillage has entered water course or sewer.

6.3 Methods and materials for containment and cleaning up

Spill response: Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal.

SECTION 7: HANDLING AND STORAGE

7.1 **Precautions for safe handling**

Avoid contact with eyes.

7.2 **Conditions for safe storage**

Storage area should be dry, well ventilated and cool.

Store away from sources of heat / ignition.

Product must be stored below 50°C.

Storage and transfer equipment should be adequately earthed and bonded to prevent the accumulation of static charges.

7.3 Specific end use

Product is designed as a Personal Care Product for home use and is safe when used in accordance with manufacturer's instructions.

SECTION 8: CONTROL PARAMETERS

8.1 **Control Parameters**

UK EH40 WEL

Component	Cas No.	Workplace Exposure Limits				
		Long-term exposure limit		Short-term exposure limit		
		(8-hr TWA reference		(15-minute reference period)		
		period				
		ppm	mg.g ⁻³	ppm	mg.m ⁻³	
Ethanol	64-17-5	1,000	1,920	-	-	
Dimethyl Ether	115-10-6	400	766	500	958	

8.2 **Exposure Controls**

8.2.1 **Appropriate engineering controls**

Ventilation: Keep area well ventilated.

8.2.2 **Personal Protection:**

Eye Protection: Keep eyes protected from direct exposure. **Skin Protection**: Minimal risk of harm through skin contact.

Respiratory protection if there is a risk of exposure to high Respiratory Protection:

Ref: HDR366729

13/05/2019

vapour concentrations.



Ref: HDR366729

13/05/2019

Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance: Aerosol
(b) Colour: Characteristic
(c) Odour: As standard
(d) Odour threshold Not determined
(e) pH Not Applicable
(f) Melting Point Not determined

(g) Initial Boiling Point

and boiling range Not determined
(h) Flash Point Not determined
(i) Evaporation rate Not Applicable

(j) Flammability Extremely Flammable

(k) Upper/lower flammability

or explosive limits

(l) Vapour pressure

(m) Vapour density

(n) Specific gravity @25°C

(o) Solubility

Not determined

Not determined

Not determined

Not determined

(p) Partition coefficient

n-octanol/water Not Applicable

(q) Auto-ignition

Temperature Not Applicable
(r) Decomposition temperature
(s) Viscosity Not determined
(t) Solids content Not determined
(u) Water Not determined

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Mixture is not reactive

10.2 Chemical stability

Mixture is stable under normal conditions

10.3 Possibility of hazardous reactions

Mixture is unlikely to undergo any hazardous reactions

10.4 Conditions to avoid

If ventilation is not sufficient, may form flammable/explosive vapour-air-mixture.

Heat causes increase in pressure and risk of bursting.

Pressurised container: protect from sunlight and do not expose to temperatures above 50°C.

Reason: New

Do not pierce or burn, even after use.

10.5 Incompatible materials

Strong acids or alkalis Oxidising agents



U.K.

Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

10.6 **Hazardous decomposition products**

Oxides of carbon Complex hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 **Information on toxicological effects**

Acute Toxicity

Not determined

Skin corrosion/irritation

Not determined

Serious eye damage/eye irritation

Not determined

Respiratory or skin sensitisation

Not determined

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeat exposure

No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity**

Mortality LC50 - Salmo gairdneri - not determined Toxicity to fish

Method OECD Test Guideline 203

Toxicity to Daphnia and other aquatic invertebrates

Immobilisation EC50 - Daphnia magna (Water flea) - not determined

12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - not determined. Ingredients are biodegradable.

12.3 **Bioaccumalative potential**

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

PZB Fudge Professional Membrane Gas Issue 1

Reason: New

Ref: HDR366729 13/05/2019



Ref: HDR366729

13/05/2019

U.K.

Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

12.6 Other adverse effects

Biochemical Oxygen Demand (BOD) Chemical Oxygen Demand (COD) Not determined Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Dispose of in accordance with local regulations.

Waste code of container with content: 160505

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.0 UN No: 1950

Aerosols flammable

14.1 Land Transport (ADR/GGVS, RID/GGVE)

Class: 2 Classification Code: 5F Letter: 2.1

Special Rules: 190, 327, 344, 625

14.2 Marine Transport (IMDG)

Class: 2 PG: 3003; EMS-No.: 2-13; MFAG: 4.2; marine pollutant: no:

Proper shipping name: Aerosols, flammable n.o.s.

14.3 Air Transport (ICAO/IATA)

Class: 2.1 Aerosols, flammable n.o.s.

SECTION 15: REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1272/2008

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reason: New

Aerosol Dispenser Directive - 2008/47/EC

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: OTHER INFORMATION

Pictogram

Flame



Ref: HDR366729

13/05/2019

Tel: +44 (0) 1803 520048 Fax: +44 (0) 1803 520910 enquiries@adslaboratories.com

Signal Word

Danger

Hazard statements

- H220 Extremely flammable gas
- H222 Extremely flammable aerosol
- H225 Highly flammable liquid and vapour.
- H229 Pressurised container: May burst if heated
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H412 Harmful to aquatic life with long-lasting effects

Precautionary Statements

- P102 Keep out of reach of children
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.
- P211 Do not spray on open flame or other ignition source
- P251 Do not pierce or burn, even after use.
- P410 + 412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Supplemental Hazard Statements

None.

Reference No: HDR366729

Signed:

Mark Richard Bowes-Cavanagh BSc (Hons) App. Chem CSci CChem MRSC

Date: _____13 May 2019 _____

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist