

240Hz High Refresh & 1ms MPRT Response Time

With an impressive 240Hz refresh rate and a lightning-fast 1ms MPRT response time, the KTC H27S25E gaming monitor ensures that fast-moving images are rendered with clarity and precision. Even in a fast-paced tournament, you will spot the enemies quickly and gain the upper hand in a flash.

2K QHD High Resolution & Adaptive Sync Compatible

The KTC gaming display delivers stunningly detailed visuals with its 2K QHD resolution. Additionally, with Adaptive Sync technology, you can eliminate screen tearing and stuttering, providing a seamless and immersive gaming experience.

1000R Curvature & Flexible Tilting

The 1000R curvature of the H27S25E monitor wraps around your field of vision for a more engaging experience. You can multitask effortlessly without having to switch screens constantly. The flexible tilt adjustment, ranging from -5° to 20° , allows you to find the most comfortable viewing angle and posture.

Vibrant Colors & HDR Support

Featuring a 124% sRGB color gamut, 94% DCI-P3 coverage and 1.07 billion colors, the H27S25E gaming display enables you to enjoy a wide spectrum of vibrant colors that bring your content to life. The HDR support enhances brightness and color accuracy, providing crystal-clear visuals.

Low Blue Light & Flicker-Free

The low blue light feature helps reduce eye strain during extended use. Additionally, the flicker-free technology prioritizes your eye health.

Multiple Connectivity & VESA Support

Stay connected with a variety of input options, making it easy to connect your devices. The gaming display also supports VESA mounting, providing you with the flexibility to create a customized workspace.

General	<p>Brand: KTC Type: Gaming Monitor Model: H27S25E</p>
Display	<p>Panel Size: 27 Inches Panel Type: CSOT HVA Curved or Flat: Curved Aspect Ratio: 16:9 Maximum Resolution: 2560 x 1440 Backlight Type: ELED Color Gamut Coverage: 100% sRGB, 94% DCI-P3 Color Gamut Volume: 124% sRGB, 100% DCI-P3, 107% Adobe RGB, 109% NTSC Brightness: Min:250cd/m²; Typ:300cd/m² Contrast Ratio: 2500:1 (Typ) Viewing Angle: ±178 (H) ±178 (V) (Typ.) Pixel Pitch: 0.2331 (H) × 0.2331(V) Color Support: 1.07 Billion colors(8bit+FRC) Response Time: 1ms MPRT Refresh Rate: 240Hz</p>
Interfaces	<p>2 x HDMI 2.0 (2560x1440@144Hz) 1 x DP1.2 (2560x1440@240Hz) 1 x Earphone</p>
Features	<p>Wall Mount: Yes Low Blue Light: Support Flicker-Free: Yes HDR: Yes MPRT: Yes FreeSync (Adaptive-Sync): Yes</p>
Mechanical	<p>Tilt: -5°-20°(±3°) VESA Mount: 100 x 100mm</p>
Power	<p>Power Input: DC19V/3.42A Power Requirements for Adapter: AC100V~240V, 50/60 Hz Working Consumption: ≤65W Standby Consumption: ≤0.5W</p>

Weight & Size	Net Weight: 4.56kg (with stand), 3.67kg (without stand) Gross Weight: 6.75kg (with stand) Product Size (without stand): 609.4×364.7×103mm Product Size (with stand): 609.4×474.1×246.7mm Package Size: 730x185x490mm
Package Contents	1 x Monitor 1 x Stand 1 x HDMI Cable 1 x Power Adaptor 1 x Power Cord 1 x Warranty Card 1 x Screwdriver