

SHENZHE YARUI TESTING CO., LTD.

Room 125, 1F, Building A, Jie Mei kang Creative Park, No. 57 Donghuan 2nd Road, Fukang Community, Longhua Street, Longhua District, Shenzhen City, Guangdong Province, China

Tel: +86-755-27912080 Fax: +86-755-27916936

TEST REPORT

Product name....: Safety shoes

Trademark....: N/A

Model No. : 207,233,366,367,368,369,396,829PRO 807,812,823,825,826,836,779,JJ036PRO

Applicant..... Gaomi Durable PPE Co.. Ltd.

NO. 1 BUSINESS ROOM, ZHANGJIAZHUANG VILLAGE, JIAOHE

Address of applicant.....: ECOLOGICAL DEVELOPMENT AREA, GAOMI CITY, WEIFANG

CITY, SHANDONG PROVINCE

Test date....: Aug. 21, 2024 - Aug. 28, 2024

Date of issue.....: Aug. 28, 2024

Report No....: YRT202408360E

Test result::	Pass *
---------------	--------

It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full. without the written approval of our laboratory. The client should not use it to claim product endorsement by YRT. The test results in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers. reviewer and approver. Any objections must be raised to YRT within 15 days since the date.





Page 2 of 3

TEST REPORT

Report Number...... YRT202408360E

Tested by (+ signature) Tommy Zhang

Compiled by (+ signature): Sally Liu

Approved by (+ signature) Lily Yu

ADate of issue Aug 28, 2024

Testing laboratory SHENZHEN YARUI TESTING CO., LTD.

Room 125, 1F, Building A, Jie Mei kang Creative Park, No. 57 Donghuan 2nd

Guangdong Province, China

Testing location: As above

Applicant's name...... Gaomi Durable PPE Co., Ltd.

Address...... NO. 1 BUSINESS ROOM, ZHANGJIAZHUANG VILLAGE, JIAOHE

ECOLOGICAL DEVELOPMENT AREA, GAOMI CITY, WEIFANG

Jamy shang Sally In

CITY, SHANDONG PROVINCE

This test report is specially limited to the above client company and product model only. It may not be duplicated without prior written consent of YRT. Test.

Test item description...... Safety shoes

Trade Mark..... N/A

Model/Type reference....: 207,233,366,367,368,369,396,829PRO

807,812,823,825,826,836,779,JJ036PRO



)	DI	

	Test sample Eur Size		SID RESULT	TEST RESULT	PASS/FALL
Shoes Test	Toe Cap Inport Resistance	36 40 42 43 44	≤#3612.5mm #37-3813.0mm #39-4013.5mm #41-4214.0mm #43-4414.5mm ≥	36:16 40:22 42:19.7 43:20 44:19.4	PASS
	Compression Resistance	36 40 41 42 43	≤#3612.5mm #37-3813.0mm #39-4013.5mm #41-4214.0mm #43-4414.5mm≥	36:16 40:22 41:21 42:17.9 43:22.1	PASS
	Bonding Strength between Upper & Sole	37 40 42 43 44	≥4.0N/mm	37:4.2 40:4.3 42:4.5 43:4.1 44:4.1	PASS
	Abrasion Resistance of Outsole	37 40 41 43 44	≤150mm³	37:140 40:139 41:141 43:147 44:138	PASS
	Sole Flexing Test	36 40 42 43 44	Crackingno more than 4mm after 40000	36:3.6 40:3.6 42:3.5 43:3.7 44:3.7	PASS
	Penetration Resistance of the Steel Plate	37 40 42 43 44	≥1100N	37:1640 40:1412.2 42:1419 43:1200.7 44:1735	PASS
	Anti-static	37 40 42 43 44	0,1 MOhm - 1000 Mohm	37:142.2 40:149.1 42:152.3 43:146.9 44:155.7	PASS

==== End of Test Report =====