

# **SDS Report**

No.: CANEC1922504001

Date: 18 Nov 2019

Page 1 of 1

DATONG INKALL CHEMICAL TECHNOLOGY CO., LTD. TIANCHENG APARTMENT, NO. 5 CIVILIAN ROAD NORTH, XINGHUALING DISTRICT, TAIYUAN CITY, SHANXI PROVINCE

SGS Job No.	CP19-060888	
Sample Name	: Pigment type water-based ink	
Manufacturer	: DATONG INKALL CHEMICAL TECHNOLOGY CO., LTD.	
Country of Origin	: CHINA	
End Uses	: Finished product export、ink export	
Composition/Ingredient of sample (as per client submission)	: See section 3 Composition/information on ingredients on the SDS report	rt
Job Receiving Date	: 14 Nov 2019	
SDS Preparation Period	: 14 Nov 2019-18 Nov 2019	
Service Requested	: Safety Data Sheet (SDS) for the sample with submitted composition.	
Summary	: As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006 Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and provided per attached.	
	Remark: The SDS is prepared based on the information provided by client.	

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Zuguan

Zm guan Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document thereon reflects any lessed. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.sgsgroup.com.cn 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

中国 · 广州 · 经济技术开发区科学城科珠路198号

*Printing date 18.11.2019* 

Version number 1

Revision: 18.11.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>Pigment type water-based ink</u>

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture: Finished product export, ink export
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer / Supplier: DATONG INKALL CHEMICAL TECHNOLOGY CO., LTD. • Full address:
- TIANCHENG APARTMENT, NO. 5 CIVILIAN ROAD NORTH, XINGHUALING DISTRICT, TAIYUAN CITY, SHANXI PROVINCE
- · Phone number: +86-0351-3083348
- · Email: 474277730@qq.com
- · Only Representative / other EU contact point: Not available
- · Further information obtainable from: DATONG INKALL CHEMICAL TECHNOLOGY CO., LTD.
- 1.4 Emergency telephone number: GERMANY Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

· 1.5 Reference Number: CANEC1922504001, CP19-060888

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- *Information concerning particular hazards for human and environment:* The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008.
- · Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No. 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

# · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards:
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

#### · Description:

*Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to section 16.* 

### · Composition:

CAS: 7732-18-5	Water		62.56%
EINECS: 231-791-2			
		(Contd	. on page 2)

Printing date 18.11.2019

Version number 1

Revision: 18.11.2019

#### Trade name: Pigment type water-based ink

	(Con	td. of page 1
CAS: 57-55-6 EINECS: 200-338-0	<i>Propane-1,2-diol</i> substance with a Community workplace exposure limit	20.0%
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	10.0%
CAS: 1333-86-4 EINECS: 215-609-9	carbon black substance with a Community workplace exposure limit	6.0%
CAS: 9003-01-4	2-Propenoic acid, Homopolymer	1.0%
CAS: 12751-23-4 EINECS: 235-799-7	Phosphoric acid, dodecyl ester	0.2%
CAS: 95-14-7	benzotriazole	0.2%
EINECS: 202-394-1	Aquatic Chronic 2, H411; 🚯 Acute Tox. 4, H302; Eye Irrit. 2, H319	-
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	0.04%

# **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

- General description: No special measures required.
- $\cdot$  After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

*Printing date 18.11.2019* 

Version number 1

Revision: 18.11.2019

#### Trade name: Pigment type water-based ink

(Contd. of page 2)

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling:

No special measures required.

For the general occupational hygienic measures refer to Section 8.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s): No further relevant information available.

# SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
57-55-6 Propane-1,2-diol (20.0%)		
WEL (Great Britain)	Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates	
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc	
56-81-5 Glycerol (10	56-81-5 Glycerol (10.0%)	
WEL (Great Britain)	Long-term value: 10 mg/m <sup>3</sup>	
AGW (Germany)	Long-term value: 200 E mg/m³ 2 (I);DFG, Y	
VME (France)	Long-term value: 10 mg/m³	
1333-86-4 carbon black (6.0%)		
WEL (Great Britain)	Short-term value: 7 mg/m <sup>3</sup> Long-term value: 3.5 mg/m <sup>3</sup>	
VME (France)	Long-term value: 3.5 mg/m <sup>3</sup>	
95-14-7 benzotriazole (0.2%)		
MAK (Germany)	vgl.Abschn. Xc, Dampf und Aerosol	
2634-33-5 1,2-benzisothiazol-3(2H)-one (0.04%)		
MAK (Germany)	vgl.Abschn.IIb und Xc	

• Regulatory information WEL (Great Britain): EH40/2018 MAK (Germany): MAK- und BAT-Liste AGW (Germany): TRGS 900 VME (France): ED 984, 10.2016 • DNELs: Not available

- **PNECs:** Not available
- Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

· Appropriate engineering controls: See Section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Respiratory protection: Not required.

(Contd. on page 4)

EU

Printing date 18.11.2019

Version number 1

Revision: 18.11.2019

(Contd. of page 3)

#### Trade name: Pigment type water-based ink

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

#### **SECTION 9: Physical and chemical properties**

Appearance		
Form:	Liquid	
Colour:	Black	
Odour:	Odourless	
Odour threshold:	Not available	
pH-value:	Not available	
Change in condition		
Melting point/Freezing point:	Not available	
Initial boiling point and boiling range:	Not available	
Flash point:	Not available	
Flammability (solid, gas):	Not available	
Auto-ignition temperature:	Not available	
Decomposition temperature:	Not available	
Self-igniting:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not available	
Upper:	Not available	
Oxidising properties:	Not available	
Vapour pressure:	Not available	
Density:	Not available	
Relative density:	Not available	
Vapour density:	Not available	
Evaporation rate:	Not available	

EU

Printing date 18.11.2019

Version number 1

Revision: 18.11.2019

Trade name: Pigment type water-based ink

		(Contd. of page 4)
· Solubility in / Miscibility with		
water:	Not available	
· Partition coefficient: n-octanol/water:	Not available	
· Viscosity		
Dynamic:	Not available	
Kinematic:	Not available	
• 9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity: Data not available

· 10.2 Chemical stability: Data not available

• 10.3 Possibility of hazardous reactions: No dangerous reactions known.

• 10.4 Conditions to avoid: No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

57-55-6 Propane-1,2-diol

Oral LD50 20,000 mg/kg (rat)

Dermal LD50 20,800 mg/kg (rabbit)

56-81-5 Glycerol

Oral LD50 12,600 mg/kg (rat)

1333-86-4 carbon black

Oral LD50 10,000 mg/kg (rat)

• Skin corrosion/irritation: Based on available data, the classification criteria are not met.

• Serious eye damage/irritation: Based on available data, the classification criteria are not met.

• Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

 $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.

 $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.

 $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$ 

• STOT-single exposure Based on available data, the classification criteria are not met.

 $\cdot$  **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability: No further relevant information available.

· 12.3 Bioaccumulative potential: No further relevant information available.

· 12.4 Mobility in soil: No further relevant information available.

(Contd. on page 6)

-EU

Printing date 18.11.2019

Version number 1

Revision: 18.11.2019

#### Trade name: Pigment type water-based ink

(Contd. of page 5)

#### · 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

#### · 12.7 Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	Not applicable
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/RID/ADN, IMDG, IATA</li> </ul>	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, IMDG, IATA · Class · Label	Not applicable -
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user:</li> <li>Danger code (Kemler):</li> </ul>	Not applicable -
· 14.7 Transport in bulk according to Annex I. Marpol and the IBC Code	I of Not applicable
· 14.8 Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration)

1333-86-4 carbon black

(Contd. on page 7)

3B

<sup>·</sup> Directive 2012/18/EU

<sup>·</sup> Named dangerous substances - ANNEX I None of the ingredients is listed.

<sup>·</sup> Seveso category Not applicable

<sup>•</sup> Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

EU

# Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

*Printing date 18.11.2019* 

Version number 1

Revision: 18.11.2019

(Contd. of page 6)

Trade name: Pigment type water-based ink

• Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable • National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/7/2019)

None of the ingredients is listed

• REACH Regulation Annex XVII Restriction (20/06/2019)

See Section 16 for information about restriction of use.

None of the ingredients is listed

· REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

· Relevant hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \*\*\*\*\*\*\*

End of document