## FSP12-imou

Solar Panel for imou Cell 2 & Cell Go



Dimension	197mm *138mm*25mm (without bracket)
Encapsulation method	PET laminated
Solar silicon crystal	Single crystal
Open circuit voltage	7.4V (-5%/+10%)
Short circuit current	0.508A (-5%/+10%)
Solar panel working voltage	6.2V (-5%/+10%)
Working current	0.484A (-5%/+10%)
Solar panel power Max Power(Ppm)	3W (-5%/+10%)
Operating temperature	-20°C to +60°C
Storage conditions	Temperature -20°C~45°C,
	Humidity<60%
Conversion rates	18.2%±2%
Protection Level	IP65
Connection with camera	Micro USB



# Imou

Cell Go

IPC-B32P-V2 IPC-B32N-V2

With Magnetic Accessory

## 3MP H.265 Wi-Fi Battery Camera

The Cell Go is a 100% wire-free rechargeable camera that delivers well-rounded home protection for up to 120 days on one single charge. 2K, IP65 Weatherproof, Night Vision, Compatible with Amazon Alexa, No monthly fee. Easy wireless installation—no need to connect your security camera to electrical wiring.






## Stay close with what you care

With Cloud service, you will have access to what you care as long as Internet is available. You can record daily or motion videos on Cloud and play back anytime anywhere.

## IMOU



## Specifications

#### Camera

3MP(2304\*1296) Night Vision: 7m(23ft) Distance 2.8mm Fixed Lens Field of View : 98° (H), 54° (V), 121° (D)

#### Video & Audio

Video Compression : H.265 Up to 15fps Frame Rate 8x Digital Zoom Two-way Audio

#### Notice Management

Motion Detection Human Detection Configurable Region Work mode

#### Storage

 Local Storage: Internal Storage(4GB eMMC)
 Weight(With package), 413.3g

 Secure Local Storage. No monthly fee.
 FCC,CE,IC ID,UKCA,RCM,WWA

 Cloud Storage: Imou Subscription Plan
 Record, view, and save events in your Imou app with a 365 day trial of the Imou Subscription Plan.

### What's in the box

- 1x Camera
- 1x Quick Start Guide
- 1x Power Cable
- 1x Mounting Template
- 1xTape
- 1x Mouting Bracket
  - 3x Expansion Screw
  - 1x Magnetic Accessory

#### Network

Wi-Fi:IEEE802.11b/g/n,50m Open Field Imou App: iOS, Android

#### Auxiliary Interface

Built-in Mic & Speaker Power on / off Button Vlog / Reset Button

#### General

DC 5V 2A Power / Imou Solar Panel Supply Power Consumption:<3.5W Operating Temperature:-20°C~+50°C (-4°F~122°F) Charging Temperature:-0°C~+45°C (32°F~112°F)

Device Dimensions:  $88 \times 60 \times 42$ mm ( $3.46 \times 2.36 \times 1.65$  inch) Dimensions(With package):  $123 \times 57 \times 147$ mm ( $4.84 \times 2.24 \times 5.78$  inch) Device Weight: 208.9g (0.46lb) Weight(With package): 415.3g(0.92lb)

