







Embargo Date	June 4, 2024
First Customer Ship Date	October 17, 2024
Product Etail Title	CORSAIR iCUE LINK RX140 MAX RGB 140mm PWM Thick Fans - Starter Kit – White – High Static Pressure Fan – Up to 1,600 RPM – 30mm Thickness – iCUE LINK System Hub Included
Product Title	CORSAIR iCUE LINK RX140 MAX RGB 140mm PWM Thick Fans Starter Kit - White
Product Name	CORSAIR iCUE LINK RX140 MAX RGB 140mm PWM Fans Starter Kit - White
Pre-Order Option	Νο
Product Imagery Link	LINK
Password	R_xmg@b1

Overview

25 Word Product Description

CORSAIR RX140 MAX RGB PWM Fans are 30mm-thick for very high static pressure and great airflow, while illuminating your PC with eight RGB LEDs.

Overview

50 Word Product Description

CORSAIR RX140 MAX RGB PWM Fans are ready for your heavy-duty cooling needs, with a 30mm-thickness to deliver outstanding airflow and static pressure – plus seamless connectivity with iCUE LINK. Eight RGB LEDs illuminate your PC, while AirGuide Technology focuses cooling where it's needed most. The included iCUE LINK System Hub gets you started in the revolutionary iCUE LINK ecosystem for a cleaner and easier build.

Overview

100 Word Product Description

For your heavy-duty cooling needs, turn to CORSAIR RX140 MAX RGB 140mm PWM Fans. At 30mm thick – 20% thicker than standard fans – they deliver a winning combination of airflow at speeds up to 1,600 RPM and very high static pressure. Eight RGB LEDs shine with your custom lighting effects, with a built-in side window for more viewing angles. iCUE LINK technology lets your fans connect seamlessly together, all connected to the included iCUE LINK System Hub with a single cable. CORSAIR AirGuide Technology focuses airflow where it's needed most while a Magnetic Dome bearing ensures high longevity and low noise. Built-in temperature sensors in each fan enable finely-tuned fan curves in iCUE software.



eatures	
• Enhanced Airflow, Reduced Noise: A 5mm thicker fan blade enhances cooling by moving more air at the same s as thinner fans, while reducing noise since the RX MAX can spin slower to produce the same airflow.	peed
 PWM Controlled Speeds via iCUE LINK: Set precise fan speeds up to 1,600 RPM while providing up to 102.9 CFM airflow to your system. 	N
 High Static Pressure: With 2.38mm-H2O of static pressure, the RX MAX RGB Series is great for pushing air throu obstructions such as high-density radiators. 	ıgh
 Vivid RGB Lighting: Eight RGB LEDs display vivid lighting effects, with a window built into the frame to enable vie of your lighting from the side. 	ewing
• LINK Your Fans Together: The included iCUE LINK bridge connectors can connect your fans directly to each othe creating a seamless bank of fans all connected to the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of the iCUE LINK System Hub (sold separately) with just a single of	
 CORSAIR AirGuide Technology: Anti-vortex vanes direct airflow at your hottest components for concentrated co pushing air in the direction you need when mounted to a radiator or heatsink. 	ooling,
 Quiet Operation with Magnetic Dome Bearing: CORSAIR's Magnetic Dome bearing is a refinement of the renow magnetic levitation bearing, minimizing noise and reducing friction for greater longevity. 	/ned
 Built-in Temperature Sensor: Open up more sophisticated control options with an individual temperature sense MCU in each fan, enabling more finely-tuned fan curves with iCUE LINK. 	or and
• One-Twist CORSAIR QuikTurn™ Screws: You'll never want to go back to regular screws after installing a full set of in seconds. QuikTurn screws save both your precious time and your hands.	of fans
• Zero RPM Mode: Supports Zero RPM PWM signals to completely eliminate fan noise at low loads.	
 Durable Glass Fiber-Reinforced Frame: Built with a stronger frame that's fitted with anti-vibration dampeners t reduce noise. 	0
• Included Optional Decorative Side Plate: Add a personal touch to your system with a side plate that easily insta the fan frame.	lls on
 Part of the iCUE LINK Ecosystem: iCUE LINK is the next leap forward in PC building, spanning across fans, cooler and more, letting you neatly chain all of these components together for clean cabling, less mess, and a faster building 	
earch Term	
idiator fan	

thick fan rgb fan static pressure fan rgb radiator fan thick fan blade pwm fan

i<u>cue link fan</u>

Tech Specs

Dimensions (mm):	140mm x 140mm x 30mm
Rated Current - Fan:	0.29A
Speed:	0, 300 - 1600 RPM ±10%
Airflow:	27.2 - 102.9 CFM



Static Pressure:	0.2 - 2.38 mm-H2O
Sound Level:	10 - 36 dBA
Connection cable:	ICUE LINK
PWM Control:	0%, 20% - 100%
Bearing Type:	Magnetic Dome
Cable Length:	135mm
Warranty:	5 Years

Box Contents

2x RX140 MAX RGB Fans 1x Active Connectors 1x Passive Connectors 1x iCUE LINK System Hub 1x iCUE LINK Cable, 135mm, Slim-Slim Cable Head 1x iCUE LINK Cable, 600mm, Straight-Slim Cable Head 1x PCIe Power Cable 1x USB Cable 8x AIO Radiator Mounting Screws 8x HydroX Radiator Mounting Screws 8x QuikTurn Mounting Screw

Shipping Info

Model:	CORSAIR RX140 MAX RGB
Part Number:	CO-9051040-WW
UPC Code:	840006683032
EAN:	0840006683032
GTIN:	10840006683039
Product Weight (kg):	0.48kg / 1.058lbs
Box Shipping Weight (kg):	0.7154kg / 1.577lbs
Pallet Quantity:	550
Retail Box Dimensions (L x W x H mm):	184mm*145mm*67mm / 7.24"*5.71"*2.64"
Master Shipper Dimensions (L x W x H mm):	347mm*295mm*194mm / 13.66"*11.61"*7.64"
Master Carton Weight (kg):	7.59kg / 16.73lbs
Master Carton quantity:	10
Harmonized Tariff Code:	8414.59.1500
Warranty:	5 Years
Country of Origin:	CHINA