FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 1/19 Replaced revision:1 (Dated: 04/12/2022)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH
This Safety Data Sheet cancels and replaces all preceding SDS for this product.

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: CM1043
Product name FR DAMASQUE

Chemical name and synonym Essence in hydroalcoholic solution

JFI: U970-Y0QM-0004-VGEH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Perfume for the environment

Identified Uses Industrial Professional Consumer
Consumer use

Uses Advised Against

Not to be used as a personal perfume.

1.3. Details of the supplier of the safety data sheet

Name CULTI MILANO SpA
Full address Via dell'Aprica, 12
District and Country 20158 Milano (MI)

Italy

Tel. +39 02/49784974 Fax +39 02/49789135

e-mail address of the competent person

responsible for the Safety Data Sheet culti@culti.com

1.4. Emergency telephone number

For urgent inquiries refer to

CULTI MILANO SpA - Tel. +39 02/49784974 (Contact from Monday to Friday from 8.30 / 12.30 AM- 1.30 / 6.00 PM)

ITALIAN POISON CENTER

Ospedale Niguarda Cà Granda - Milano Tel. +39 02/66101029

CAV Centro Nazionale Informazione Tossicologica - Pavia Tel. +39 0382/24444

Centro Antiveleni Bergamo - +39 80011858 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni Verona - +39 800011858 (Azienda Ospedaliera Integrata - Verona)

Centro Antiveleni Firenze - Tel. +39 055/7947819 (Azienda Ospedaliera 'Careggi' U.O. Tossicologia Medica-Firenze)

Centro Antiveleni Roma - Tel. +39 06/3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni Roma - Tel. +39 06/49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni Roma - Tel. +39 06/68593726 (CAV Osp.Pediatrico 'Bambino Gesù' DEA - Roma)

Centro Antiveleni Napoli - Tel. +39 081/7472870 (CAV Ospedale Cardarelli - Napoli) Centro Antiveleni Foggia - Tel. +39 800183459 (CAV Az. Osp. Univ. Foggia - Foggia)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 2/19 Replaced revision:1 (Dated: 04/12/2022)

Flammable liquid, category 2
Eye irritation, category 2
H319
Skin sensitization, category 1B
H317
Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause an allergic skin reaction.

Hazardous to the aquatic environment, chronic toxicity, category 3 H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:





Signal words: Danger

Hazard statements:

H225Highly flammable liquid and vapour.H319Causes serious eye irritation.H317May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P501 Dispose of contents / container to local rulements.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P101 If medical advice is needed, have product container or label at hand.

P370+P378 In case of fire: use chemical extinguisher to extinguish.

P102 Keep out of reach of children.

Contains: (R)-P-MENTHA-1,8-DIENE

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-Methylene -, (1s) -

 $Ethanone, \ 1-\ (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5,6,7,8-Tetramethyl-2-Naphtalenyl)-1-(1,2,3,4,5$

Linalool
Linalyl acetate

PACK2 The packing must have tactive indications of danger for blind people.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%. The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 3/19 Replaced revision:1 (Dated: 04/12/2022)

ETHANOL

CAS 64-17-5 Flam. Liq. 2 H225, Eye Irrit. 2 H319 $86 \le x < 90$

EC 200-578-6

INDEX 603-002-00-5

REACH Reg. 01-2119457610-43-0000

(R)-P-MENTHA-1,8-DIENE

CAS 5989-27-5 Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 $1 \le x < 1,5$

H315, Skin Sens. 1B H317, Aquatic Acute 1 H400

M=1, Aquatic Chronic 3 H412 EC 227-813-5

INDEX 601-096-00-2

REACH Reg. 01-2119529223-47

Tetrahydro-2-isobutyl-4-methyl-pyran-4-

CAS 63500-71-0 $1 \le x < 1,5$ Eye Irrit. 2 H319

EC 405-040-6 INDEX 603-101-00-3

REACH Reg. 01-0000015458-64-0000

Linalyl acetate

CAS 115-95-7 $0.7 \le x < 0.8$ Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317

EC 204-116-4

INDEX -

REACH Reg. 01-2119983608-21-0000

Linalool

CAS 78-70-6 $0.5 \le x < 0.6$ Eve Irrit, 2 H319, Skin Irrit, 2 H315, Skin Sens, 1B H317

EC 201-134-4

INDEX 603-235-00-2

REACH Reg. 01-2119474016-42-0000

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

CAS 1222-05-5 $0.3 \le x < 0.35$ Aguatic Acute 1 H400 M=1, Aguatic Chronic 1 H410 M=1

EC 214-946-9

INDEX -

REACH Reg. 01-2119488227-29-0000

Ethanone, 1- (1,2,3,4,5,6,7,8-Octahydro-

2,3,8,8-Tetramethyl-2-Naphtalenyl) -

CAS 54464-57-2 $0.3 \le x < 0.35$ Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1

EC 259-174-3

INDEX -

REACH Reg. 01-2119489989-04-0000

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-

Methylene -, (1s) -

CAS 18172-67-3 Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 $0,15 \le x < 0,2$

H315, Skin Sens. 1B H317, Aquatic Acute 1 H400

M=1, Aquatic Chronic 1 H410 M=1

EC 242-060-2

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 4/19 Replaced revision:1 (Dated: 04/12/2022)

INDEX -

1,4-Cyclohexadiene, 1-Methyl-4- (1-

Methylethyl) -

CAS 99-85-4 $0,15 \le x < 0,2$

Flam. Liq. 3 H226, Repr. 2 H361f, Asp. Tox. 1 H304,

Aquatic Chronic 2 H411

EC 202-794-6

INDEX -

REACH Reg. 01-2120780478-40

a-Cedrene

CAS 469-61-4 0,025 ≤ x < 0,08 Asp. Tox. 1 H304, Skin Irrit. 2 H315, Aquatic Acute 1

H400 M=1, Aquatic Chronic 1 H410 M=10

EC 207-418-4 INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 5/19 Replaced revision:1 (Dated: 04/12/2022)

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

FRA Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS **GBR**

United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

TLV-ACGIH **ACGIH 2021**

ETHANOL Threshold Limit Value						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLEP	FRA	1900	1000	9500	5000	

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 6/19 Replaced revision:1 (Dated: 04/12/2022)

WEL	GBR	1920	1000					
TLV-ACGIH				1884	1000			
Predicted no-effect concentrat	ion - PNEC							
Normal value in fresh water				0,96	mg	/I		
Normal value in marine water				0,79	mg	/I		
Normal value for fresh water s	ediment			3,6	mg	/kg/d		
Normal value for marine water	sediment			2,9	mg	/kg/d		
Normal value for water, interm	ittent release			2,75	mg	/I		
Normal value of STP microorg	anisms			580	mg	/I		
Health - Derived no-effec	t level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Inhalation				systemic 950 mg/m3		systemic 1884 mg/m3		systemic
Skin								343 mg/kg
Tetrahydro-2-isobutyl-4-i Predicted no-effect concentrat		ol .						
Normal value in fresh water				0,094	mg	/I		
Normal value in marine water				0,0094	mg	/I		
Normal value for fresh water sediment			0,412	mg	/kg/d			
Normal value for marine water	sediment			0,0412	mg	/kg/d		
Normal value of STP microorg	anisms			10	mg	/I		
Normal value for the terrestrial	compartment			0,0902	mg	/kg/d		
Health - Derived no-effec	Effects on	DMEL			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic	workers Acute local	Acute	Chronic local	Chronic
Oral				systemic 7,5 mg/kg		systemic		systemic
Inhalation				bw/d 13 mg/m3				44,1 mg/m
Skin				25 mg/kg				41,7 mg/k
OKIII				bw/d				bw/d
Linalyl acetate Predicted no-effect concentrat	ion - PNFC							
Normal value in fresh water	11120			0,011	mg	//		
				0,0011	mg			
Normal value in marine water				0,609		/kg/d		
Normal value in marine water	ediment					/NG/G		
Normal value for fresh water s								
Normal value for fresh water s Normal value for marine water	sediment			0,0609	mg	/kg/d		
Normal value for fresh water s Normal value for marine water Normal value of STP microorg	sediment			0,0609	mg mg	/kg/d /I		
Normal value for fresh water s Normal value for marine water Normal value of STP microorg Normal value for the terrestrial	sediment anisms compartment			0,0609	mg mg	/kg/d		
Normal value for fresh water s Normal value for marine water Normal value of STP microorg	sediment anisms compartment	DMEL		0,0609	mg mg	/kg/d /I		
Normal value for fresh water s Normal value for marine water Normal value of STP microorg Normal value for the terrestrial	anisms compartment t level - DNEL / I	DMEL Acute systemic	Chronic local	0,0609	mg mg	/kg/d /I	Chronic local	Chronic systemic

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 7/19 Replaced revision:1 (Dated: 04/12/2022)

Inhalation				0,680 mg/m3				2,75 mg/m3
Skin				1,25 mg/kg bw/d				2,5 mg/kg bw/d
Linalool								
Predicted no-effect concentration	n - PNEC							
Normal value in fresh water				0,2	mg	/I		
Normal value in marine water				0,02	mg	/I		
Normal value for fresh water sec	diment			2,22	mg	/kg/d		
Normal value for marine water s	ediment			0,222	mg	/kg/d		
Normal value of STP microorgan	nisms			10	mg	/I		
Normal value for the terrestrial c	compartment			0,327	mg	/kg/d		
Health - Derived no-effect	level - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 2,49 mg/kg		systemic		systemic
Inhalation				bw/d 4,33 mg/m3				24,58 mg/m3
Skin			1,5 mg/cm2	1,25 mg/kg				3,5 mg/kg
OKIII			1,5 mg/cm2	bw/d				bw/d
Ethanone, 1- (1,2,3,4,5,6,7,	.8-Octahvdro-2.	3.8.8-Tetramethy	I-2-Naphtalen	vI) -				
Predicted no-effect concentration	n - PNEC	-,-,-,-						
Normal value in fresh water				0,0044	mg	/I		
Normal value in fresh water Normal value in marine water				0,0044 440	mg			
	diment			,	ng/			
Normal value in marine water				440	ng/	L		
Normal value in marine water Normal value for fresh water sec	ediment			440 3,73	ng/	L /kg/d /kg/d		
Normal value in marine water Normal value for fresh water sec Normal value for marine water s	ediment			3,73 0,75	ng/ mg mg	L /kg/d /kg/d		
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgan	nisms compartment level - DNEL / D Effects on	DMEL		440 3,73 0,75	ng/ mg mg mg	'L /kg/d /kg/d		
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgar Normal value for the terrestrial of	nisms compartment level - DNEL / D	DMEL Acute systemic	Chronic local	440 3,73 0,75 10 2,7	ng/ mg mg mg	/kg/d /kg/d /l /kg/d Acute	Chronic local	Chronic
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect	nisms compartment level - DNEL / D Effects on consumers		Chronic local	440 3,73 0,75 10 2,7	ng/ mg mg mg mg mg mg	L /kg/d /kg/d /l /kg/d	Chronic local	Chronic systemic 30 mg/m3
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect Route of exposure	nisms compartment level - DNEL / D Effects on consumers		Chronic local	440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3	ng/ mg mg mg mg mg mg	/kg/d /kg/d /l /kg/d Acute	Chronic local	systemic 30 mg/m3
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation	nisms compartment level - DNEL / D Effects on consumers		Chronic local	440 3,73 0,75 10 2,7	ng/ mg mg mg mg mg mg	/kg/d /kg/d /l /kg/d Acute	Chronic local	systemic
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation	ediment nisms compartment level - DNEL / D Effects on consumers Acute local	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d	ng/ mg mg mg mg mg mg	/kg/d /kg/d /l /kg/d Acute	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation Skin 1,3,4,6,7,8-Hexahydro-4,6,1	ediment nisms compartment level - DNEL / D Effects on consumers Acute local	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d	ng/ mg mg mg mg mg mg	/kg/d /kg/d //kg/d /kg/d Acute systemic	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgar Normal value for the terrestrial of	ediment nisms compartment level - DNEL / D Effects on consumers Acute local	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d	ng/ mg mg mg mg cells on workers Acute local	/kg/d /kg/d /kg/d // /kg/d // /kg/d // /kg/d Acute systemic	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation Skin 1,3,4,6,7,8-Hexahydro-4,6,4 Predicted no-effect concentratio Normal value in fresh water	eediment nisms compartment level - DNEL / D Effects on consumers Acute local 6,7,8,8-hexamet n - PNEC	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d an (HHCB)	ng/ mg mg mg mg Effects on workers Acute local	/kg/d /kg/d /kg/d // /kg/d // /kg/d // /kg/d Acute systemic	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation Skin 1,3,4,6,7,8-Hexahydro-4,6,6 Predicted no-effect concentratio Normal value in fresh water Normal value in marine water	nisms compartment level - DNEL / D Effects on consumers Acute local 6,7,8,8-hexamet n - PNEC	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d an (HHCB) 0,0068	ng/ mg mg mg mg mg Effects on workers Acute local mg	/kg/d /kg/d /kg/d // /kg/d Acute systemic	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water s Normal value of STP microorgar Normal value for the terrestrial of	eediment nisms compartment level - DNEL / D Effects on consumers Acute local 6,7,8,8-hexamet n - PNEC	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d an (HHCB) 0,0068 440 2	ng/ mg mg mg mg mg Effects on workers Acute local mg	/kg/d //kg/d //k	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation Skin 1,3,4,6,7,8-Hexahydro-4,6,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec	diment sediment nisms compartment level - DNEL / D Effects on consumers Acute local 6,7,8,8-hexamet on - PNEC diment sediment nisms	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d an (HHCB) 0,0068 440 2 0,394	mg/mg mg mg mg mg Effects on workers Acute local mg mg mg	/kg/d //kg/d //k	Chronic local	systemic 30 mg/m3 28,7 mg/kg
Normal value in marine water Normal value for fresh water see Normal value of STP microorgan Normal value of STP microorgan Normal value for the terrestrial of Health - Derived no-effect Route of exposure Inhalation Skin 1,3,4,6,7,8-Hexahydro-4,6,1 Predicted no-effect concentration Normal value in fresh water Normal value for fresh water see Normal value for marine water see Normal value of STP microorgan	diment compartment level - DNEL / D Effects on consumers Acute local 6,7,8,8-hexamet n - PNEC diment compartment compartment	Acute systemic		440 3,73 0,75 10 2,7 Chronic systemic 9 mg/m3 17,2 mg/kg bw/d an (HHCB) 0,0068 440 2 0,394 1	mg/mg mg mg mg mg Effects on workers Acute local mg mg mg	// // // // // // // // // // // // //	Chronic local	systemic 30 mg/m3 28,7 mg/kg

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 8/19 Replaced revision:1 (Dated: 04/12/2022)

				systemic		systemic		systemic
Oral				2,3 mg/kg				
Inhalation				bw/d 4 mg/m3				13,5 mg/m
Skin								
SKIN				22 mg/kg bw/d				36,7 mg/kg bw/d
				DW/G				DWG
1,4-Cyclohexadiene, 1-l	Methyl-4- (1-Methy	lethyl) -						
Predicted no-effect concentra	ation - PNEC	ictilyii, -						
Normal value in fresh water				0.00792	mg	/I		
				-,				
Normal value in marine wate	er			279,2	ng/	L		
Normal value for fresh water	sediment			0,49	mg.	/kg/d		
Normal value for marine wate	er sediment			0,049	mg	/kg/d		
Normal value of STP microo	rganisms			10	mg	/I		
Normal value for the terrestri	ial compartment			0,422766	mg	/kg/d		
Health - Derived no-effe	oct level - DNEL / D	MEI						
ricaltii - Derived ilo-eile	Effects on	/IVILL			Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Inhalation				systemic 0,725 mg/m3		systemic		systemic 2,939 mg/
Skin				0.417 mg/kg				0.833 mg/
Skin				0,417 mg/kg bw/d				0,833 mg/ bw/d
Bicyclo (3.1.1) Heptane.	, 6,6-Dimethyl-2-M	ethylene -, (1s) -						
	, 6,6-Dimethyl-2-M oation - PNEC	ethylene -, (1s) -						
Bicyclo (3.1.1) Heptane.	, 6,6-Dimethyl-2-M oation - PNEC	ethylene -, (1s) -			mg,	//		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentra	ation - PNEC	ethylene -, (1s) -		bw/d	mg. mg.			
Bicyclo (3.1.1) Heptane, Predicted no-effect concentra Normal value in fresh water	ation - PNEC	ethylene -, (1s) -		bw/d 0,001	mg			
Bicyclo (3.1.1) Heptane, Predicted no-effect concentra Normal value in fresh water Normal value in marine wate	ation - PNEC	ethylene -, (1s) -		0,001 0,000001 0,337	mg,	/l /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentra Normal value in fresh water Normal value in marine wate Normal value for fresh water Normal value for marine water	er sediment	ethylene -, (1s) -		0,001 0,000001 0,337 0,0337	mg, mg,	/l /kg/d /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for Marine water Normal value of STP microol	er sediment er sediment rganisms	ethylene -, (1s) -		0,001 0,000001 0,337 0,0337 3,26	mg, mg, mg, mg,	/l /kg/d /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for TP microol Normal value for the terrestri	er sediment er sediment rganisms			0,001 0,000001 0,337 0,0337	mg, mg, mg, mg,	/l /kg/d /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration of the Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value of STP microol	er sediment er sediment rganisms ial compartment ect level - DNEL / D			0,001 0,000001 0,337 0,0337 3,26	mg, mg, mg, mg,	/l /kg/d /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for TP microol Normal value for the terrestri	er sediment er sediment rganisms			0,001 0,000001 0,337 0,0337 3,26	mg, mg, mg, mg,	/l /kg/d /kg/d		
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for TP microol Normal value for the terrestri	er sediment er sediment rganisms ial compartment ect level - DNEL / D Effects on			0,001 0,000001 0,337 0,0337 3,26 0,0671	mg, mg, mg, mg,	/l /kg/d /kg/d /l /kg/d	Chronic local	bw/d Chronic
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration of the Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value of STP microol Normal value for the terrestrict Health - Derived no-effect Route of exposure	er sediment er sediment rganisms ial compartment ect level - DNEL / D Effects on consumers	MEL		0,001 0,000001 0,337 0,0337 3,26 0,0671	mg, mg, mg, mg, mg, workers	/l /kg/d /kg/d /l	Chronic local	bw/d Chronic systemic
Bicyclo (3.1.1) Heptane, Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for the terrestrict Health - Derived no-effect	er sediment er sediment rganisms ial compartment ect level - DNEL / D Effects on consumers	MEL		0,001 0,000001 0,337 0,0337 3,26 0,0671	mg, mg, mg, mg, mg, workers	/l /kg/d /kg/d /l /kg/d	Chronic local	bw/d Chronic

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 9/19 Replaced revision:1 (Dated: 04/12/2022)

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance Colour Odour Melting point / freezing point Initial boiling point Flammability	clear, liquid colourless characteristic < 0 °C = 80 °C flammable liquid	Temperature: = 20 °C Temperature: = 20 °C Concentration: = 100 % Concentration: = 100 % Concentration: 100 % Concentration: = 87 % Substance: ETHANOL
Lower explosive limit	3,5 % (v/v)	Concentration: = 87 % Substance: ETHANOL
Upper explosive limit	15 % (v/v)	Concentration: = 87 % Substance: ETHANOL
Flash point Auto-ignition temperature	< 23 °C = 430 °C	Concentration: 100 % Concentration: = 87 % Substance: ETHANOL
рН	7	Concentration: 100 % Temperature: = 20 °C
Kinematic viscosity	Not available	
Solubility	partially soluble in water	Concentration: = 100 % Temperature: = 20 °C
Partition coefficient: n-octanol/water	-0,35	Substance: ETHANOL

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 10/19 Replaced revision:1 (Dated: 04/12/2022)

Vapour pressure

59 hPa

Concentration: = 87 % Substance: ETHANOL

Density and/or relative density Relative vapour density

0,82 - 0,84 g/cm3 Not available Not applicable Temperature: = 20 °C

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 87,56 % - 726,75 g/litre

Oxidising properties non ossidante Concentration: = 100 %

Temperature: = 20 °C

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL

Avoid exposure to: sources of heat,naked flames.

10.5. Incompatible materials

Information not available.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 11/19 Replaced revision:1 (Dated: 04/12/2022)

effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information Information not available.

Information on likely routes of exposure

Information not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available.

Interactive effects

Information not available.

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ETHANOL

LD50 (Oral): > 5000 mg/kg Rat

LC50 (Inhalation vapours): 120 mg/l/4h Pimephales promelas

Tetrahydro-2-isobutyl-4-methyl-pyran-4-ol

 LD50 (Oral):
 2000 mg/kg Rat

 LD50 (Dermal):
 2000 mg/kg Rabbit

Linalyl acetate

 LD50 (Oral):
 9000 mg/kg Rat

 LD50 (Dermal):
 5000 mg/kg Rabbit

Linalool

 LD50 (Oral):
 2790 mg/kg Rat

 LD50 (Dermal):
 5610 mg/kg Rabbit

Ethanone, 1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl) - LD50 (Oral): 5000 mg/kg Rat LD50 (Dermal): 5000 mg/kg Rat

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran (HHCB) LD50 (Oral): 2000 mg/kg Rat LD50 (Dermal): 2000 mg/kg Rabbit

1,4-Cyclohexadiene, 1-Methyl-4- (1-Methylethyl) -

 LD50 (Oral):
 2000 mg/kg Rat

 LD50 (Dermal):
 2000 mg/kg Rat

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-Methylene -, (1s) -

LD50 (Oral): > 5000 mg/kg Rat

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 12/19 Replaced revision:1 (Dated: 04/12/2022)

SKIN (CORROSI	ON / I	RRITA	TION
--------	---------	--------	-------	------

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITISATION Sensitising for the skin.

Respiratory sensitization

Information not available.

Skin sensitization

Information not available.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class.

Adverse effects on sexual function and fertility

Information not available.

Adverse effects on development of the offspring

Information not available.

Effects on or via lactation

Information not available.

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class.

Target organs

Information not available.

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 13/19 Replaced revision:1 (Dated: 04/12/2022)

Route of exposure

Information not available.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class.

Target organs

Information not available.

Route of exposure

Information not available.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class.

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

(R)-P-MENTHA-1,8-DIENE

LC50 - for Fish 35 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 69,6 mg/l/48h Daphnia pulex

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

 LC50 - for Fish
 0,95 mg/l/96h

 EC50 - for Crustacea
 0,194 mg/l/48h

 Chronic NOEC for Fish
 0,068 mg/L (36 days)

 Chronic NOEC for Algae / Aquatic Plants
 0,201 mg/L (72 h)

Linalool

 LC50 - for Fish
 27,8 mg/l/96h

 EC50 - for Crustacea
 59 mg/l/48h

 EC10 for Algae / Aquatic Plants
 54,3 mg/l/4d

Ethanone, 1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl) -

LC50 - for Fish 1,3 mg/l/96h

Chronic NOEC for Fish > 0,16 mg/l 30 days
Chronic NOEC for Crustacea > 0,028 mg/l 21 days

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 14/19 Replaced revision:1 (Dated: 04/12/2022)

Chronic NOEC for Algae / Aquatic Plants 2,6 mg/l freshwater algae

Tetrahydro-2-isobutyl-4-methyl-pyran-4-ol

EC50 - for Algae / Aquatic Plants 100 mg/l/72h Chronic NOEC for Crustacea 320 mg/L (48h)

Linalyl acetate

 LC50 - for Fish
 11 mg/l/96h

 EC50 - for Crustacea
 59 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 68 mg/l/72h

1,4-Cyclohexadiene, 1-Methyl-4- (1-

Methylethyl) -

EC50 - for Crustacea 10,189 mg/l/48h EC50 - for Algae / Aquatic Plants 10,82 mg/l/72h

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-

Methylene -, (1s) -

LC50 - for Fish > 0,502 mg/l/96h

12.2. Persistence and degradability

(R)-P-MENTHA-1,8-DIENE

Solubility in water 0,1 - 100 mg/l

Rapidly degradable

ETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

Solubility in water 1,65 mg/l @ 25°C

NOT rapidly degradable

Linalool

Solubility in water 1,56 g/l

Rapidly degradable

Ethanone, 1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl) -

Solubility in water 2,68 mg/l

Rapidly degradable

Tetrahydro-2-isobutyl-4-methyl-pyran-4-ol

Solubility in water 23 g/l

Entirely degradable

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 15/19 Replaced revision:1 (Dated: 04/12/2022)

Linalyl acetate

Solubility in water 30 mg/l

Rapidly degradable

1,4-Cyclohexadiene, 1-Methyl-4- (1-

Methylethyl) -

Solubility in water 7,44 mg/l

NOT rapidly degradable

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-

Methylene -, (1s) -

Solubility in water 6,95 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

(R)-P-MENTHA-1,8-DIENE

Partition coefficient: n-octanol/water 4,38 BCF 1022

ETHANOL

Partition coefficient: n-octanol/water -0,35

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

Partition coefficient: n-octanol/water 5,3 Log Kow @ 25°C

BCF 1584 L/kg ww aquatic/sediment

Linalool

Partition coefficient: n-octanol/water 2,9 Log Kow @ 20°C

Ethanone, 1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-Naphtalenyl) -

Partition coefficient: n-octanol/water 5,65 Log Kow BCF 5361 L/kg ww

Tetrahydro-2-isobutyl-4-methyl-pyran-4-ol

Partition coefficient: n-octanol/water 1,65 Log Kow @ 23°C

Linalyl acetate

Partition coefficient: n-octanol/water 3,9 Log Kow BCF 174 L/kg ww

1,4-Cyclohexadiene, 1-Methyl-4- (1-

Methylethyl) -

Partition coefficient: n-octanol/water 5,4 Log Kow

Bicyclo (3.1.1) Heptane, 6,6-Dimethyl-2-

Methylene -, (1s) -

FR DAMASQUE

Revision nr. 2Dated 08/12/2022
Printed on 08/12/2022
Page n. 16/19
Replaced revision:1 (Dated: 04/12/2022)

Partition coefficient: n-octanol/water 4,4 Log Kow BCF 838 L/kg ww

12.4. Mobility in soil

1,4-Cyclohexadiene, 1-Methyl-4- (1-

Methylethyl) -

Partition coefficient: soil/water 3,905

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1266

14.2. UN proper shipping name

ADR / RID: PERFUMERY PRODUCTS
IMDG: PERFUMERY PRODUCTS
IATA: PERFUMERY PRODUCTS

14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3



FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 17/19 Replaced revision:1 (Dated: 04/12/2022)

IATA:

Class: 3

Label: 3



14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 33 Limited Quantities: 5 L Tunnel restriction code:

(D/E)

IMDG: EMS: F-E, S-D Limited Quantities: 5 L

Special provision: 163, 640D

IATA: Cargo: Maximum quantity: 60 L

Pass.: Maximum quantity: 5 L

Special provision: A3, A72

Packaging instructions: 364
Packaging instructions: 353

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P5c

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

FR DAMASQUE

Revision nr. 2Dated 08/12/2022
Printed on 08/12/2022
Page n. 18/19
Replaced revision:1 (Dated: 04/12/2022)

None.

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None.

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2

Repr. 2 Reproductive toxicity, category 2

Asp. Tox. 1 Aspiration hazard, category 1

Eye Irrit. 2 Eye irritation, category 2

Skin Irrit. 2 Skin irritation, category 2

Skin Sens. 1B Skin sensitization, category 1B

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H225 Highly flammable liquid and vapour.H361f Suspected of damaging fertility.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.Harmful to aquatic life with long lasting effects.

LEGEND

- · ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization

FR DAMASQUE

Revision nr. 2 Dated 08/12/2022 Printed on 08/12/2022 Page n. 19/19 Replaced revision:1 (Dated: 04/12/2022)

- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 01.