#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 1/17 Replaced revision:4 (Dated: 19/12/2021)

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH This Safety Data Sheet cancels and replaces all preceding SDS for this product.

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: CM1030 Product name FR TESSUTO

Chemical name and synonym Essence in hydro-alcoholic solution

EN10-K05D-S00F-7XY8 UFI:

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfume for the environment Intended use

Identified Uses Industrial Professional Consumer Consumer use

### **Uses Advised Against**

Not to be used as a personal perfume.

1.3. Details of the supplier of the safety data sheet

Name **CULTI MILANO SpA** Full address Via dell'Aprica, 12 District and Country 20158 Milano (MI)

Italy

Tel. +39 02/49784974 Fax +39 02/49789135

e-mail address of the competent person

responsible for the Safety Data Sheet culti@culti.com

#### 1.4. Emergency telephone number

For urgent inquiries refer to

CULTI MILANO SpA - Tel. +39 02/49784974 (Contact from Monday to Friday from 8.30 / 12.30 AM- 1.30 / 6.00 PM)

ITALIAN POISON CENTER

Ospedale Niguarda Cà Granda - Milano Tel. +39 02/66101029

CAV Centro Nazionale Informazione Tossicologica - Pavia Tel. +39 0382/24444

Centro Antiveleni Bergamo - +39 80011858 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni Verona - +39 800011858 (Azienda Ospedaliera Integrata - Verona)

Centro Antiveleni Firenze - Tel. +39 055/7947819 (Azienda Ospedaliera 'Careggi' U.O. Tossicologia Medica-Firenze)

Centro Antiveleni Roma - Tel. +39 06/3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni Roma - Tel. +39 06/49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni Roma - Tel. +39 06/68593726 (CAV Osp.Pediatrico 'Bambino Gesù' DEA - Roma)

Centro Antiveleni Napoli - Tel. +39 081/7472870 (CAV Ospedale Cardarelli - Napoli)

Centro Antiveleni Foggia - Tel. +39 800183459 (CAV Az. Osp. Univ. Foggia - Foggia)

### **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Flammable liquid, category 2 H225 Highly flammable liquid and vapour. Eye irritation, category 2 H319 Causes serious eye irritation.

Hazardous to the aquatic environment, chronic toxicity, category 2 H411 Toxic to aquatic life with long lasting effects.

CULTIMILANO (Fir.186370.2022/v. 11)

### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 2/17 Replaced revision:4 (Dated: 19/12/2021)

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:







Signal words: Danger

Hazard statements:

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

**H411** Toxic to aquatic life with long lasting effects.

EUH208 Contains: Coumarin, 3-Methylcyclopentadecenone, Linalyl acetate, Linalool, 7-Hydroxycitronellal

May produce an allergic reaction.

Precautionary statements:

**P501** Dispose of contents / container to local rulements.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P101 If medical advice is needed, have product container or label at hand.

P370+P378 In case of fire: use chemical extinguisher to extinguish.

P273 Avoid release to the environment.
P102 Keep out of reach of children.

PACK2 The packing must have tactive indications of danger for blind people.

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%. The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.

### **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

#### Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

**ETHANOL** 

CAS 64-17-5 86 ≤ x < 90 Flam. Liq. 2 H225, Eye Irrit. 2 H319

EC 200-578-6

INDEX 603-002-00-5

REACH Reg. 01-2119457610-43-0000

NEAGITNES. 012115457010 45 000

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

CAS 1222-05-5 2 ≤ x < 2,5 Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 214-946-9

INDEX -

REACH Reg. 01-2119488227-29-0000

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 3/17 Replaced revision:4 (Dated: 19/12/2021)

Linalool

CAS 78-70-6 0,5 ≤ x < 0,6 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317

EC 201-134-4

INDEX 603-235-00-2

REACH Reg. 01-2119474016-42-0000

7-Hydroxycitronellal

CAS 107-75-5 0,5 ≤ x < 0,6 Eye Irrit. 2 H319, Skin Sens. 1B H317

EC 203-518-7

INDEX -

REACH Reg. 01-2119973482-31-0000

Linalyl acetate

CAS 115-95-7 0,3 ≤ x < 0,35 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1B H317

EC 204-116-4

INDEX -

REACH Reg. 01-2119983608-21-0000

Coumarin

CAS 91-64-5 0,15 ≤ x < 0,2 Acute Tox. 4 H302, Skin Sens. 1B H317

EC 202-086-7 STA Oral: 500 mg/kg

INDEX -

REACH Reg. 01-2119949300-45-0000

3-Methylcyclopentadecenone

CAS 82356-51-2 0,15 ≤ x < 0,2 Skin Sens. 1B H317, Aquatic Acute 1 H400 M=1, Aquatic

Chronic 1 H410 M=1

EC 429-900-5 INDEX -

REACH Reg. 01-0000017618-62

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to

### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 4/17 Replaced revision:4 (Dated: 19/12/2021)

disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

# **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 5/17 Replaced revision:4 (Dated: 19/12/2021)

# Regulatory References:

FRA GBR France United Kingdom TLV-ACGIH Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS EH40/2005 Workplace exposure limits (Fourth Edition 2020) ACGIH 2021

Гуре	Country	TWA/8h		STEL/15min		Remarks		
		mg/m3	ppm	mg/m3	ppm	Observa	itions	
/LEP	FRA	1900	1000	9500	5000			
WEL	GBR	1920	1000					
TLV-ACGIH				1884	1000			
Predicted no-effect concentration	on - PNFC							
Normal value in fresh water	- 11120			0,96	mg	1/		
Normal value in marine water				0,79	mg			
Normal value for fresh water se	odimont			3,6		<sub>J</sub> /kg/d		
Normal value for marine water				2,9		g/kg/d		
Normal value for water, intermi				2,75	mg	<b>1/l</b>		
Normal value of STP microorga	anisms			580	mg	<b>1/</b> I		
Health - Derived no-effect	t level - DNEL / I Effects on consumers	OMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Inhalation				systemic 950 mg/m3		systemic 1884 mg/m3	3	systemic
Skin								343 mg/kg/
								343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6		thylcyclopenta (g	ı) -2-benzopyr	an (HHCB)				343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration		thylcyclopenta (g	ı) -2-benzopyr		mo	s/I		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water		thylcyclopenta (c	ı) -2-benzopyr	0,0068	mg	,		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water	on - PNEC	thylcyclopenta (g	y) -2-benzopyr	0,0068	ng/	/L		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water se	on - PNEC	thylcyclopenta (g	ı) -2-benzopyr	0,0068 440 2	ng/	/L g/kg/d		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water	ediment	thylcyclopenta (c	ı) -2-benzopyr	0,0068 440 2 0,394	ng/ mg	/L n/kg/d n/kg/d		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value of STP microorga	ediment sediment anisms	thylcyclopenta (c	g) -2-benzopyr	0,0068 440 2	ng/ mg mg	/L j/kg/d j/kg/d		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water	ediment sediment anisms	thylcyclopenta (g	ı) -2-benzopyr	0,0068 440 2 0,394	ng/ mg mg	/L n/kg/d n/kg/d		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value of STP microorga	ediment sediment anisms compartment t level - DNEL / L		y) -2-benzopyr	0,0068 440 2 0,394	ng/ mg mg mg	/L j/kg/d j/kg/d		343 mg/kg/
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water se Normal value for marine water Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect	ediment sediment anisms compartment t level - DNEL / I		chronic local	0,0068 440 2 0,394 1 1,5	ng/ mg mg mg	//L g/kg/d g/kg/d g/kg/d Acute	Chronic local	Chronic
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value for marine water Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure	ediment sediment anisms compartment t level - DNEL / I Effects on consumers	DMEL		0,0068 440 2 0,394 1 1,5 Chronic systemic 2,3 mg/kg	ng/mg mg mg mg mg mg workers	y/kg/d y/kg/d y/kg/d y/l y/kg/d	Chronic local	
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value for marine water Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral	ediment sediment anisms compartment t level - DNEL / I Effects on consumers	DMEL		0,0068 440 2 0,394 1 1,5	ng/mg mg mg mg mg mg workers	//L g/kg/d g/kg/d g/kg/d Acute	Chronic local	Chronic
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value of STP microorga	ediment sediment anisms compartment t level - DNEL / I Effects on consumers	DMEL		0,0068  440  2  0,394  1  1,5  Chronic systemic 2,3 mg/kg bw/d	ng/mg mg mg mg mg mg workers	//L g/kg/d g/kg/d g/kg/d Acute	Chronic local	Chronic
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value for marine water Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation Skin	ediment sediment anisms compartment t level - DNEL / I Effects on consumers	DMEL		0,0068  440  2  0,394  1  1,5  Chronic systemic 2,3 mg/kg bw/d 4 mg/m3  22 mg/kg	ng/mg mg mg mg mg mg workers	//L g/kg/d g/kg/d g/kg/d Acute	Chronic local	Chronic systemic 13,5 mg/m 36,7 mg/kg
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value for marine water Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation Skin	ediment sediment sediment anisms compartment t level - DNEL / I Effects on consumers Acute local	DMEL		0,0068  440  2  0,394  1  1,5  Chronic systemic 2,3 mg/kg bw/d 4 mg/m3  22 mg/kg	ng/mg mg mg mg mg mg workers	//L g/kg/d g/kg/d g/kg/d Acute	Chronic local	Chronic systemic 13,5 mg/m 36,7 mg/kg
1,3,4,6,7,8-Hexahydro-4,6 Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water Normal value for marine water Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation	ediment sediment sediment anisms compartment t level - DNEL / I Effects on consumers Acute local	DMEL		0,0068  440  2  0,394  1  1,5  Chronic systemic 2,3 mg/kg bw/d 4 mg/m3  22 mg/kg	ng/mg mg mg mg mg mg workers	//L y/kg/d y/kg/d y/kg/d Acute systemic	Chronic local	Chronic systemic 13,5 mg/m 36,7 mg/kg

	(	CULTI MILA	NO SpA				Revision nr. 5 Dated 11/05/202	
FR TESSUTO							Printed on 11/05/2022 Page n. 6/17 Replaced revision:4 (Dated: 19/12/2021)	
Normal value for fresh wate	r sediment			0,145	mg	ı/kg/d		
Normal value for marine wa	ter sediment			0,0145	mg	ı/kg/d		
Normal value for water, inte	rmittent release			0,316	mg	ı/l		
Normal value of STP micro	organisms			10	mg	ı/l		
Normal value for the terrest	rial compartment			0,0105	mg	ı/kg/d		
Health - Derived no-eff	Effects on	DMEL			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic	workers Acute local	Acute	Chronic local	Chronic
Oral				systemic 0,600 mg/kg		systemic		systemic
Inhalation	0,500			5,4 mg/m3				18 mg/m3
Skin	0,500 mg/cm2			1,1 mg/kg				1,9 mg/kg
CKIII	0,000 1119,01112			bw/d				bw/d
Linalool Predicted no-effect concent	ration - PNEC							
Normal value in fresh water				0,2	mg	<b>1</b> /l		
Normal value in marine water	er			0,02	mg	<b>1</b> /Ι		
Normal value for fresh wate	r sediment			2,22	mg	ı/kg/d		
Normal value for marine wa	ter sediment			0,222	mg	ı/kg/d		
Normal value of STP micro	organisms			10	mg	ı/l		
Normal value for the terrest	rial compartment			0,327	mg	ı/kg/d		
Health - Derived no-eff	ect level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 2,49 mg/kg		systemic		systemic
Inhalation				bw/d 4,33 mg/m3				24,58 mg/m3
Skin			1,5 mg/cm2	1,25 mg/kg bw/d				3,5 mg/kg bw/d
Linalyl acetate								
Predicted no-effect concent	ration - PNEC							
Normal value in fresh water				0,011	mg	J/I		
Normal value in marine water	er			0,0011	mg	J/I		
Normal value for fresh wate				0,609	mg	ı/kg/d		
Normal value for marine wa				0,0609		J/kg/d		
Normal value of STP microorganisms				1	mg	]/I		
Normal value for the terrest	·			0,115	mg	ı/kg/d		
Health - Derived no-eff	ect level - DNEL / I Effects on consumers	OMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 0,200 mg/kg		systemic		systemic
Inhalation				0,680 mg/m3				2,75 mg/m3

1,25 mg/kg bw/d

2,5 mg/kg bw/d

# 3-Methylcyclopentadecenone

Oral Inhalation

Skin

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 7/17 Replaced revision:4 (Dated: 19/12/2021)

Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,00242	mg/l	
Normal value in marine water	242	ng/L	
Normal value for fresh water sediment	3,66	mg/kg/d	
Normal value for marine water sediment	0,37	mg/kg/d	
Normal value of STP microorganisms	10	mg/l	
Normal value for the terrestrial compartment	2,34	mg/kg/d	

Coumarin			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,019	mg/l	
Normal value in marine water	0,0019	mg/l	
Normal value for fresh water sediment	0,15	mg/kg/d	
Normal value for marine water sediment	0,015	mg/kg/d	
Normal value of STP microorganisms	6,4	mg/l	
Normal value for the terrestrial compartment	0,018	mg/kg/d	

	Health - Derived no-effect level - DNEL / DMEL								
П		Effects on				Effects on			
		consumers				workers			
П	Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
					systemic		systemic		systemic
	Inhalation				1,69 mg/m3				6,78 mg/m3
	Skin				0,390 mg/kg bw/d				0,790 mg/kg bw/d

### Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 8/17 Replaced revision:4 (Dated: 19/12/2021)

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

### **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	Clear liquid	Concentration: 100 % Temperature: 20 °C
Colour	straw yellow	Concentration: 100 % Temperature: 20 °C
Odour	characteristic	Concentration: 100 % Temperature: 20 °C
Odour threshold	Not applicable	
Melting point / freezing point	Not available	
Initial boiling point Flammability Lower explosive limit	80 °C flammable liquid 3,5 % (v/v)	Concentration: 100 % Concentration: 100 %
Upper explosive limit	15 % (v/v)	
Flash point Auto-ignition temperature pH	< 23 °C 430 °C 7	Concentration: 100 % Concentration: 100 % Concentration: 100 % Temperature: 20 °C
Kinematic viscosity	Not available	
Solubility	partially soluble in water	Concentration: 100 % Temperature: 20 °C
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	0,82 - 0,84 g/cm <sup>3</sup>	Concentration: 100 % Temperature: 20 °C
Relative vapour density	Not available	
Particle characteristics	Not applicable	

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 9/17 Replaced revision:4 (Dated: 19/12/2021)

VOC (Directive 2010/75/EU) VOC (volatile carbon) Oxidising properties

87.16 % 45,46 % not oxidizing

386,44

g/litre 740.86 Concentration: 100 % g/litre

Concentration: 100 % Concentration: 100 % Temperature: 20 °C

### **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

#### ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide,perchlorates,perchloric acid,perchloronitrile,mercury nitrate,nitric acid,silver,silver nitrate,ammonia,silver oxide,ammonia,strong oxidising bromoacetylene,chlorine acetylene,bromine trifluoride,chromium dioxide.May react dangerously with: trioxide,chromyl chloride,fluorine,potassium tert-butoxide,lithium hydride,phosphorus trioxide,black platinum,zirconium (IV) chloride,zirconium (IV) iodide.Forms explosive mixtures with: air.

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

#### ETHANOL

Avoid exposure to: sources of heat, naked flames.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

### **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 10/17 Replaced revision:4 (Dated: 19/12/2021)

### **ACUTE TOXICITY**

ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) ATE (Dermal) of the mixture: Not classified (no significant component)

ETHANOL

LD50 (Oral): > 5000 mg/kg Rat

LC50 (Inhalation vapours): 120 mg/l/4h Pimephales promelas

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran (HHCB)

LD50 (Oral): 2000 mg/kg Rat LD50 (Dermal): 2000 mg/kg Rabbit

7-Hydroxycitronellal

LD50 (Oral): 6400 mg/kg Rat LD50 (Dermal): 2000 mg/kg Rabbit

Linalool

LD50 (Oral): 2790 mg/kg Rat LD50 (Dermal): 5610 mg/kg Rabbit

Linalyl acetate

LD50 (Oral): 9000 mg/kg Rat LD50 (Dermal): 5000 mg/kg Rabbit

3-Methylcyclopentadecenone

LD50 (Oral): LD50 (Dermal): 2000 mg/kg Rat 2000 mg/kg Rat

Coumarin

LD50 (Oral): 293 mg/kg Rat

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

# SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation

### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains: Coumarin

3-Methylcyclopentadecenone

Linalyl acetate Linalool

7-Hydroxycitronellal

#### Respiratory sensitization

Information not available

#### Skin sensitization

Information not available

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### **FR TESSUTO**

Revision nr. 5
Dated 11/05/2022
Printed on 11/05/2022
Page n. 11/17
Replaced revision:4 (Dated: 19/12/2021)

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

# Adverse effects on sexual function and fertility

Information not available

#### Adverse effects on development of the offspring

Information not available

#### Effects on or via lactation

Information not available

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### Target organs

Information not available

#### Route of exposure

Information not available

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### Target organs

Information not available

#### Route of exposure

Information not available

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### **SECTION 12. Ecological information**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

#### 12.1. Toxicity

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

 LC50 - for Fish
 0,95 mg/l/96h

 EC50 - for Crustacea
 0,194 mg/l/48h

 Chronic NOEC for Fish
 0,068 mg/L (36 days)

 Chronic NOEC for Algae / Aquatic Plants
 0,201 mg/L (72 h)

Linalool

LC50 - for Fish 27,8 mg/l/96h

### **FR TESSUTO**

**Revision nr. 5**Dated 11/05/2022
Printed on 11/05/2022
Page n. 12/17
Replaced revision:4 (Dated: 19/12/2021)

EC50 - for Crustacea 59 mg/l/48h EC10 for Algae / Aquatic Plants 54,3 mg/l/4d

Coumarin

 LC50 - for Fish
 > 1,324 mg/l/96h

 Chronic NOEC for Fish
 8,012 mg/l 30 days

 Chronic NOEC for Crustacea
 0,5 mg/l 21 days

 Chronic NOEC for Algae / Aquatic Plants
 0,431 mg/l 72h

Linalyl acetate

 LC50 - for Fish
 11 mg/l/96h

 EC50 - for Crustacea
 59 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 68 mg/l/72h

7-Hydroxycitronellal

 LC50 - for Fish
 31,6 mg/l/96h

 EC50 - for Crustacea
 410 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 123,32 mg/l/72h

3-Methylcyclopentadecenone

 LC50 - for Fish
 0,22 mg/l/96h

 EC50 - for Algae / Aquatic Plants
 30 mg/l/72h

 Chronic NOEC for Fish
 0,13 mg/l 10 days

12.2. Persistence and degradability

ETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

Solubility in water 1,65 mg/l @ 25°C

NOT rapidly degradable

Linalool

Solubility in water 1,56 g/l

Rapidly degradable

Coumarin

Solubility in water 1,9 g/l

Rapidly degradable

Linalyl acetate

Solubility in water 30 mg/l

Rapidly degradable

7-Hydroxycitronellal

### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 13/17 Replaced revision:4 (Dated: 19/12/2021)

Solubility in water 35 g/l

Rapidly degradable

3-Methylcyclopentadecenone

Solubility in water 0,9 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

ETHANOL

Partition coefficient: n-octanol/water -0,35

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran

(HHCB)

Partition coefficient: n-octanol/water 5,3 Log Kow @ 25°C

BCF 1584 L/kg ww aquatic/sediment

Linalool

Partition coefficient: n-octanol/water 2,9 Log Kow @ 20°C

Coumarin

Partition coefficient: n-octanol/water 1,39 Log Kow @ 25°C

Linalyl acetate

Partition coefficient: n-octanol/water 3,9 Log Kow BCF 174 L/kg ww

7-Hydroxycitronellal

Partition coefficient: n-octanol/water 1,68 Log Kow @ 25°C

3-Methylcyclopentadecenone

Partition coefficient: n-octanol/water 5,52 Log Kow @ 25°C

### 12.4. Mobility in soil

Information not available.

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available.

### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

#### **FR TESSUTO**

Revision nr. 5
Dated 11/05/2022
Printed on 11/05/2022
Page n. 14/17
Replaced revision:4 (Dated: 19/12/2021)

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

### 14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1266

### 14.2. UN proper shipping name

ADR / RID: PERFUMERY PRODUCTS

IMDG: PERFUMERY PRODUCTS (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta (g) -2-benzopyran (HHCB))

IATA: PERFUMERY PRODUCTS

### 14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3



### 14.4. Packing group

ADR / RID, IMDG, IATA:

#### 14.5. Environmental hazards

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: NO

utant

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: 33 Limited Quantities: 5 L Tunnel restriction code: (D/E)

Special provision: 163, 640D

IMDG: EMS: F-E, S-D Limited Quantities: 5 L

IATA: Cargo: Maximum quantity: 60 L Packaging instructions: 364

Pass.: Maximum quantity: 5 L Packaging instructions: 353

#### **FR TESSUTO**

**Revision nr. 5**Dated 11/05/2022
Printed on 11/05/2022
Page n. 15/17
Replaced revision:4 (Dated: 19/12/2021)

Special provision: A3, A72

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant.

# **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: P5c-E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Acute Tox. 4 Acute toxicity, category 4
Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1B Skin sensitization, category 1B

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 16/17 Replaced revision:4 (Dated: 19/12/2021)

**Aquatic Acute 1** Hazardous to the aquatic environment, acute toxicity, category 1 **Aquatic Chronic 1** Hazardous to the aquatic environment, chronic toxicity, category 1 **Aquatic Chronic 2** Hazardous to the aquatic environment, chronic toxicity, category 2

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411

#### I EGEND.

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

#### **FR TESSUTO**

Revision nr. 5 Dated 11/05/2022 Printed on 11/05/2022 Page n. 17/17 Replaced revision:4 (Dated: 19/12/2021)

- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
   The Merck Index. 10th Edition
   Handling Chemical Safety

- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- **FCHA** website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 08 / 09 / 11 / 12 / 14.