

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Zhongshan Anxin Lighting Appliance Co., Ltd.

**Supplier's address:** MEGA LAGES SAS, Bureau 450, 37 passage du Ponceau, Paris, France, Paris, FR

**Model identifier:** A169

## Type of light source:

|   |     |                                 |     |
|---|-----|---------------------------------|-----|
| Lighting technology used:                           | LED | Non-directional or directional: | DLS |
| Light source cap-type (or other electric interface) | N.A |                                 |     |
| Mains or non-mains:                                 | MLS | Connected light source (CLS):   | No  |
| Colour-tuneable light source:                       | No  | Envelope:                       | -   |
| High luminance light source:                        | No  |                                 |     |
| Anti-glare shield:                                  | No  | Dimmable:                       | No  |

## Product parameters

| Parameter | Value | Parameter | Value |
|-----------|-------|-----------|-------|
|-----------|-------|-----------|-------|


### General product parameters:

|  |                          |  |   |
|--|--------------------------|--|---|
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | 12                       | Energy efficiency class  | F   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 900 in Narrow cone (90°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 500   |
| On-mode power ( $P_{on}$ ), expressed in W   | 12,0                     | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | 0,20  |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -                        | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 80  |
| Outer dimensions without separate control gear, lighting control   | Height                   | 30   | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|  | Width                    | 15   |   |
|  | Depth                    | 10   |   |
|  |                          |  | See image in last page  |

|   |       |  |                |
|---|-------|--|----------------|
| parts and non-lighting control parts, if any (millimetre)   |       |  |                |
| Claim of equivalent power <sup>(a)</sup>  | -     | If yes, equivalent power (W)                                       | -              |
|   |       | Chromaticity coordinates (x and y)                                 | 0,308<br>0,331 |
| <b>Parameters for directional light sources:</b>  |       |  |                |
| Peak luminous intensity (cd)  | 1 692 | Beam angle in degrees, or the range of beam angles that can be set | 25             |
| <b>Parameters for LED and OLED light sources:</b>   |       |  |                |
| R9 colour rendering index value   | 1     | Survival factor  | 1,00           |
| the lumen maintenance factor  | 0,96  |  |                |
| <b>Parameters for LED and OLED mains light sources:</b>   |       |  |                |
| displacement factor (cos $\phi_1$ )   | 0,90  | Colour consistency in McAdam ellipses                              | 3              |
| Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage. | -(b)  | If yes then replacement claim (W)                                  | -              |
| Flicker metric (Pst LM)   | 0,1   | Stroboscopic effect metric (SVM)                                   | 0,1            |

(a) '-': not applicable;

(b) '-': not applicable;



Model placed on the Union market from 17/12/2025.



**EPREL registration number:** 2577490

<https://eprel.ec.europa.eu/qr/2577490>

**Supplier:** Mega Lages SAS (Authorised representative)

**Website:**

**Customer care service:**

**Name:** MEGA LAGES SAS

**Website:**

**Email:** [admin@mega-lages.com](mailto:admin@mega-lages.com)

**Phone:** +33-170613157

**Address:**

Bureau 450, 37 passage du Ponceau, Paris, France

Paris

France