

Pflichtangaben nach Verordnung (EU) 2015/1188

Modellkennung(en)	10033060, 10033062						
Angabe	Symbol	Wert	Einheit	Angabe	Einheit		
Wärmeleistung			Nur bei elektrischen Speicher-Einzelraumheizgeräten: Art der Regelung der Wärmezufuhr				
Nennwärmeleistung	P _{nom}	2,0	kW	Manuelle Regelung der Wärmezufuhr mit integriertem Thermostat	Nein		
Mindestwärmeleistung (Richtwert)	P _{min}	1,0	kW	Manuelle Regelung der Wärmezufuhr mit Rückmeldung der Raum- und/oder Außentemperatur	Nein		
Maximale kontinuierliche Wärmeleistung	P _{max,c}	2,0	kW	Elektronische Regelung der Wärmezufuhr mit Rückmeldung der Raum- und/oder Außentemperatur	Nein		
Hilfsstromverbrauch			Wärmeabgabe mit Gebläseunterstützung				
Bei Nennwärmeleistung (Ventilator-Motor)	el _{max}	1,875	kW	Art der Wärmeleistung/Raumtemperaturkontrolle			
Bei Mindestwärmeleistung (Ventilator-Motor)	el _{min}	0,936	kW	Einstufige Wärmeleistung, keine Raumtemperaturkontrolle	Nein		
Im Bereitschaftszustand	el _{SB}	0,24	kW	Zwei oder mehr manuell einstellbare Stufen, keine Raumtemperaturkontrolle	Nein		
			Raumtemperaturkontrolle mit mechanischem Thermostat			Nein	
			Mit elektronischer Raumtemperaturkontrolle			Nein	
			Mit elektronischer Raumtemperaturkontrolle und Tageszeitregelung			Nein	
			Mit elektronischer Raumtemperaturkontrolle und Wochentagsregelung			Ja	
			Sonstige Regelungsoptionen				
			Raumtemperaturkontrolle mit Präsenzerkennung			Nein	
			Raumtemperaturkontrolle mit Erkennung offener Fenster			Ja	
			Mit Fernbedienungsoption			Nein	
			Mit adaptiver Regelung des Heizbeginns			Nein	
			Mit Betriebszeitbegrenzung			Nein	
Mit Schwarzkugelsensor			Nein				
Kontaktangaben	Chal-Tec GmbH, Wallstraße 16, 10179, Berlin, Deutschland						

KLARSTEIN

Mandatory statement according to Regulation (EU) 2015/1188

Model identifier(s):	10033060, 10033062						
Item	Symbol	Value	Unit	Item	Unit		
Heat output			Type of heat input, for electric storage local space heaters only				
Nominal heat output	P _{nom}	2.0	kW	manual heat charge control, with integrated thermostat	NO		
Minimum heat output (indicative)	P _{min}	1.0	kW	manual heat charge control with room and/or outdoor temperature feedback	NO		
Maximum continuous heat output	P _{max,c}	2.0	kW	electronic heat charge control with room and/or outdoor temperature feedback	NO		
Auxiliary electricity consumption			fan assisted heat output				
At nominal heat output (fan motor)	el _{max}	1.875	kW	Type of heat output/room temperature control (select one)			
At minimum heat output (fan motor)	el _{min}	0.936	kW	single stage heat output and no room temperature control	NO		
In standby mode	el _{SB}	0.24	W	Two or more manual stages, no room temperature control	NO		
			with mechanic thermostat room temperature control			NO	
			with electronic room temperature control			NO	
			electronic room temperature control plus day timer			NO	
			electronic room temperature control plus week timer			YES	
			Other control options (multiple selections possible)				
			room temperature control, with presence detection			NO	
			room temperature control, with open window detection			YES	
			with distance control option			NO	
			with adaptive start control			NO	
			with working time limitation			NO	
with black bulb sensor			NO				
Contact details	Chal-Tec GmbH, Wallstraße 16, 10179, Berlin, Germany						

KLARSTEIN